

BOTHALIA

CONTENTS TO VOLS 1—20

H.F. GLEN, B.A. MOMBERG and E. POTGIETER

Edited by—Onder redaksie van

O.A. LEISTNER

Assisted by—Bygestaan deur

B.A. MOMBERG

BOTHALIA

CONTENTS TO VOLS 1—20

H.F. GLEN, B.A. MOMBERG and E. POTGIETER

Edited by—Onder redaksie van

O.A. LEISTNER

Assisted by—Bygestaan deur

B.A. MOMBERG

ISSN 0006 8241
ISBN 1-874907-31-5

Digitized by the Internet Archive
in 2016

<https://archive.org/details/contentstovolume120unse>

INTRODUCTION

This publication consists of the following: a brief history of *Bothalia*; a list of all papers published, arranged according to authors and dates; a list of all authors and keywords in titles; tables with publication dates, major subjects covered and some information on authors.

Bothalia is the third South African journal dedicated specifically to the publication of botanical information. All three journals were produced by the Division of Botany and Plant Pathology, a precursor of the Botanical Research Institute and lately of the National Botanical Institute. The first of the *Memoirs of the Botanical Survey of South Africa* appeared in 1919. This was followed by the first volume of the illustrated *Flowering Plants of South Africa* in 1921 (preface dated December 1920) and, also in 1921, *Bothalia* (preface dated January 1921).

There have been five editors of *Bothalia* in the seven decades since its foundation. Dr I.B. Pole Evans started the journal, and remained its editor until 1939, when the last number of volume 3 was published. Dr R.A. Dyer took over the reins with the first number of volume 4 (1941), and remained editor until the end of volume 6 (1957). The third editor was Dr L.E. Codd, who reigned from 1958 (vol. 7,1) to 1974 (vol. 11,3). From the last number of volume 11 (1975) to the end of volume 15 (1985), the editor was Dr D.J.B. Killick. The present editor, Dr O.A. Leistner, assumed office in 1986 with the first issue of volume 16.

As originally envisaged, each volume of *Bothalia* consisted of four numbers, published whenever the coincidence of material and funds permitted. Volumes thus took several (two to eight) years to complete. The first exception to this was as early as volume 2, which was published in three parts. For some now forgotten reason, these were numbered 1a, 1b and 2. The next exception to the general rule was volume 5, which was entirely devoted to a massive paper on fungi by Dr E.M. Doidge. Nowadays such a paper would probably have appeared in the *Memoirs of the Botanical Survey of South Africa* series, but in those days the *Memoirs* were exclusively ecological in orientation. Later, in 1973, 1980, 1981 and 1983 to 1985, two nominal parts were combined in one, with no reduction in the number of pages issued. From volume 16 (1986) onwards, each volume of *Bothalia* has consisted of two parts, and has been completed within a year. One reason for this change is pressure from librarians, and another is general convenience. A side effect has been that the number of pages in each volume has been roughly halved, though the number of papers published per year has not been affected by this change.

The dates of publication, particularly of the early issues, are not readily ascertainable with any precision. Table 1 shows the nominal date of publication of each number of *Bothalia*. Early nominal dates were obtained from the front wrappers of individual parts, where these still existed; later dates (from vol. 9, 1966) are from the contents pages of completed volumes. From 1970 (volume 10,2), the date of receipt by the Mary Gunn Library is also given, based on the dates of issue vouchers from the Division of

TABLE 1.—Dates of publication of the various issues of *Bothalia*

Vol.	Part	Nominal publication date	Date of delivery, where known
1	1	1921	
	2	1922	
	3	1922	
	4	1924	
2	1a	1926	
	1b	1927.03.31	
	2	1928	
3	1	1930.08.30	
	2	1937.01	
	3	1938.04	
	4	1939.04	
4	1	1941.08	
	2	1942.09	
	3	1948.03	
	4	1948.10	
5		1950.01	
6	1	1951	
	2	1954	
	3	1956	
	4	1957	
7	1	1958	after 1958.07
	2	1960	before 1960.03.22
	3	1961	1961.04
	4	1962	
8	1	1962.05	
	2	1964.12	1964.12.31
	3	1965.05	
	4	1965.12	
	Supplement	1966.05	
9	1	1966.11.30	
	2	1967.08.04	
	3 & 4	1969.05.07	
10	1	1969.07.23	
	2	1971.03.14	1971.03.11
	3	1971.07.22	1971.07.23
	4	1972.08.30	1972.08.31
11	1 & 2	1973.06.13	1973.06.14
	3	1974.12.24	1975.01.09
	4	1975.07.09	1975.07.10
12	1	1976.10.18	1976.10.18
	2	1977.08.17	1977.08.17
	3	1979.06.21	1979.06.21
	4	1979.07.19	1979.07.27
13	1 & 2	1980.07.18	1980.07.16
	3 & 4	1981.10.16	1981.12.04
14	1	1982.09.26	1982.09.29
	2	1983.05.04	1983.07.19
	3 & 4	1983.11.10	1983.11.11
15	1 & 2	1984.08	1984.10.06
	3 & 4	1985.08	1985.12.10
16	1	1986.05	1986.07.03
	2	1986.10	1986.11.06
17	1	1987.07	1987.08.11
	2	1987.10	1987.10.26
18	1	1988.05	1988.06.12
	2	1988.10	1988.11.29
19	1	1989.05	1989.06.01
	2	1989.10	1989.10.30
20	1	1990.05	1990.05.23
	2	1990.10	1990.11.23

Agricultural Information or the contracting (private) firm who printed that number. Where these vouchers no longer exist, the library's own records were used. In terms of Art. 29.1 and 30.1 of the International Code of Botanical Nomenclature, these latter dates should be used where necessary to determine priority of names published in these issues of *Bothalia*.

More papers published in *Bothalia* have been about angiosperm taxonomy (553 or 45.2%) than any other botanical discipline, but most other fields of botany have been covered. The main fields dealt with in the first 1 224 papers are shown in Table 2. The field shown as 'other' is to be interpreted as mainly ethnobotany and palaeobotany with a few horticultural notes, while Administrative includes such matters as annual reports and guides to authors.

Until about 1973, when the former Botanical Research Institute moved to new premises in the Pretoria National Botanical Garden at Brummeria and the mycologists remained at 590 Vermeulen St, Pretoria, there were relatively many mycological papers in *Bothalia*. Since then, the numbers of these papers have dropped off sharply. More or less simultaneously, the numbers of ecological papers, and items dealing with plant anatomy, palaeobotany and ethnobotany, rose sharply. The first of these can possibly be traced to the move noted above, when the new home of the editorial office of *Bothalia* was near the ecologists who had moved to the garden at Brummeria before the rest of the Institute. Also, *Memoirs of the Botanical Survey of South Africa* were now reserved for longer works, and ecological fashion had turned to the production of somewhat shorter papers suitable for journal publication. The rise of anatomical, cytological, ethno- and palaeobotanical studies in recent years can be traced to the appointment of enthusiastic specialists in these fields.

TABLE 2.—Distribution of papers by subject in *Bothalia*

Subject	No.	%
Taxonomy		
Angiosperms	553	45.2
Gymnosperms	6	0.5
Pteridophytes	14	1.1
Bryophytes	30	2.5
Algae	13	1.1
Fungi	74	6.0
Lichens	18	1.5
General	29	2.4
Ecology		
Phytogeography	38	3.1
Vegetation	96	7.8
Ecophysiology	19	1.6
Other	19	1.6
Anatomy	49	4.0
Morphology	17	1.4
Cytology	25	2.0
History	12	1.0
Personalia	23	1.9
Book reviews	100	8.2
Administrative	20	1.6
Other	63	5.1

TABLE 3.—The most prolific authors in *Bothalia*

Name	No. papers
Codd, L.E.	54
Killick, D.J.B.	53
Dyer, R.A.	48
Obermeyer, A.A.	46
Ross, J.H.	38
Verdoorn, I.C.	38
Ellis, R.P.	38
Stirton, C.H.	33
Gibbs Russell, G.E.	28
Perold, S.M.	26

The editorial policy of *Bothalia* has long been to accept papers in English and Afrikaans freely, subject to the usual quality control by referees. From time to time, most notably in vol. 14 (parts 3 & 4), the proceedings of the 1982 AETFAT meeting, this rule has been bent to include papers written in French. Of the first 1 224 papers in *Bothalia*, 1 201 (98.12%) are in English, 16 (1.31 %) in French and 7 (0.57%) in Afrikaans.

The ten most prolific authors publishing in *Bothalia* are listed in Table 3. Of the six retired directors of the former Botanical Research Institute, two, namely, Dr L.E. Codd and Dr R.A. Dyer, are in this table. Two others occupy 12th and 17th places. Burt Davy (first director) resigned before *Bothalia* was started and, curiously, Pole Evans contributed only the preface to the journal which he founded. All of the most prolific authors are, or were for at least part of their careers, BRI staff members. Evidently *Bothalia* is not the journal of consistent first choice for outside botanists to publish their work. Two authors have published under both their married and maiden names, namely, Mrs D.M.C. Fourie, née Van Druten, and Mrs L. Fish, née Smook.

Table 4 gives a breakdown of the 387 authors who have contributed to *Bothalia*, by provenance. Fifteen of the authors are counted twice, as they moved during their productive lives. Although one would expect that the largest group of authors would be those attached to the former Botanical Research Institute, considering that *Bothalia* is primarily the Institute's house journal, this is not so. The biggest group, by a very small margin, is authors from other centres in South Africa. The large number of overseas contributors is partly due to the fact that vol. 14,3 & 4 of *Bothalia* was devoted to reporting the proceedings of an international congress. However, this only accounts for about half the overseas contributors.

TABLE 4.—Provenance of papers

Provenance	No. papers	%
Old Botanical Research Institute	140	35.1
South African, not BRI	153	38.1
Foreign	109	27.1
Counted twice (see text)	15	3.7

ACKNOWLEDGEMENTS

The authors would like to thank Dr O.A. Leistner (NBI) and Dr Don Grierson (UPE) for their help and encouragement. The help given by Mmes D. Lategan (Mary Gunn

Library) and I. Joubert (NBI) in locating archival material has been invaluable. Drs J.P. Rourke (NBG) and H.P. Linder (BOL) gave much-needed assistance in the quest for accurate publication dates. The senior author is most grateful to Mrs E. du Plessis for assistance with proofreading.

LIST OF PAPERS

Co-authors are listed showing the year, volume, page numbers and first author.

- ACOCKS, J.P.H. 1979. The flora that matched the fauna. 12,4: 673–709.
- ADMIRAAL, J. 1966. Vegetative propagation of Proteaceae and Ericaceae. 8 (Suppl.): 65–69.
- AKÉ ASSI, L. 1983. Santé et valorisation des plantes médicinales en Côte d'Ivoire. 14,3 & 4: 603–605.
- 1983. Quelques vertus médicinales de *Cassia occidentalis* L. (Césalpiniacées) en basse Côte d'Ivoire. 14,3 & 4: 617–620.
- ALBERS, F. 1983. Cytotaxonomic studies in African Asclepiadaceae. 14,3 & 4: 795–798.
- ANDERSON, H.M. 1983. 14,3 & 4: 337–344 (see ANDERSON, J.M.).
- ANDERSON, J.G. 1960. Gramineae. 7,2: 417–422.
- 1962. Gramineae. 8,1: 113, 114.
- 1964. Gramineae. 8,2: 170–172.
- 1966. The genus *Andropogon* in southern Africa. 9,1: 5–30.
- 1966. A new combination in *Hyparrhenia*. 9,1: 130.
- 1967. A new variety of *Festuca costata* (Gramineae). 9,2: 341, 347.
- 1967. A new species of *Panicum* (Gramineae). 9,2: 341, 342, 348.
- 1969. A new generic record for South Africa (Gramineae). 10,1: 73, 74.
- ANDERSON, J.M. 1989. Review: The Banksia Atlas, ed. A. Stephens and S. Hopper. 19,1: 142, 143.
- ANDERSON, J.M. & ANDERSON, H.M. 1983. Vascular plants from the Devonian to Lower Cretaceous in southern Africa. 14,3 & 4: 337–344.
- ANELICH, R.Y. 1987. 17,1: 97–104 (see MARASAS, W.F.O.).
- ANON. 1966. Botanical Research Institute, 1.764 to 30.6.65. 8 (Suppl.): 1–34.
- ANON. 1978. Botanical Research Institute: scientific, technical and administrative staff (31st July 1977). 12,3: 573–575.
- ANON. 1979. Review of the work of the Botanical Research Institute, 1977/1978. 12,4: 763–774.
- ANON. 1980. Review of the work of the Botanical Research Institute, 1978/1979. 13,1 & 2: 247–258.
- ANON. 1981. Review of the work of the Botanical Research Institute, 1979/1980. 13,3 & 4: 577–588.
- ANON. 1982. Review of the work of the Botanical Research Institute, 1980/1981. 14,1: 145–159.
- ANON. 1983. Review of the work of the Botanical Research Institute, 1981/1982. 14,2: 305–319.
- ANON. 1984. Review of the work of the Botanical Research Institute, 1982/1983. 15, 1 & 2: 323–337.
- ANON. 1985. Review of the work of the Botanical Research Institute, 1983/1984. 15,3 & 4: 761–775.
- ANON. 1986. Review of the work of the Botanical Research Institute, 1984/1985. 16,1: 119–133.
- ANON. 1986. Guide for authors to Bothalia. 16,2: 275–280.
- ANON. 1987. Review of the work of the Botanical Research Institute, 1985/1986. 17,1: 139–153.
- ANON. 1987. Guide for authors to Bothalia. 17,1: 157–162.
- ANON. 1987. Review of the work of the Botanical Research Institute 1986/1987. 17,2: 277–296.
- ANON. 1988. Guide for authors to Bothalia. 18,1: 137–142.
- ANON. 1988. Annual report of the Botanical Research Institute 1987/1988. 18,2: 305–324.
- ANON. 1989. Guide for authors to Bothalia. 19,1: 145–150.
- ANON. 1989. Annual report of the Botanical Research Institute 1988/1989. 19,2: 295–312.
- ANON. 1990. Guide for authors to Bothalia. 20,1: 133–140.
- ANON. 1990. National Botanical Institute, Pretoria: list of staff and publications. 20,2: 267–272.
- ANTHONY, N.C. 1985. New combinations in *Herschelianthe* (Orchidaceae). 15,3 & 4: 554.
- 1988. Review: Iconographia palynologica pteridophytorum Italiae, by E. Ferrarini, F. Ciampolini, R.E.G. Pichi Sermolli and D. Marchetti. 18,1: 135.
- ANTHONY, N.C. & SCHELPE, E.A.C.L.E. 1985. A checklist of the Pteridophytes of the *Flora of southern Africa* region. 15,3 & 4: 541–544.
- 1985. Two new taxa and a new combination in southern African Pteridophyta. 15,3 & 4: 554, 555.
- 1985. \times *Pleopodium*—a putative intergeneric fern hybrid from Africa (Pteridophyta). 15,3 & 4: 555–559.
- ARIOVICH, D. 1983. 14,3 & 4: 901–913 (see FREAN, M.L.).
- ARCHIBALD, E.E.A. 1956. Liliaceae. 6,3: 542–544.
- ARNOLD, T.H. 1978. A new species of *Peucedanum* from Natal (Apiaceae). 12,3: 441–443.
- 1981. *Ficinia lucida*: an interspecific hybrid between *F. cedarbergensis* and *F. ixioides* subsp. *glabra* (Cyperaceae). 13,3 & 4: 439–441.
- 1983. Comments on primitive South African crop sorghums and the evolution of sorghum races in Africa. 14,3 & 4: 587–594.
- 1984. 15,1 & 2: 139–152 (see REID, C.).
- 1990. Review: The herbarium handbook, by L. Forman and D. Bridson. 20,1: 131.
- ARNOLD, T.H. & GORDON-GRAY, K.D. 1978. Notes on the genus *Ficinia*: *F. pygmaea*, *F. limosa*, *F. clandestina* and nine new taxa from the south-western Cape, South Africa. 12,3: 405–420.
- 1982. Notes on the genus *Ficinia* (Cyperaceae): morphological variation within the section *Bracteosae*. 14,1: 15–26.
- ARNOLD, T.H. & MUSIL, K.J. 1983. A preliminary survey of primitive crops cultivated in the northern Transvaal of South Africa. 14,3 & 4: 595–601.
- ARNOLD, T.H. & VORSTER, P.J. 1981. Ecological adaptations and possible convergence in *Ficinia arenicola* var. *erecta* and *Mariscus durus* (Cyperaceae). 13,3 & 4: 441–443.
- ARRIAGA, M.O. 1989. 19,1: 45–52 (see SANCHEZ, E.).
- BACKER, A.P. 1989. 19,1: 91–110 (see DEALL, G.B.).
- BADENHORST, H. 1967. Melastomataceae. 9,2: 345.
- BAIJNATH, H. & RAMCHARUN, S. 1983. Aspects of pollination and floral development in *Ficus capensis* Thunb. (Moraceae). 14,3 & 4: 883–888.
- BAKER, E.G. 1922. Revision of the South African species of *Rhynchosia*. 1,3: 113–138.
- BAKER, P.B. 1978. 12,3: 561, 562 (see VAN DER WALT, J.P.).
- BALKWILL, K. & NICHOLAS, A. 1990. *Uvaria gracilipes*, a new southern Africa record (Annonaceae). 20,2: 207.
- BALLY, P.R.O. 1958. Euphorbiaceae. 7,1: 29–31, 39.
- BALSINHAS, A.A. 1983. 14,3 & 4: 945–948 (see WELLS, M.J.).
- 1983. 14,3 & 4: 961–970 (see WELLS, M.J.).
- 1983. The weeds of abandoned cotton fields in Mozambique. 14,3 & 4: 971–975.
- BAMPS, P. 1983. Rapport sur la Flore d'Afrique Centrale: 1978–1981. 14,3 & 4: 1015, 1016.
- BARKER, N.P. 1985. Evidence of a volatile attractant in *Ficus ingens* (Moraceae). 15,3 & 4: 607–611.
- 1986. The shape and ultrastructure of the caryopsis of *Pentameris* and *Pseudopentameris* species (Arundinoideae, Poaceae). 16,1: 65–69.
- 1989. The caryopsis surface of *Pentameris* and *Pseudopentameris* (Arundinoideae, Poaceae) revisited. 19,1: 134–136.
- 1989. 19,2: 275–294 (see DE WET, B.C.).
- 1990. 20,2: 249–266 (see DE WET, B.C.).
- BARLOW, B.A. 1980. 13,1 & 2: 161–169 (see WIENS, D.).
- BARRETT, D.R. 1983. 14,3 & 4: 901–913 (see FREAN, M.L.).
- BEARD, J.S. 1958. The *Protea* species of the summer rainfall area of South Africa. 7,1: 41–65.
- BEZUIDENHOUT, J. 1978. 12,3: 547–551 (see MORRIS, J.W.).
- BITTRICH, V. 1990. 20,2: 153–157 (see HARTMANN, H.E.K.).
- 1990. A new species of *Galenia* from the Great Karoo (Aizoaceae). 20,2: 217–219.

- BOCQUET, G. 1977. *Silene dewinteri*, a new species of the Caryophyllaceae from the south-western Cape. 12,2: 309–311.
- BOLOFO, R.N. & JOHNSON, C.T. 1988. The identification of 'Isicakathi' and its medicinal use in Transkei. 18,1: 125–130.
- BORNEFELD, T. 1988. 18,2: 155–163 (see VOLK, O.H.).
- BORNMAN, C.H. 1973. 11,1 & 2: 181–190 (see MUSIL, C.F.).
- BOSCH, O.J.H. 1978. Vergelyking tussen die plantegroei en habitatte van die gronde van die Estcourt- en Sterkspruitvorms in die suidoostelike Oranje-Vrystaat. 12,3: 499–511.
- BOTTOMLEY, A.M. 1948. Gasteromycetes of South Africa. 4,3: 473–810.
- BOUCHER, C. 1977. Cape Hangklip area. I. The application of association-analysis, homogeneity functions and Braun-Blanquet techniques in the description of south-western Cape vegetation. 12,2: 293–300.
- 1978. Cape Hangklip area. II. The vegetation. 12,3: 455–497.
- 1980. Notes on the use of the term 'Renosterveld'. 13,1 & 2: 237.
- 1983. Floristic and structural features of the coastal foreland vegetation south of the Berg River, western Cape Province, South Africa. 14,3 & 4: 669–674.
- BOUREAU, E. 1983. Les organismes du Précambrien terminal du craton ouest africain. 14,3 & 4: 471–477.
- BOUREAU, E., CHEBOLDAEFF-SALARD, M., KOENIGUER, J.-C. & LOUVET, P. 1983. Evolution des flores et de la végétation Tertiaires en Afrique, au nord de l'Equateur. 14,3 & 4: 355–367.
- BOURREIL, P., GESLOT, A., GORLIER, M. & DE WINTER, B. 1972. Contribution to the caryological study of the African grass *Aristida rhinichloa* Hochst., based on specimens from the southern hemisphere. 10,4: 555–563.
- BREDELL, H.C. 1937. 3,2: 259–269 (see PHILLIPS, E.P.).
- 1939. A revision of the South African species of *Hypericum*. 3,4: 571–582.
- BREDELL, I.H. 1974. 11,3: 217–219 (see MARASAS, W.F.O.).
- BREDENKAMP, G.J. 1985. 15,3 & 4: 547 (see UBBINK, B.).
- 1990. 20,2: 233–240 (see KOOLJ, M.S.).
- 1990. 20,2: 241–248 (see KOOLJ, M.S.).
- BREDENKAMP, G.J. & THERON, G.K. 1978. A synecological account of the Suikerbosrand Nature Reserve. I. The phytosociology of the Witwatersrand geological system. 12,3: 513–529.
- 1980. A synecological account of the Suikerbosrand Nature Reserve. II. The phytosociology of the Ventersdorp Geological System. 13,1 & 2: 199–216.
- BREDENKAMP, G.J., THERON, G.K. & VAN VUUREN, D.R.J. 1983. Ecological interpretation of plant communities by classification and ordination of quantitative soil characteristics. 14,3 & 4: 691–699.
- BREEN, C.M. 1980. 13,1 & 2: 217–230 (see FURNESS, H.D.).
- 1985. 15,3 & 4: 689–703 (see MUSIL, C.F.).
- 1985. 15,3 & 4: 705–724 (see MUSIL, C.F.).
- 1985. 15,3 & 4: 725–731 (see MUSIL, C.F.).
- 1985. 15,3 & 4: 733–748 (see MUSIL, C.F.).
- BRENAN, J.P.M. 1983. Concluding remarks and summary. AETFAT Symposium 1982. 14,3 & 4: 441–443.
- BRITS, G.J., JACOBS, G. & VOGTS, M.M. 1983. Domestication of fynbos Proteaceae as a floricultural crop. 14,3 & 4: 641–646.
- BRITTEN, L.L. & STORY, R. 1954. Newly described species. Gesneriaceae. 6,2: 433–436.
- BRITZ, P.J. 1989. 19,2: 268, 269 (see PANAGOS, M.D.).
- 1989. 19,2: 270, 271 (see WESTFALL, R.H.).
- BROWN, N.E. 1922. The genera *Aloe* and *Mesembryanthemum* as represented in Thunberg's herbarium. 1,3: 139–169.
- BRUCE, E.A. 1951. Newly described species. Asclepiadaceae. 6,1: 213, 239.
- 1951. Newly described species. Euphorbiaceae. 6,1: 226–229.
- 1951. Newly described species. Liliaceae. 6,1: 231.
- 1951. Newly described species. Pedaliaceae. 6,1: 233.
- 1951. Newly described species. Rutaceae. 6,1: 234.
- 1951. Newly described species. Scrophulariaceae. 6,1: 235, 236.
- 1951. Newly described species. Verbenaceae. 6,1: 237, 238.
- BRUECKNER, A.E. 1951. Newly described species. Chenopodiaceae. 6,1: 215–218.
- BRUECKNER, A.E. & VERDOORN, I.C. 1954. Newly described species. Chenopodiaceae. 6,2: 416–418.
- BRUSSE, F. 1984. New species and combinations in *Parmelia* (Lichenes) from southern Africa. 15,1 & 2: 315–321.
- 1985. *Corynecystis*, a new lichen from the Karoo, South Africa (Heppiaceae, Lichenes). 15,3 & 4: 552, 553.
- 1986. A new species of *Pertusaria* (Pertusariaceae). 16,1: 57, 58.
- 1986. A new species of *Porina* on limestone (Porinaceae). 16,1: 62–64.
- 1987. Two new brown subcrustose *Parmelia* species from southern Africa (lichenized Ascomycetes). 17,1: 25–28.
- 1987. A new species of *Gonohymenia* from Etosha Pan limestone (Lichinaceae). 17,1: 35–37.
- 1987. A new species of *Thyrea* from Otavi dolomite (Damara System) (Lichinaceae). 17,1: 37–40.
- 1987. A new yellow *Acarospora* (Lichenes) from the Waterberg, South West Africa/Namibia (Acarosporaceae). 17,2: 179–181.
- 1987. *Psathyrophlyctis*, a new lichen genus from southern Africa (Lichenes). 17,2: 182–184.
- 1987. A new species of *Trapelia* (Lichenes) from southern Africa (Trapeliaceae). 17,2: 187, 188.
- 1988. *Lithoglyphia*, a new lichen genus from Clarens sandstone (Acarosporaceae). 18,1: 89, 90.
- 1988. A new species of *Porpidia* from the Drakensberg (Porpidiaceae). 18,1: 93, 94.
- 1988. *Schizodiscus*, a new porpoid lichen from the Drakensberg (Porpidiaceae). 18,1: 94–96.
- 1989. A new species of *Inezia* (Anthemideae) from the north-eastern Transvaal (Asteraceae). 19,1: 27–29.
- 1989. A new *Phymaspermum* (Anthemideae) species from dolomite areas of the Wolkberg (Asteraceae). 19,1: 29–31.
- 1989. A new species of *Fuscidea* (Lichenes) from the Cape fold mountains (Fuscideaceae). 19,1: 35, 36.
- 1989. A new species of *Maronea* (Lichenes) from the Drakensberg (Fuscideaceae). 19,1: 36, 37.
- 1990. A new species of *Pterothrix* (Gnaphalieae) from the northern Cape (Asteraceae). 20,1: 67–70.
- BUKENYA, Z.R. & HALL, J.B. 1987. Six cultivars of *Solanum macrocarpon* (Solanaceae) in Ghana. 17,1: 91–95.
- 1988. *Solanum* (Solanaceae) in Ghana. 18,1: 79–88.
- BURROWS, J.E. 1989. New taxa, combinations and records of Pteridophyta from southern and central Africa. 19,2: 167–174.
- BURROWS, J.E. & STRAUSS, S.E. 1990. *Doryopteris pilosa* var. *gemmifera*, a new fern variety established (Adiantaceae/Pteridaceae). 20,2: 221, 222.
- CAMPBELL, B.M. 1979. 12,4: 723–729 (see LINDER, H.P.).
- 1983. Montane plant environments in the Fynbos Biome. 14,2: 283–298.
- CAMPBELL, B.M. & MOLL, E.J. 1981. Determination of plot size. 13,3 & 4: 575, 576.
- CARR, J.D. 1989. Review: Trees and shrubs of the Witwatersrand, Magaliesberg and Pilanesberg, by J. van Gogh and J.M. Anderson. 19,2: 319.
- CARR, J.D. & RETIEF, E. 1989. A new species of *Combretum* from Natal (Combretaceae). 19,1: 38–40.
- CEJP, K. 1971. Some members of the Sphaeropsidales from South Africa. 10,2: 341–346.
- CHEBOLDAEFF-SALARD, M. 1983. 14,3 & 4: 355–367 (see BOUREAU, E.).
- CHRISTIAN, H.B. & VERDOORN, I.C. 1954. Newly described species. Liliaceae. 6,2: 440–442.
- CHUAH, M.S. 1983. Uses of graminaceous plants as food by man in West Africa. 14,3 & 4: 631–633.
- CHUPP, C. & DOIDGE, E.M. 1948. *Cercospora* species recorded from southern Africa. 4,4: 881–893.
- CLAASSEN, C.G.T. 1969. 10,1: 68, 69 (see KILLICK, D.J.B.).
- CLAASSEN, M.I. 1961. A contribution to our knowledge of the freshwater algae of the Transvaal Province. 7,3: 559–666.
- 1977. Freshwater algae of southern Africa. II. *Triplastrum spinulosum* from the Transvaal. 12,2: 231–237.
- 1977. Freshwater algae of southern Africa. IV. Some Micrasteria from Rhodesia, including a new species. 12,2: 239–245.
- CLAYTON, W.D. 1983. Geographical distribution of present day Poaceae as evidence for the origin of African floras. 14,3 & 4: 421–425.
- CODD, L.E. 1956. Notes on certain South African *Erythrina* species. 6,3: 507–514.
- 1956. The *Schotia* species of southern Africa. 6,3: 515–533.
- 1956. Anacardiaceae. 6,3: 539, 540, 547.
- 1956. Vitaceae. 6,3: 545, 546.
- 1958. Rhamnaceae. 7,1: 31–33.
- 1958. The *Albizia* species of South Africa. 7,1: 67–82.
- 1961. South African Labiatae. 7,3: 429–434.
- 1961. Apocynaceae. 7,3: 447–455.
- 1961. Review: Flora zambesiaca, vol. 1, no. 1. 7,3: 667.
- 1964. The South African species of *Orthosiphon*. 8,2: 149–162.
- 1964. Guttiferae. 8,2: 174.
- 1964. Scrophulariaceae. 8,2: 176, 177, 181.
- 1966. Botanical Research Institute: list of staff and review of work. 8(Suppl.): 1–34.

- 1966. Contemporary botanists and botanical collectors. 2. Leslie Charles Leach. 8 (Suppl.): 61–64.
- 1966. Notes on *Boerhaavia* in southern Africa. 9,1: 113–121.
- 1966. The *Cassine* complex (Celastraceae). 9,1: 123, 124.
- 1966. The status of the genus *Lydenburgia* (Celastraceae). 9,1: 124.
- 1966. New species of *Kniphofia* (Liliaceae). 9,1: 139–142, 148–151.
- 1967. A new species of *Canthium* (Rubiaceae). 9,2: 345, 346.
- 1969. The South African species of *Kniphofia* (Liliaceae). 9,3 & 4: 363–513.
- 1971. A new name in *Catha* (Celastraceae). 10,2: 365.
- 1972. Celastraceae. 10,4: 565–567.
- 1973. Author citation for *Putterlickia pyracantha* (Celastraceae). 11,1 & 2: 115.
- 1973. The genus *Rabdosia* in South Africa (Labiatae). 11,1 & 2: 117.
- 1974. The identity of *Erythrina princeps*. 11,3: 269–271.
- 1974. New species of *Plectranthus* (Labiatae). 11,3: 282–284.
- 1975. *Plectranthus* (Labiatae) and allied genera in southern Africa. 11,4: 371–442.
- 1976. The South African species of *Hemizygia* (Lamiaceae). 12,1: 1–20.
- 1976. The genus *Syncolostemon* (Lamiaceae). 12,1: 21–27.
- 1977. The South African species of *Teucrium* (Lamiaceae). 12,2: 177–179.
- 1977. A note on the *Stachys aethiopica* Complex. 12,2: 181–189.
- 1978. A new species of *Mundulea* (Fabaceae). 12,3: 448, 449.
- 1980. Obituary: Robert Harold Compton (1886–1979). 13,1 & 2: 244, 245.
- 1982. Notes on the genus *Aptosimum* (Scrophulariaceae). 14,1: 80, 81.
- 1983. Southern African species of *Mentha* (Lamiaceae). 14,2: 169–175.
- 1983. The genus *Tetradenia* Benth. (Lamiaceae) I. African species. 14,2: 177–183.
- 1983. The correct author citation for *Pachypodium succulentum* (Apocynaceae). 14,2: 219.
- 1983. A new name for *Hartogia* Thunb. ex L.f. (Celastraceae) 14,2: 219.
- 1983. A new subspecies in *Ocimum* (Lamiaceae). 14,2: 219, 220.
- 1983. A new species of *Corchorus* (Tiliaceae). 14,2: 221, 222.
- 1983. Obituary: Jan Erens (1911–1982). 14,2: 303, 304.
- 1984. The genus *Tetradenia* Benth. (Lamiaceae). II. Malagasy Republic. 15,1 & 2: 1–6.
- 1984. The genus *Isodon* (Schrud. ex Benth.) Spach in Africa and a new genus *Rabdosiella* Codd (Lamiaceae). 15,1 & 2: 7–10.
- 1984. A new species of *Plectranthus* (Lamiaceae). 15,1 & 2: 142, 143.
- 1986. A new species of *Stachys* (Lamiaceae). 16,1: 51, 52.
- 1986. A new species of *Thorncroftia* (Lamiaceae). 16,1: 52, 53.
- 1986. Obituary: Cythna Lindenberg Letty (1895–1985). 16,1: 92–96.
- 1986. Notes on *Kniphofia* (Liliaceae). 16,2: 231, 232.
- 1987. Notes on *Kniphofia* (Liliaceae). 17,2: 185.
- 1988. Resuscitation of *Syncolostemon ramulosus* E. Mey. ex Benth. (Lamiaceae). 18,1: 92, 93.
- 1988. Obituary: Robert Allan Dyer (1900–1987). 18,1: 131–133.
- CODD, L.E. & GUNN, M.D. 1982. The collecting activities of Anton Rehmann (1840–1917) in South Africa. 14,1: 1–14.
- 1985. Additional biographical notes on plant collectors in southern Africa. 15,3 & 4: 631–654.
- CODD, L.E. & VOORENDYK, S. 1966. Plants which cause 'gousiekt' poisoning. 8 (Suppl.): 47–58.
- COETZEE, B.J. 1972. 10,4: 579–581 (see MULLER, P.J.).
- 1974. A phytosociological classification of the Jack Scott Nature Reserve. 11,3: 329–347.
- 1974. Improvement of association-analysis classification by Braun-Blanquet technique. 11,3: 365–367.
- 1975. A phytosociological classification of the Rustenburg Nature Reserve. 11,4: 561–580.
- COETZEE, B.J., VAN DER MEULEN, F., ZWANZIGER, S., GONSALVES, P. & WEISSER, P.J. 1976. A phytosociological classification of the Nylsvley Nature Reserve. 12,1: 137–160.
- COETZEE, B.J. & WERGER, M.J.A. 1973. On hierarchical syndrome analysis and the Zürich-Montpellier table method. 11,1 & 2: 159–164.
- 1975. A west-east vegetation transect through Africa south of the Tropic of Capricorn. 11,4: 539–560.
- COETZEE, J.A. 1983. Intimations on the Tertiary vegetation of southern Africa. 14,3 & 4: 345–354.
- COLLETT, D.G. 1941. The South African species of *Erythrina*. 4,1: 219–228.
- CONDY, G. 1990. 20,1: 132 (see REID, C.).
- COWLING, R.M. 1984. A syntaxonomic and synecological study in the Humansdorp region of the Fynbos Biome. 15,1 & 2: 175–227.
- CRAIG, G.C. 1983. Vegetation survey of Sengwa. 14,3 & 4: 759–763.
- CRESSWELL, C.F. 1983. 14,3 & 4: 901–913 (see FREAN, M.L.).
- CRIBB, P.J. 1983. Orchids and conservation in tropical Africa and Madagascar. 14,3 & 4: 1013–1014.
- DANDY, J.E. 1961. Homonyms in the Prodrumi of Thunberg and Burman. 7,3: 427, 428.
- DAVIDSE, G. 1988. A revision of the genus *Prionanthium* (Poaceae: Arundineae). 18,2: 143–153.
- 1989. 19,1: 125–132 (see SPIES, J.J.).
- DAVIS, G. 1987. Performance of a laboratory-constructed anemometer under summer field conditions on a mountain fynbos experimental site. 17,1: 136–138.
- 1988. Description of a proteoid-restioid stand in Mesic Mountain Fynbos of the south-western Cape and some aspects of its ecology. 18,2: 279–287.
- DAVISON, J.D. 1927. Celastraceae. R. Br. 2,1b: 289–346.
- DEALL, G.B. 1988. Review: Planting a Bible garden, by F.N. Hepper. 18,1: 135.
- DEALL, G.B. & BACKER, A.P. 1989. The vegetation ecology of the Eastern Transvaal Escarpment in the Sabie area. 3. Annotated checklist. 19,1: 91–110.
- DEALL, G.B., SCHEEPERS, J.C. & SCHUTZ, C.J. 1989. The vegetation ecology of the Eastern Transvaal Escarpment in the Sabie area. 1. Physical environment. 19,1: 53–67.
- DEALL, G.B. & THERON, G.K. 1990. Ordination as a tool for substantiating and interpreting floristic classifications: a case study. 20,2: 223–227.
- DEALL, G.B., THERON, G.K. & WESTFALL, R.H. 1989. The vegetation ecology of the Eastern Transvaal Escarpment in the Sabie area. 2. Floristic classification. 19,1: 69–89.
- DEALL, G.B. & WESTFALL, R.H. 1989. Improving the resolution of floristic/habitat pattern correlations on phytosociological tables. 19,2: 263–266.
- DEHN, M. 1909. 19,2: 179–182 (see HARTMANN, H.E.K.).
- DE WET, B.C. 1988. 18,1: 122, 123 (see WESTFALL, R.H.).
- DE WET, B.C., GIBBS RUSSELL, G.E., GERMISHUIZEN, G., SCHRIRE, B.D., JORDAAN M., PIENAAR, B.J., WELMAN, W.G., REID, C., VAN WYK, C.M., FISH, L., IMMELMAN, K.L., VAN ROOY, J., GLEN, H.F. & BARKER, N.P. 1989. New taxa, new records and name changes for southern African plants. 19,2: 275–294.
- DE WET, B.C., GERMISHUIZEN, G., SCHRIRE, B.D., JORDAAN, M., PIENAAR, B.J., WELMAN, W.G., REID, C., VAN WYK, C.M., FISH, L., IMMELMAN, K.L., VAN ROOY, J., PEROLD, S.M., TAUSSIG, J., BARKER, N.P. & GLEN, H.F. 1990. New taxa, new records and name changes for southern African plants. 20,2: 249–266.
- DE WET, J.M.J. 1958. Leaf anatomy in the grass series Phragmitiformes (Harz) Avdulov. 7,1: 1–10.
- 1960. Chromosome morphology in *Kniphofia*. 7,2: 295–297.
- 1960. Leaf anatomy of six South African grass genera. 7,2: 299–301.
- 1960. Leaf anatomy and morphology in South African species of *Danthonia*. 7,2: 303–310.
- 1960. Culm anatomy in relation to taxonomy. 7,2: 311–316.
- 1961. 7,3: 439 (see MEEUSE, A.D.J.).
- DE WINTER, B. 1951. A morphological, anatomical and cytological study of *Potamophila prehensilis* (Nees) Benth. 6,1: 117–137.
- 1951. The taxonomy, anatomy and cytology of *Pseudobromus africanus* (Hack.) Stapf. 6,1: 139–151.
- 1954. The nomenclature of species of *Allophylus* in South Africa. 6,2: 407, 408.
- 1958. Notes on the genus *Royena* in South Africa. 7,1: 17–19.
- 1960. A new genus of Gramineae. 7,2: 387–390.
- 1960. Notes on some South African species of the genus *Euclea*. 7,2: 403–405.
- 1961. Gramineae. 7,3: 467–480.
- 1964. New combinations and new species in the Aristideae (Gramineae). 8,2: 173.
- 1965. The South African Stipeae and Aristideae (Gramineae). 8,3: 201–404.
- 1966. *Polevansia* De Winter, gen. nov. (Gramineae). 9,1: 130–134.
- 1966. *Styppeiochloa* De Winter, gen. nov. (Gramineae). 9,1: 134–137.
- 1966. A new species of *Eragrostis* (Gramineae). 9,1: 137–139.
- 1969. A new species of *Eragrostis* from South West Africa (Gramineae). 10,1: 72, 73.
- 1971. Johan Graham Anderson (1926–1970). 10,3: 404–406.
- 1972. 10,4: 555–563 (see BOURREIL, P.).
- 1974. The identity of some species of *Hermannia* represented in the Linnaean, Thunberg, Bergius and Cavanilles herbaria. 11,3: 263, 264.
- 1974. A new combination in *Ozoroa* (Anacardiaceae). 11,3: 277.

- 1979. Die bydrae van taksonomie en biosistematiek in die ontwikkeling van Suid-Afrika. 12,4: 742–745.
- 1987. Review: Genera graminum—grasses of the world, by W.D. Clayton & S.A. Renvoize. 17,2: 299, 300.
- 1990. Two new species of *Stipagrostis* (Aristideae) from the dune-Namib Desert, Namibia (Poaceae). 20,1: 82–87.
- 1990. A new species of *Eragrostis* (Chlorideae) in the *E. curvula* alliance (Poaceae). 20,2: 208, 209.
- 1990. A new species of *Citrullus* (Benincaceae) from the Namib Desert, Namibia (Cucurbitaceae). 20,2: 209–211.
- DE WINTER, B. & VORSTER, P.J. 1974. Comments on the treatment of the Poaceae in the *Prodromus einer Flora von Südwestafrika* (1970). 11,3: 295–297.
- DE WINTER, B. & WHITE, F. 1961. New combinations in the genus *Diospyros* (Ebenaceae). 7,3: 457, 458.
- DOIDGE, E.M. 1921. South African Ascomycetes in the National Herbarium I. 1,1: 5–32.
- 1922. South African Ascomycetes in the National Herbarium II. 1,2: 65–82.
- 1922. A fungus of economic importance on the avocado (*Persea americana*). 1,3: 179–186.
- 1924. South African Ascomycetes in the National Herbarium III. 1,4: 195–221.
- 1926. A preliminary study of the South African rust Fungi. 2,1a: 1–228.
- 1927. South African Ascomycetes in the National Herbarium IV. 2,1b: 229–241.
- 1928. South African rust Fungi II. 2,2: 473, 474.
- 1938. Some South African *Fusaria*. 3,3: 331–483.
- 1939. South African rust Fungi III. 3,4: 487–512.
- 1941. Some South African Valsaceae. 4,1: 47–89.
- 1941. South African Ascomycetes in the National Herbarium V. 4,1: 193–217.
- 1941. South African rust Fungi IV. 4,1: 229–236.
- 1942. A revision of the South African Microthyriaceae. 4,2: 273–420.
- 1942. Revised descriptions of South African species of *Phyllachora* and related genera. 4,2: 421–463.
- 1948. South African Ascomycetes in the National Herbarium VI. 4,4: 837–880.
- 1948. 4,4: 881–893 (see CHUPP, C.).
- 1948. South African rust Fungi V. 4,4: 895–918.
- 1948. South African rust Fungi VI. The species of *Uromyces* on Iridaceae. 4,4: 919–937.
- 1950. The South African fungi and lichens to the end of 1945. 5: 1–1094.
- DOIDGE, E.M. & SYDOW, H. 1928. The South African species of Meliolineae. 2,2: 424–472.
- DONK, M.A. 1954. A note on sterigmata in general. 6,2: 301, 302.
- DOUGLAS, K.H. 1985. The identity of *Nerine flexuosa* (Amaryllidaceae). 15,3 & 4: 545, 546.
- DREWES, R. 1984. 15,1 & 2: 293, 294 (see WESTFALL, R.H.).
- DREWS, B.K. 1982. 14,1: 127–130 (see WEISSER, P.J.).
- DU PLESSIS, E. 1986. Review: A dictionary of botany, by R.J. Little and C.E. Jones. 16,2: 273.
- 1987. Obituary: John Frederick Vicars Phillips (1899–1987). 17,2: 267, 268.
- 1988. Review: Dictionary of southern African place names, by P.E. Raper. 18,1: 135.
- DU PLESSIS, H. 1985. 15,3 & 4: 591–596 (see SPIES, J.J.).
- 1985. 15,3 & 4: 597–606 (see SPIES, J.J.).
- 1986. 16,1: 87, 88 (see SPIES, J.J.).
- 1986. 16,2: 269, 270 (see SPIES, J.J.).
- 1987. 17,1: 105–119 (see SPIES, J.J.).
- 1987. 17,1: 131–138 (see SPIES, J.J.).
- 1987. 17,2: 257–259 (see SPIES, J.J.).
- 1988. 18,1: 111–114 (see SPIES, J.J.).
- DU PLESSIS, H. & SPIES, J.J. 1988. Chromosome studies on African plants. 8. 18,1: 119–122.
- DU TOIT, P.C.V. 1975. The identity of *Ochna atropurpurea* (Ochnaceae). 11,4: 517.
- 1975. A change in status and a new name for *Ochna atropurpurea* var. *angustifolia* (Ochnaceae). 11,4: 517, 518.
- 1977. Morphological studies of the Ochnaceae. 12,2: 205–208.
- 1977. *Odontelytrum*, a new generic record for South Africa (Poaceae). 12,2: 258.
- DYER, C. 1987. 17,2: 229–235 (see KLUGE, J.P.).
- DYER, R.A. 1937. Newly described species. Asclepiadaceae—Ceropegieae. 3,2: 273, 274.
- 1939. The flora of Tristan da Cunha: H.M.S. Carlisle expedition, 1937. 3,4: 589–612.
- 1941. Otto Kuntze type specimens of South African plants. 4,1: 181–191.
- 1951. Newly described species. Euphorbiaceae. 6,1: 221–226, 242–248.
- 1954. Newly described species. Asclepiadaceae. 6,2: 415, 416, 447.
- 1954. Newly described species. Geraniaceae. 6,2: 432, 450.
- 1954. Newly described species. Liliaceae. 6,2: 442–445.
- 1956. Asclepiadaceae. 6,3: 540–542.
- 1958. Asclepiadaceae. 7,1: 21, 22, 37.
- 1958. Euphorbiaceae. 7,1: 28, 38.
- 1960. The opening of the Pretoria National Botanical Garden. 7,2: 391–401.
- 1961. Plumbaginaceae. 7,3: 488–491.
- 1964. Amaryllidaceae. 8,2: 163.
- 1964. Asclepiadaceae. 8,2: 164.
- 1964. Cycadaceae. 8,2: 169, 170.
- 1965. The cycads of southern Africa. 8,4: 405–527.
- 1966. Field work is not all fun. 8 (Suppl.): 43–46.
- 1971. A new combination in *Schizoglossum* (Asclepiadaceae). 10,2: 363.
- 1971. Distinctions between *Duvalia* and *Huernia* (Asclepiadaceae). 10,2: 363–365.
- 1971. The cones of *Encephalartos inopinus* (Zamiaceae). 10,2: 369–371.
- 1971. Notes on the genus *Brachystelma*. 10,2: 373–378.
- 1971. A further new species of cycad from the Transvaal. 10,2: 379–383.
- 1971. Asclepiadaceae. 10,3: 431–434.
- 1972. A new species of *Encephalartos* from Swaziland. 10,4: 539–546.
- 1972. Vegetative multiplication of *Strelitzia reginae* and its allies. 10,4: 575–577.
- 1972. Review: The genera of the Mesembryanthemaceae, by H. Herre. 10,4: 650.
- 1974. A new species of *Euphorbia* (Euphorbiaceae). 11,3: 278–280.
- 1975. The status of *Strelitzia juncea* (Strelitziaceae). 11,4: 519, 520.
- 1976. New species of *Brachystelma* (Asclepiadaceae). 12,1: 53–57.
- 1976. Review: Cycads of southern Africa, by Cynthia Giddy. 12,1: 167.
- 1977. A new species of *Caralluma* from the Cape (Asclepiadaceae). 12,2: 253, 254.
- 1977. Two new species of *Brachystelma* (Asclepiadaceae). 12,2: 254, 255.
- 1977. *Ceropegia mafekingensis*, a new combination (Asclepiadaceae). 12,2: 255, 256.
- 1977. Review: A generic monograph of the Meliaceae, by T.D. Pennington & B.T. Styles. 12,2: 321.
- 1978. New species of *Ceropegia* (Asclepiadaceae). 12,3: 444, 445.
- 1978. The identity and distribution of *Ceropegia zeyheri* (Asclepiadaceae). 12,3: 446.
- 1978. Two new species of *Brachystelma* (Asclepiadaceae). 12,3: 447, 448.
- 1979. A new combination in *Cyrtanthus* (Amaryllidaceae). 12,4: 627.
- 1979. New records of *Brachystelma* (Asclepiadaceae). 12,4: 627–629.
- 1979. New records of *Ceropegia* (Asclepiadaceae). 12,4: 629–631.
- 1979. The *Riocrexia flanaganii* Complex (Asclepiadaceae). 12,4: 632.
- 1979. A new species of *Stapelia* (Asclepiadaceae). 12,4: 632, 633.
- 1980. A new species of *Cyrtanthus* from Baviaanskloof, south-eastern Cape (Amaryllidaceae). 13,1 & 2: 135.
- 1980. A new species of *Huernia* from Owambo (Sterculiaceae). 13,1 & 2: 136, 137.
- 1980. Obituary: Adolf Joseph Wilhelm Bayer (1900–1978). 13,1 & 2: 244.
- 1981. The *Riocrexia flanaganii* Complex: a reassessment. 13,3 & 4: 435, 436.
- DYER, R.A. & KILLICK, D.J.B. 1971. A note on *Myrsine* in southern Africa (Myrsinaceae). 10,2: 368, 369.
- DYER, R.A. & VERDOORN, I.C. 1951. *Encephalartos natalensis*. 6,1: 205–211.
- EDWARDS, D. 1972. 10,4: 579–581 (see MULLER, P.J.).
- 1979. The role of plant ecology in the development of South Africa. 12,4: 748–751.
- 1981. A note on the extension of the degree reference system for citing biological distribution records to north of equator and west of Greenwich meridian. 13,3 & 4: 574, 575.
- 1983. 14,2: 271–282 (see JARMAN, M.L.).
- 1983. Review: Distribution and ecology of vascular plants in a tropical rain forest—forest vegetation in Ghana, by J.B. Hall & M.D. Swaine. 14,2: 323.
- 1983. A broad-scale structural classification of vegetation for practical purposes. 14,3 & 4: 705–712.
- 1983. 14,3 & 4: 765 (see ENGELBRECHT, A.J.).
- EICKER, A. 1983. 14,3 & 4: 939–942 (see GORTER, G.J.M.A.).
- 1987. 17,1: 32, 33 (see SINCLAIR, R.C.).
- ELLIS, R.P. 1974. Comparative leaf anatomy of *Paspalum paspaloides* and *P. vaginatum*. 11,3: 235–241.
- 1974. *Smodium* dermatitis: the intercellular secretory canals of the aerial axis and their relationship to this toxicity. 11,3: 259–262.

- 1974. Anomalous vascular bundle sheath structure in *Alloteropsis semi-alata* leaf blades. 11,3: 273–275.
- 1974. Non-Kranz (C₃) leaf anatomy in the panicoid grasses: additional records from South Africa (Poaceae). 11,3: 286, 287.
- 1974. 11,3: 305–308 (see GAFF, D.F.).
- 1976. A procedure for standardizing comparative leaf anatomy in the Poaceae. I. The leaf blade viewed in transverse section. 12,1: 65–109.
- 1977. Leaf anatomy of the South African Danthoniaceae (Poaceae). I. The genus *Dregeochloa*. 12,2: 209–213.
- 1979. A procedure for standardizing comparative leaf anatomy in the Poaceae. II. The epidermis as seen in surface view. 12,4: 641–671.
- 1980. Leaf anatomy of the South African Danthoniaceae (Poaceae). II. *Merxmuellera disticha*. 13,1 & 2: 185–189.
- 1980. Leaf anatomy of the South African Danthoniaceae (Poaceae). III. *Merxmuellera stricta*. 13,1 & 2: 191–198.
- 1980. Review: Plantkunde: anatomie en fisiologie, by N. Grobbelaar, P.J. Robbertse, J.V. van Greuning & J.H. Visser. 13,1 & 2: 261.
- 1981. Leaf anatomy of the South African Danthoniaceae (Poaceae). IV. *Merxmuellera drakensbergensis* and *M. stereophylla*. 13,3 & 4: 487–491.
- 1981. Leaf anatomy of the South African Danthoniaceae (Poaceae). V. *Merxmuellera macowanii*, *M. davyi* and *M. aureocephala*. 13,3 & 4: 493–500.
- 1982. 14,1: 37–44 (see GIBBS RUSSELL, G.E.).
- 1982. 14,1: 53–67 (see SODERSTROM, T.R.).
- 1982. Leaf anatomy of the South African Danthoniaceae (Poaceae). VI. *Merxmuellera arundinacea* and *M. cincta*. 14,1: 89–93.
- 1982. Leaf anatomy of the South African Danthoniaceae (Poaceae). VII. *Merxmuellera dura* and *M. rangei*. 14,1: 95–99.
- 1983. Leaf anatomy of the South African Danthoniaceae (Poaceae). VII. *Merxmuellera decora*, *M. lupulina* and *M. rufa*. 14,2: 197–203.
- 1983. 14,3 & 4: 915 (see SODERSTROM, T.R.).
- 1984. Leaf anatomy of the South African Danthoniaceae (Poaceae). IX. *Asthenatherum glaucum*. 15,1 & 2: 153–159.
- 1985. Leaf anatomy of the South African Danthoniaceae (Poaceae). X. *Pseudopentameris*. 15,3 & 4: 561–566.
- 1985. Leaf anatomy of the South African Danthoniaceae (Poaceae). XI. *Pentameris longiglumis* and *Pentameris* sp. nov.. 15,3 & 4: 567–571.
- 1985. Leaf anatomy of the South African Danthoniaceae (Poaceae). XII. *Pentameris thuarii*. 15,3 & 4: 573–578.
- 1985. Leaf anatomy of the South African Danthoniaceae (Poaceae). XIII. *Pentameris macrocalycina* and *P. obtusifolia*. 15,3 & 4: 579–585.
- 1986. Leaf anatomy of the South African Danthoniaceae (Poaceae). XIV. *Pentameris dregeana*. 16,2: 235–241.
- 1986. Leaf anatomy of the South African Danthoniaceae (Poaceae). XV. The genus *Elytrophorus*. 16,2: 243–249.
- 1987. 17,1: 51–65 (see GIBBS RUSSELL, G.E.).
- 1987. Leaf anatomy of the genus *Ehrharta* (Poaceae) in southern Africa: the Setacea group. 17,1: 75–89.
- 1987. Leaf anatomy of the genus *Ehrharta* (Poaceae) in southern Africa: the Villosa group. 17,2: 195–204.
- 1988. Leaf anatomy of the South African Danthoniaceae (Poaceae). XVI. The genus *Urochlaena*. 18,1: 101–104.
- 1988. 18,2: 165–171 (see GIBBS RUSSELL, G.E.).
- 1988. Leaf anatomy of the South African Danthoniaceae (Poaceae). XVII. The genus *Chaetobromus*. 18,2: 195–209.
- 1989. Leaf anatomy of the South African Danthoniaceae (Poaceae). XVIII. *Centropodia mossamedensis*. 19,1: 41–43.
- 1989. 19,1: 45–52 (see SANCHEZ, E.).
- 1989. 19,2: 189–207 (see LINDER, H.P.).
- 1989. Leaf anatomy of the South African Danthoniaceae (Poaceae). XIX. The genus *Prionanthium*. 19,2: 217–223.
- 1990. 20,1: 91–103 (see SANCHEZ, E.).
- ELLIS, R.P., MANDERS, R. & OBERMEYER, A.A. 1979. Anatomical observations on the peduncle of *Xyris capensis* (Xyridaceae). 12,4: 637–639.
- ENGELBRECHT, A.J., EDWARDS, D. & KILLICK, D.J.B. 1983. An ecological bibliography for southern Africa. 14,3 & 4: 765.
- ENGELBRECHT, V.M. 1983. 14,3 & 4: 945–948 (see WELLS, M.J.).
- 1983. 14,3 & 4: 961–970 (see WELLS, M.J.).
- ESHBAUGH, W.H. 1983. The genus *Capsicum* (Solanaceae) in Africa. 14,3 & 4: 845–848.
- EVERARD, D.A. 1986. 16,2: 251–261 (see LÜBKE, R.A.).
- 1988. Threatened plants of the eastern Cape: a synthesis of collection records. 18,2: 271–277.
- FADEN, R.B. 1978. A new species of *Aneilema* (Commelinaceae) from South Africa. 12,3: 565, 566.
- 1983. Phylogeography of African Commelinaceae. 14,3 & 4: 553–557.
- 1983. Isolating mechanisms among five sympatric species of *Aneilema* R. Br. (Commelinaceae) in Kenya. 14,3 & 4: 997–1002.
- 1984. New taxa of *Aneilema* R. Br. (Commelinaceae) from southern and tropical East Africa. 15,1 & 2: 89–100.
- FERRAR, P. 1978. 12,3: 547–551 (see MORRIS, J.W.).
- FINKELSTEIN, N. 1979. 12,4: 637 (see RETIEF, E.).
- FISH, L. 1987. 17,2: 269–275 (see GIBBS RUSSELL, G.E.).
- 1988. 18,2: 293–304 (see GIBBS RUSSELL, G.E.).
- 1989. 19,2: 275–294 (see DE WET, B.C.).
- 1990. 20,2: 249–266 (see DE WET, B.C.).
- FORBES, H.M.L. 1930. The genus *Psoralea* Linn. 3,1: 116–136.
- 1941. Newly described species. Liliaceae, Crassulaceae, Lythraceae, Lamiaceae. 4,1: 37, 38.
- 1948. I. A revision of the South African species of *Tephrosia* Pers. II. The segregation therefrom of the genus *Ophrestia* Forbes. 4,4: 951–1006.
- FORSTER, P.I. 1986. The nomenclature of several *Brachystelma* species from southern Africa. 16,2: 227, 228.
- FOURIE, D.M.C. 1986. Review: The South African herbal, by E. Palmer. 16,2: 273.
- 1989. Obituary: Inez Clare Verdoorn (1896–1989). 19,2: 313–318.
- 1990. Obituary: Mary Davidson Gunn (1899–1989). 20,1: 127–130.
- FRANKLIN HENNESSY, E.F. 1985. The genus *Scleria* in southern Africa. 15,3 & 4: 505–530.
- 1986. A fourth natural *Erythrina* hybrid from South Africa (Fabaceae). 16,1: 48–51.
- FREAN, M.L. 1983. Sporoderm morphogenesis in *Euphorbia obesa* and *Croton gratissimus*. 14,3 & 4: 849–856.
- FREAN, M.L., BARRETT, D.R., ARIOVICH, D., WOLFSON, M. & CRESSWELL, C.F. 1983. Intraspecific variability in *Alloteropsis semialata* (R. Br.) Hitchc. 14,3 & 4: 901–913.
- FRIIS, I. 1983. Phytogeography of the tropical north-east African mountains. 14,3 & 4: 525–532.
- 1985. Review: A revision of the genus *Haemanthus* L. (Amaryllidaceae), by D. Snijman. 15,3 & 4: 777.
- FUGLER, S.R. 1983. The control of silky hakea in South Africa. 14,3 & 4: 977–980.
- FURNESS, H.D. & BREEN, C.M. 1980. The vegetation of seasonally flooded areas of the Pongolo River Floodplain. 13,1 & 2: 217–230.
- GAFF, D.F. & ELLIS, R.P. 1974. Southern African grasses with foliage that revives after dehydration. 11,3: 305–308.
- GARLAND, I.F. 1982. 14,1: 127–130 (see WEISSER, P.J.).
- GAUM, W. & GERMISHUIZEN, G. 1980. Review: Plantkunde: organografie en sitologie, deur W.F. Reyneke, L.A. Coetzer & N. Grobbelaar. 13,1 & 2: 262.
- GAUM, W. & GLEN, R. 1980. Review: Plantkunde: genetika en kriptogamie, deur A. Eicker, M.I. Claassen, W.F. Reyneke & N. Grobbelaar. 13,1 & 2: 261, 262.
- GERMISHUIZEN, G. 1980. 13,1 & 2: 262.
- 1983. Review: Trees and shrubs of the Etosha National Park, by C. Berry. 14,2: 321.
- 1984. Review: A flora checklist for Swaziland, by E.S. Kemp. 15,1 & 2: 343.
- 1984. Review: Trees of Swaziland, by E.S. Kemp. 15,1 & 2: 343.
- 1986. A new record for Natal and the southern African Flora region (Asteraceae). 16,2: 228.
- 1986. A new record for Natal (Fabaceae). 16,2: 231.
- 1986. Raising the rank of *Polygonum senegalense* forma *albotomentosum* to subsp. *albotomentosum* (Polygonaceae). 16,2: 232, 233.
- 1986. *Bilderdykia* and *Reynoutria* new to the flora of the southern African region (Polygonaceae). 16,2: 232, 233.
- 1987. A new species of *Indigofera* from Natal and Transkei (Fabaceae). 17,1: 33–35.
- 1987. A new species of *Oxygonum* from Natal (Polygonaceae). 17,1: 40, 41.
- 1987. A new species of *Rhynchosia* from the Richtersveld (Fabaceae). 17,2: 181, 182.
- 1987. A new variety of *Oxygonum alatum* (Polygonaceae). 17,2: 185–187.
- 1987. 17,2: 269–275 (see GIBBS RUSSELL, G.E.).
- 1988. The *Oxygonum dregeanum* Complex (Polygonaceae). 18,2: 173–181.
- 1988. Reinstatement of *Oxygonum acetosella* Welw. (Polygonaceae). 18,2: 187, 188.
- 1988. 18,2: 293–304 (see GIBBS RUSSELL, G.E.).
- 1989. *Oxygonum altissimum*, a new species from central Somalia (Polygonaceae). 19,2: 210, 211.
- 1989. 19,2: 275–294 (see DE WET, B.C.).

- GERMISHUIZEN, G., KOK, P.D.F. & ROBBERTSE, P.J. 1989. *Polygonum hydropiper* in southern Africa (Polygonaceae). 19,2: 211–213.
- GERMISHUIZEN, G., ROBBERTSE, P.J. & KOK, P.D.F. 1989. The genera *Polygonum* and *Bilderdykia* (Polygonaceae) in southern Africa: morphology and taxonomic value of the ocrea and fruit. 19,2: 175–178.
- GESLOT, A. 1972. 10,4: 555–563 (see BOURREIL, P.).
- GETLIFFE NORRIS, F.M. 1983. Anatomy of the genus *Kyllinga* in South Africa. 14,3 & 4: 809–817.
- GIBBS RUSSELL, G.E. 1981. A new combination in *Eriochloa* (Poaceae). 13,3 & 4: 457.
- 1982. 14,1: 83–88 (see ROBINSON, E.R.).
- 1983. The taxonomic position of *C₃* and *C₄* *Allotetraspis semialata* (Poaceae) in southern Africa. 14,2: 205–213.
- 1983. Review: Index Herbariorum, edn 7, by P.K. Holmgren, W. Keuken & E.K. Schofield. 14,2: 322, 323.
- 1983. 14,3 & 4: 481–495 (see MAGILL, R.E.).
- 1983. Register of names and types in Poaceae: a computerized index for southern Africa. 14,3 & 4: 943, 944.
- 1984. A new species of *Ehrharta* (Poaceae). 15,1 & 2: 145–147.
- 1984. 15,1 & 2: 147–149 (see SMOOK, L.).
- 1984. Notes on species of *Ehrharta* with a short first sterile lemma (Poaceae). 15,1 & 2: 149–151.
- 1985. Analysis of the size and composition of the southern African flora. 15, 3 & 4: 613–629.
- 1985. Review: Plants of the Cape flora, a descriptive catalogue, by P. Bond & P. Goldblatt. 15,3 & 4: 779.
- 1986. Review: Grasses of the Soviet Union, Parts I and II, by N.N. Tsvetlev. 16,1: 135.
- 1986. Review: Species and speciation, ed. E.S. Vrba. 16,2: 273, 274.
- 1987. Taxonomy of the genus *Ehrharta* (Poaceae) in southern Africa: the Setacea group. 17,1: 67–73.
- 1987. Taxonomy of the genus *Ehrharta* (Poaceae) in southern Africa: the Villosa group. 17,2: 191–194.
- 1987. Preliminary floristic analysis of the major biomes in southern Africa. 17,2: 213–227.
- 1987. Reviews: Flora of Turkey, vol. 9, ed. P.H. Davis; Australian grass genera, anatomy, morphology, keys and classification, second edition, by L. Watson & M.J. Dallwitz. 17,2: 297–298.
- 1989. 19,2: 275–294 (see DE WET, B.C.).
- GIBBS RUSSELL, G.E. & ELLIS, R.P. 1982. The genus *Melica* (Poaceae) in southern Africa. 14,1: 37–44.
- 1987. Species groups in the genus *Ehrharta* (Poaceae) in southern Africa. 17,1: 51–65.
- 1988. Taxonomy and leaf anatomy of the genus *Ehrharta* (Poaceae) in southern Africa: the Dura group. 18,2: 165–171.
- 1989. Taxonomy and leaf anatomy of the genus *Ehrharta* (Poaceae) in southern Africa: the Ramosa group. 19,2: 189–207.
- GIBBS RUSSELL, G.E. & GLEN, H.F. 1984. Register of names and types: a comparison between Mesembryanthemaceae and Poaceae. 15,1 & 2: 125–129.
- GIBBS RUSSELL, G.E., REID, C., FISH, L., GERMISHUIZEN, G., VAN WYK, C.M., VAN ROOY, J. & STAFF 1987. New taxa, new records and name changes for southern African plants. 17,2: 269–275.
- GIBBS RUSSELL, G.E., RETIEF, E. & SMOOK, L. 1984. Intensity of plant collecting in southern Africa. 15,1 & 2: 131–138.
- GIBBS RUSSELL, G.E. & ROBINSON, E.R. 1981. Phytoecography and speciation in the vegetation of the eastern Cape. 13,3 & 4: 467–472.
- 1983. Speciation environments and centres of species diversity in southern Africa: 2. Case studies. 14,3 & 4: 1007–1012.
- GIBBS RUSSELL, G.E., WELMAN, W.G., GERMISHUIZEN, G., RETIEF, E., PIENAAR, B.J., REID, C., FISH, L., VAN ROOY, J., VAN WYK, C.M., KALAKE, E. & STAFF 1988. New taxa, new records and name changes for southern African plants. 18,2: 293–304.
- GISS, W. 1971. A new species of *Aristida* from South West Africa (Gramineae). 10,2: 365–366.
- 1973. A new species of *Aloe* from South West Africa (Liliaceae). 11,1 & 2: 120–122.
- GLEN, H.F. 1981. Nomenclature in the genus *Mesotkema* (Mesembryanthemaceae). 13,3 & 4: 454, 455.
- 1984. 15,1 & 2: 125–129 (see GIBBS RUSSELL, G.E.).
- 1984. Review: The ferns and fern allies of southern Africa, by W.B.G. Jacobsen. 15,1 & 2: 343, 344.
- 1986. A new combination in *Lampranthus* (Mesembryanthemaceae). 16,1: 55.
- 1986. Numerical taxonomic studies in the subtribe Ruschiinae (Mesembryanthemaceae)—*Aspidria*, *Acrodon* and *Ebracteola*. 16,2: 203–226.
- 1989. 19,2: 275–294 (see DE WET, B.C.).
- 1990. 20,2: 249–266 (see DE WET, B.C.).
- GLEN, H.F. & HARDY, D.S. 1986. A method for the non-destructive examination of leaves of *Aloe* species by SEM. 16,1: 53–55.
- GLEN, R. 1980. 13,1 & 2: 262.
- GOLDBLATT, P. 1974. *Montbretopsis*: reduced to synonymy in *Tritonia* (Iridaceae). 11,3: 281.
- 1983. Geography of Iridaceae in Africa. 14,3 & 4: 559–564.
- GONSALVES, P. 1976. 12,1: 137–160 (see COETZEE, B.J.).
- 1983. 14,3 & 4: 481–495 (see MAGILL, R.E.).
- GORDON-GRAY, K.D. 1978. 12,3: 395–420 (see STIRTON, C.H.).
- 1982. 14,1: 15–26 (see ARNOLD, T.H.).
- GORLIER, M. 1972. 10,4: 555–563 (see BOURREIL, P.).
- GORTER, G.J.M.A. 1962. The identity of the fungus causing anthracnose of olives in South Africa. 7,4: 769–778.
- 1971. Review: Fundamentals of mycology, by J.H. Burnett. 10,2: 403.
- GORTER, G.J.M.A. & EICKER, A. 1987. Two new *Oidium* species from the Transvaal (Erysiphaceae). 17,1: 32, 33.
- GOYDER, D.J. 1990. 20,1: 87–90 (see NICHOLAS, A.).
- GRAU, J. 1988. Obituary: Hermann Merxmüller (1920–1988). 18,2: 325–327.
- GROBBELAAR, N. 1979. Die rol van plantfisiologie in die ontwikkeling van Suid-Afrika. 12,4: 745–748.
- GRUNOW, J.O. 1973. 11,1 & 2: 181–190 (see MUSIL, C.F.).
- GUILLERM, J.-L. 1974. 11,3: 355–364 (see MORRIS, J.W.).
- GUNN, M.D. 1941. Joseph Burtt Davy. 4,1: 45, 46.
- 1967. Ethel Mary Doidge (1887–1965). 9,2: 251–253.
- 1969. Edwin Percy Phillips, M.A., D.Sc. (1884–1967). 10,1: 1–3.
- 1971. Iltyd Buller Pole Evans (1879–1968). 10,2: 130–135.
- 1972. Marguerite Gertrud Anna Henrici (1892–1971). 10,4: 502–507.
- 1973. John Hutchinson, O.B.E., F.R.S., LL.D., V.M.H., F.L.S. 11,1 & 2: 1–3.
- 1982. 14,1: 1–14 (see CODD, L.E.).
- 1985. 15,3 & 4: 631–654 (see CODD, L.E.).
- GUY, P.R. 1981. Changes in the herb layer of the riverine woodland in the Sengwa Wildlife Research Area, Zimbabwe. 13,3 & 4: 527–530.
- HALL, A.V. 1983. Threatened plants at the south-western corner of Africa. 14,3 & 4: 981–984.
- 1988. Additions to the synonymy of *Eulophia schweinfurthii* (Orchidaceae). 18,2: 186.
- HALL, J.B. 1987. 17,1: 91–95 (see BUKENYA, Z.R.).
- 1988. 18,1: 79–88 (see BUKENYA, Z.R.).
- HANSFORD, C.G. 1942. The genus *Eriomycopsis* Speg. 4,2: 464–472.
- 1948. The method of parasitism of some South African Microthyriales. 4,4: 811–820.
- HARDCASTLE, J. & SCHÜTTE, K.H. 1983. Aspects of an experimental study on root aerenchyma development and the ecological implications thereof. 14,3 & 4: 791–794.
- HARDY, D.S. 1971. A new *Aloe* from South West Africa (Liliaceae). 10,2: 366–368.
- 1976. A new species of *Aloe* from the Humansdorp District (Liliaceae). 12,1: 62–64.
- 1983. 14,2: 215–217 (see SPIES, J.J.).
- 1986. 16,1: 53–55 (see GLEN, H.F.).
- HARDY, D.S. & REID, C. 1981. A new variety of *Aloe* from the Vryheid District. 13,3 & 4: 451, 452.
- HARTMANN, H.E.K. 1983. Interaction of ecology, taxonomy and distribution in some Mesembryanthemaceae. 14,3 & 4: 653–659.
- 1987. Phytoecography of the subtribe Leipoldtiinae (Mesembryanthemaceae). 17,2: 205–212.
- HARTMANN, H.E.K. & BITTRICH, V. 1990. Nomenclature in Mesembryanthema (Aizoaceae): the generic names of Rappa and Camarrone. 20,2: 153–157.
- HARTMANN, H.E.K. & DEHN, M. 1989. A re-examination of the genus *Amphibolia* (Mesembryanthemaceae). 19,2: 179–182.
- HEDBERG, O. 1983. Ethiopian flora project. 14,3 & 4: 571–574.
- HEIDEMAN, M.E. 1983. Studies of diagnostic features in the genus *Hypoxis* L. (Hypoxidaceae R. Br.) on the Witwatersrand. 14,3 & 4: 889–893.
- HENDERSON, L. 1983. Barrier plants in South Africa. 14,3 & 4: 635–639.
- 1985. Survey of exotic woody plant invaders of the Transvaal—addendum. 15,3 & 4: 749.
- 1989. Invasive alien woody plants of Natal and the north-eastern Orange Free State. 19,2: 237–261.

- HENDERSON, L. & MUSIL, K.J. 1984. Exotic woody plant invaders of the Transvaal. 15,1 & 2: 297–313.
- HENDERSON, M.D. 1954. Newly described species. *Compositae*. 6,2: 421–426.
- 1958. *Callitricheaceae*. 7,1: 22.
- HEPPER, F.N. 1983. The phytogeography of Mount Kulal, Kenya, with special reference to *Compositae*, *Leguminosae* and *Gramineae*. 14,3 & 4: 543–551.
- HERMAN, P.P.J. 1986. 16,1: 1–9 (see VERDOORN, I.C.).
- HILLIARD, O.M. 1967. A new species of *Streptocarpus* (Gesneriaceae). 9,2: 335–339.
- HOFMEYER, J. 1927. 2,1: 351–355 (see PHILLIPS, E.P.).
- HOFMEYER, J. & PHILLIPS, E.P. 1922. The genus *Olinia* 1,2: 97–104.
- 1922. The genus *Cyclopia* Vent. 1,2: 105–109.
- HORNBY, A.J.W. 1948. A new species of *Ficus* from the borders of Mocimbeque and Nyasaland. 4,4: 1007–1008.
- HORNE, J.C. 1978. 12,3: 547–551 (see MORRIS, J.W.).
- HULME, S.A. 1979. Opsomming: Landbousektor. Symposium, 1st May 1978, BRI. 12,4: 754, 755.
- HUTCHINGS, A. 1989. A survey and analysis of traditional medicinal plants as used by the Zulu, Xhosa and Sotho. 19,1: 111–123.
- 1989. 19,2: 183–188 (see JOHNSON, C.T.).
- 1989. Observations on plant usage in Xhosa and Zulu medicine. 19,2: 225–235.
- IHLENFELDT, H.D. 1983. Epidermis structure in Mesembryanthemaceae. 14,3 & 4: 931–937.
- IMMELMAN, K.L. 1981. Notes on South African species of *Holothrix* (Orchidaceae). 13,3 & 4: 455, 456.
- 1982. Name changes and changes of rank in *Triaspis* Burch. (Malpighiaceae) 14,1: 78, 79.
- 1983. Review: South African parasitic flowering plants, by J. Visser. 14,2: 323, 324.
- 1984. Flowering in *Kirkia wilmsii* Engl. (Simaroubaceae). 15,1 & 2: 151, 152.
- 1986. Notes on southern African species of *Justicia* L. (Acanthaceae). 16,1: 39–41.
- 1987. Synopsis of the genus *Salix* (Salicaceae) in southern Africa. 17,2: 171–177.
- 1989. Studies in the southern African species of *Justicia* and *Siphonoglossa* (Acanthaceae): palynology. 19,2: 151–156.
- 1989. *Siphonoglossa* and *Aulojusticia* in southern Africa (Acanthaceae). 19,2: 209, 210.
- 1989. 19,2: 275–294 (see DE WET, B.C.).
- 1990. Studies in the southern African species of *Justicia* and *Siphonoglossa* (Acanthaceae): seeds. 20,1: 49–59.
- 1990. Studies in the southern African species of *Justicia* and *Siphonoglossa* (Acanthaceae): indumentum. 20,1: 61–66.
- 1990. 20,2: 249–266 (see DE WET, B.C.).
- JACKSON, S. 1986. 16,2: 251–261 (see LUBKE, R.A.).
- JACOBS, G. 1983. 14,3 & 4: 641–646 (see BRITS, G.J.).
- JACOBSEN, N.H.G. 1986. 16,1: 41, 42 (see JACOBSEN, W.B.G.).
- 1988. 18,1: 57–77 (see JACOBSEN, W.B.G.).
- 1988. 18,1: 90–92 (see JACOBSEN, W.B.G.).
- JACOBSEN, W.B.G. & JACOBSEN, N.H.G. 1986. *Cheilanthes deltoidea* Kunze in the Waterberg, Transvaal (Adiantaceae). 16,1: 41, 42.
- 1988. *Doryopteris pilosa*, a new record for South Africa (Adiantaceae/Pteridaceae). 18,1: 90–92.
- 1988. The *Cheilanthes hirta* complex and allied species (Adiantaceae/Pteridaceae) in southern Africa. 18,1: 57–77.
- JACOT GUILLARMOD, A.F.M.G. 1983. Recovery of eastern Cape heathland after fire. 14,3 & 4: 701–704.
- 1984. Review: Wild flowers of Lesotho, by M. Schmitz. 15,1 & 2: 342, 343.
- JAEGER, P. 1983. Le recensement des plantes vasculaires et les origina-lités du peuplement végétal des monts Loma en Sierra Leone (Afrique Occidentale). 14,3 & 4: 539–542.
- JANKUN, A. 1983. 14,3 & 4: 647–651 (see KORNAŠ, J.).
- JARMAN, M.L., JARMAN, N.G. & EDWARDS, D. 1983. Remote sensing and vegetation mapping in South Africa. 14,2: 271–282.
- JARMAN, N.G. 1972. 10,4: 579–581 (see MULLER, P.J.).
- 1983. 14,2: 271–282 (see JARMAN, M.L.).
- JARVIE, J.K. & STIRTON, C.H. 1986. A new species of *Indigofera* from the southern Cape. 16,2: 230, 231.
- 1987. The *Indigofera filifolia* complex (Fabaceae) in southern Africa. 17,1: 1–6.
- JESSOP, J.P. 1966. The genus *Asparagus* in southern Africa. 9,1: 31–96.
- 1976. Additional notes on the South African species of *Asparagus* (Liliaceae). 12,1: 60.
- 1976. 12,1: 64 (see TÖLKEN, H.R.).
- JOHNSON, C.T. 1988. 18,1: 125–130 (see BOLOFO, R.N.).
- 1990. A preliminary checklist of Xhosa names for trees growing in Transkei. 20,2: 147–152.
- JOHNSON, C.T. & HUTCHINGS, A. 1989. A contribution to the pteridophyte flora of Transkei. 19,2: 183–188.
- JONKER, A. 1987. 17,1: 135, 136 (see SPIES, J.J.).
- JOOSTE, W.J. 1975. A new species of *Drechslera* on *Tribulus terrestris*. 11,4: 511–513.
- 1974. 11,3: 211–215 (see PAPENDORF, M.C.).
- 1976. The mycoflora of wheat field debris, Part II. 12,1: 129–131.
- 1978. The mycoflora of wheat field debris, Part III. 12,3: 437–440.
- JORDAAN, M. 1989. 19,2: 275–294 (see DE WET, B.C.).
- 1990. 20,2: 249–266 (see DE WET, B.C.).
- JOUBERT, D.M. 1979. Opsomming: Nie Landbousektor-Symposium, 1st May 1978, BRI. 12,4: 755–757.
- JUDELMAN, M. 1978. 12,3: 547–551 (see MORRIS, J.W.).
- KALAKE, E. 1988. 18,2: 293–304 (see GIBBS RUSSELL, G.E.).
- KÄRNEFELT, I. 1987. A new species of *Caloplaca* from southern Africa (Teloschistaceae). 17,1: 41–43.
- 1987. *Cetraria* (Parmeliaceae) and some related genera on the African continent. 17,1: 45–49.
- 1988. Two closely related species of *Caloplaca* (Teloschistaceae, Lichenes) from the Namib Desert. 18,1: 51–56.
- KATENDE, A.B. 1983. Plant exploration in Uganda. 14,3 & 4: 1016, 1017.
- KERFOOT, O. 1972. Review: The evergreen forests of Malawi, by J.D. Chapman and F. White. 10,4: 647, 648.
- KIES, P. 1951. Revision of the genus *Cyclopia* and notes on some other sources of bush tea. 6,1: 161–176.
- 1951. Notes on *Asparagus africanus* and related species. 6,1: 177–181.
- 1951. Newly described species. *Compositae*. 6,1: 220.
- 1951. Newly described species. *Liliaceae*. 6,1: 229–231.
- KILLICK, D.J.B. 1954. Newly described species. *Compositae*. 6,2: 424.
- 1954. Newly described species. *Iridaceae*. 6,2: 436–440.
- 1954. Newly described species. *Phytolaccaceae*. 6,2: 445, 446.
- 1958. *Compositae*. 7,1: 22–25.
- 1958. *Selaginaceae*. 7,1: 33–35.
- 1960. *Amoryllidaceae*. 7,1: 412–414.
- 1960. *Compositae*. 7,2: 414, 415.
- 1961. South African species of *Satureia*. 7,3: 435–437.
- 1961. *Hypoxidaceae*. 7,3: 480, 481.
- 1964. *Campanulaceae*. 8,2: 164, 165.
- 1964. A note on the identity of *Myrica conifera* Burm. f. (Myricaceae). 8,2: 175.
- 1966. Two new *Erica* species from the Drakensberg (Ericaceae). 9,1: 126–130.
- 1969. The South African species of *Myrica*. 10,1: 5–17.
- 1969. The disc in the southern African species of *Maerua*. 10,1: 39–42.
- 1969. A new species of *Maerua* (Capparaceae). 10,1: 65–67.
- 1969. A curious form of *Crassula natans* Thunb. from the Natal Drakensberg (Crassulaceae). 10,1: 70, 71.
- 1969. A new species of *Selago* (Selaginaceae). 10,1: 74–76.
- 1969. Review: Figs (*Ficus* spp.) of Hong Kong, by Dennis S. Hill. 10,1: 129.
- 1971. 10,2: 368, 369 (see DYER, R.A.).
- 1971. Review: Wild flowers of the Natal Drakensberg, by W.R. Trausel. 10,3: 501.
- 1972. *Trimeria rotundifolia* or *T. grandifolia*? (Flacourtiaceae). 10,4: 568.
- 1972. Review: Flora of Lesotho, by Amy Jacot Guillarmod. 10,4: 648, 649.
- 1973. Review: Excelsa no. 1. 11, 1 & 2: 203.
- 1974. A note on the author citation for *Eriudaphus mundii*, basionym of *Scolopia mundii* (Flacourtiaceae). 11,3: 280.
- 1974. *Scolopia stolzii*, a new record for South Africa (Flacourtiaceae). 11,3: 280, 281.
- 1974. Review: Epiphytic orchids of southern Africa, by E.R. Harrison. 11,3: 369.
- 1974. Review: Common trees of the Highveld, by R.B. Drummond and Keith Coates Palgrave. 11,3: 369.
- 1975. A change of status in *Scolopia* (Flacourtiaceae). 11,4: 515.
- 1975. Review: Trees of southern Africa, by Eve Palmer and Norah Pitman. 11,4: 581.
- 1977. Hans Justus Thode (1859–1932), pioneer plant collector in the Natal Drakensberg. 12,2: 169–175.
- 1977. The correct name for *Anemone capensis* (Ranunculaceae). 12,2: 258.
- 1977. Review: Wild flowers of Natal (Coastal Region), by Janet M. Gibson. 12,2: 319.
- 1977. Review: Natal wild flowers, by Barbara Jeppe. 12,2: 319.

- 1977. Review: Veld plants of southern Africa, by N.K. Hobson, J.P. Jessop, M.C. v.d.R. Ginn & Jane Kelly. 12,2: 319.
- 1978. Notes on the vegetation of the Sani Pass area of the southern Drakensberg. 12,3: 537–542.
- 1978. Further data on the climate of the alpine vegetation belt of eastern Lesotho. 12,3: 567–572.
- 1978. Review: Wild flowers of Rhodesia, by D.C.H. Plowes and R.B. Drummond. 12,3: 577.
- 1979. Omission of *Hypericum oligandrum* from the *Flora of southern Africa* (Clusiaceae). 12,4: 633.
- 1979. Notes on Flacourtiaceae. 12,4: 635, 636.
- 1979. The contribution of the Botanical Research Institute to botany in South Africa. 12,4: 739–742.
- 1980. Obituary: John Phillip Harrison Acocks (1911–1979). 13,1 & 2: 239–244.
- 1980. Review: Mountain splendour. Wild flowers of the Drakensberg, by R.O. Pearse. 13,1 & 2: 260, 261.
- 1981. Review: A field guide to the Natal Drakensberg, by P. Irwin, J. Akhurst & D. Irwin. 13,3 & 4: 591, 592.
- 1982. Corrections to Acocks's *Veld types of South Africa*. 14,1: 143.
- 1982. Review: Pelargoniums of southern Africa vol. 2, by J.J.A. van der Walt & P.J. Vorster. 14,1: 162, 163.
- 1982. Review: Trees of Natal, by E.J. Moll. 14,1: 163, 164.
- 1983. 14,3 & 4: 765 (see ENGELBRECHT, A.J.).
- 1988. Review: The botany of the southern Natal Drakensberg, by O.M. Hilliard & B.L. Burt. 18,1: 135, 136.
- 1988. Review: The Botany of the Commelins, by D.O. Wijnands. 18,2: 330–332.
- 1989. Two nomenclatural problems involving article 63. 19,1: 133, 134.
- 1989. Review: Southern African botanical literature 1600–1988 SABLIT, compiled by A.S. Kirkham. 19,1: 141, 142.
- KILLICK, D.J.B. & CLAASSEN, C.G.T. 1969. A new species of *Schistostephium* from the Natal Drakensberg (Compositae). 10,1: 68, 69.
- KILLICK, D.J.B., DE WINTER, B., GROBBELAAR, N., WELLS, M.J. & HULME, S. 1979. The role of botany in the development of the Republic of South Africa with special emphasis on the contributions of the Botanical Research Institute. 12,4: 739–757.
- KITEMBO, M. 1983. Contribution à l'ethnobotanique des Warega (Maniema, Kivu, Zaïre). 14,3 & 4: 607–611.
- KLESSER, P.J. 1960. Virus diseases of lupins. 7,2: 207–231.
- 1960. Virus diseases of cowpeas. 7,2: 233–251.
- 1960. Virus diseases of peas and sweetpeas. 7,2: 253–282.
- 1960. Virus diseases of broad beans. 7,2: 283–294.
- 1961. The virus diseases of *Crotalaria*, *Glycine* and *Medicago* species. 7,3: 497–519.
- 1961. The virus diseases of beans. 7,3: 521–558.
- 1966. A virus disease of *Datura* spp. 9,1: 173–182.
- KLUGE, J.P. & DYER, C. 1987. 'n Kontrolelys van varings en blomplante van die Wonderkloof-natuurreservaat, Transvaal. 17,2: 229–235.
- KNOLL, A.H. 1983. Africa and Precambrian biological evolution. 14,3 & 4: 329–336.
- KNOX-DAVIES, P.S. 1987. Review: Mycotoxicology: introduction to the mycology, plant pathology, chemistry, toxicology and pathology of naturally occurring mycotoxins in animals and man, by W.F.O. Marasas & P.E. Nelson. 17,2: 300.
- 1988. 18,2: 189–194 (see LAMPRECHT, S.C.).
- KOENIGUER, J.-C. 1983. 14,3 & 4: 355–367 (see BOUREAU, E.).
- KOK, P.D.F. 1981. Notes on *Digitaria* in South Africa (Poaceae). 13,3 & 4: 457.
- 1989. 19,2: 175–178 (see GERMISHUIZEN, G.).
- 1989. 19,2: 211–213 (see GERMISHUIZEN, G.).
- KOKWARO, J.O. 1983. An African knowledge of ethnosystematics and its application to traditional medicine, with particular reference to the medicinal use of the fungus *Engleromyces goetzei*. 14,2: 237–243.
- KOOIJ, M.S., BREDEKAMP, G.J. & THERON, G.K. 1990. The vegetation of the north-western Orange Free State, South Africa. 1. Physical environment. 20,2: 233–240.
- 1990. The vegetation of the north-western Orange Free State, South Africa. 2. The D land type. 20,2: 241–248.
- KORNAŠ, J. & JANKUN, A. 1983. Annual habit and apomixis as drought adaptations in *Selaginella tenerrima*. 14,3 & 4: 647–651.
- KOVÁCS-ENDRÖDY, E. 1977. The taxonomic status of the genus *Rubidgea*. 12,2: 313–317.
- KRUGER, F.J. 1972. 10,4: 599–614 (see WERGER, M.J.A.).
- 1977. A preliminary account of aerial plant biomass in fynbos communities of the Mediterranean-type climate zone of the Cape Province. 12,2: 301–307.
- 1978. 12,3: 551–553 (see TAYLOR, H.C.).
- KUKKONEN, I. 1983. The genus *Schoenoxiphium* (Cyperaceae). A preliminary account. 14,3 & 4: 819–823.
- KUNKEL, G. 1983. Plants Africa gave to the World. 14,3 & 4: 465–469.
- LAMBINON, J. & SERUSIAUX, E. 1983. Contribution à l'étude des lichens du Kivu (Zaïre), du Rwanda et du Burundi. VII. Approche écogéographique de la flore et de la végétation lichéniques dans l'est de l'Afrique centrale. 14,3 & 4: 533–538.
- LAMPRECHT, S.C. 1987. 17,1: 97–104 (see MARASAS, W.F.O.).
- LAMPRECHT, S.C., MARASAS, W.F.O., VAN WYK, P.S. & KNOX-DAVIES, P.S. 1988. *Fusarium tricinatum* (Fungi: Hyphomycetes) in South Africa—morphology and pathogenicity. 18,2: 189–194.
- LAUGHTON, E.M. 1948. Some South African *Pestalotia* species. 4,4: 821–836.
- LAUNERT, E. 1983. *Flora zambesiaca* progress report. 14,3 & 4: 1017.
- LAVRANOS, J.J. 1983. An interesting plant record from the Gulf of Aden area (Liliaceae). 14,2: 220, 221.
- LEACH, L.C. 1969. Stapeliaceae from south tropical Africa. V. 10,1: 45–54.
- 1973. Stapeliaceae (Asclepiadaceae) from south tropical Africa. VII. 11,1 & 2: 133–137.
- 1975. *Euphorbia gummifera*, *E. gregaria* and a new species from Damaraland. 11,4: 495–503.
- 1975. Notes on *Euphorbia mauritanica*, *E. gossypina* and some related species with an amplified description of *E. berotica*. 11, 4: 505–510.
- LEBRUN, J.-P. 1983. La flore des massifs Sahariens: espèces illustres et endémiques vraies. 14,3 & 4: 511–515.
- LEBRUN, J.-P. & STORK, A.L. 1983. Index botaniques et études pastorales à l'IEVMT. 14,3 & 4: 479, 480.
- LEEUEWENBERG, A.J.M. 1983. Some remarks on the taxonomy of the Plumerioideae (Apocynaceae). 14,3 & 4: 799–801.
- LEISTNER, O.A. 1966. The typification of *Podocarpus elongatus* (Podocarpaceae). 9,1: 142, 143.
- 1969. A new combination in *Pavonia* (Malvaceae). 10,1: 74.
- 1976. Hans-Joachim Schlieben, collector extraordinary. 12,1: 133–135.
- 1977. Review: The Flora of Swaziland, by R.H. Compton. 12,2: 321.
- 1978. Review: 240 grasses of southern Africa, by L.K.A. Chippindall & A.O. Crook. 12,3: 577.
- 1978. Review: Botanical systematics. An occasional series of monographs. Vol. 1, ed. V.H. Heywood. 12,3: 578.
- 1979. Reviews: A field guide to the trees of southern Africa, by E. Palmer; Trees of southern Africa, by K. Coates Palgrave. 12,4: 759.
- 1979. Review: Heil- und Giftpflanzen in Südwestafrika, by E. von Koenen. 12,4: 759, 760.
- 1982. Review: Die natürlichen Pflanzenfamilien vol. 28bI, ed. A.J.M. Leeuwenberg. 14,1: 161.
- 1982. Review: Thonner's analytical key to the families of flowering plants, by R. Geesink, A.J.M. Leeuwenberg, C.E. Ridsdale & J.F. Veldkamp. The identification of flowering plant families 2nd edn, by P.H. Davis & J. Cullen. 14,1: 161, 162.
- 1983. Review: Trees and shrubs of the Cape Peninsula, by E. Moll & L. Scott. 14,2: 321.
- 1983. Review: Flore des Mascareignes 31–50, 64–68, 177–188. 14,2: 321, 322.
- 1983. Progress report on the *Flora of southern Africa* (FSA). 14,3 & 4: 1018.
- 1983. The Pretoria Flora. 14,3 & 4: 1019.
- 1984. Review: Ecology and utilization of desert shrub rangelands in Iraq, by D.C.P. Thalen. 15,1 & 2: 339.
- 1985. Review: Guide to the prices of antiquarian and secondhand botanical books (1979–1982), by L. Vogelensang. 15,3 & 4: 777, 778.
- 1986. A new guide for authors to *Bothalia*. 16,1: 137–142.
- LE THOMAS, A. 1983. Morphologie et palynologie des Annonacées africaines: interrelations phylogéniques. 14,3 & 4: 825–831.
- 1983. Progrès accomplis dans la connaissance des flores du Cameroun et du Gabon. 14,3 & 4: 1019.
- LETOUZEY, R. 1983. Quelques exemples camerounais de liaison possible entre phénomènes géologiques et végétation. 14,3 & 4: 739–744.
- LETTY, C.L. 1961. Araceae. 7,3: 455, 456.
- 1966. The flowers on the decimal coins. 8 (Suppl.): 35–42.
- 1973. The genus *Zantedeschia*. 11,1 & 2: 5–26.
- LIEBENBERG, H. 1977. 12,2: 215–221.
- 1984. 15,1 & 2: 167–174 (see VORSTER, T.B.).
- 1985; 15,3 & 4: 597–606 (see SPIES, J.J.).

- LIEBENBERG, L.C.C. 1939. A revision of the South African species of *Adenia*. 3,4: 513–570.
- LIENGME, C.A. 1981. Plants used by the Tsonga people of Gazankulu. 13,3 & 4: 501–518.
- 1983. A study of wood use for fuel and building in an area of Gazankulu. 14,2: 245–257.
- 1983. A survey of ethnobotanical research in southern Africa. 14,3 & 4: 621–629.
- LINDER, H.P. 1981. Taxonomic studies in the Disinae. V. A revision of the genus *Monadenia*. 13,3 & 4: 339–363.
- 1981. Taxonomic studies in the Disinae. VI. A revision of the genus *Herschelia*. 13,3 & 4: 365–388.
- 1983. The historical phytogeography of the Disinae (Orchidaceae). 14,3 & 4: 565–570.
- 1983. 14,3 & 4: 427–440 (see OLIVER, E.G.H.).
- 1984. A phylogenetic classification of the African Restionaceae. 15,1 & 2: 11–76.
- 1985. Conspectus of the African species of Restionaceae. 15,3 & 4: 387–503.
- 1985. A new name for *Disa patens* (Orchidaceae). 15,3 & 4: 553.
- 1986. Notes on the Disinae for the *Flora of southern Africa*. 16,1: 56, 57.
- 1986. Diverse notes on southern African poidids (Poaceae). 16,1: 59–61.
- 1986. A brief note on TCD and DBN and the herbaria of Sonder, Hooker and Harvey. 16,1: 88, 89.
- 1990. Notes on a rare Cape *Disa* (Orchidaceae). 20,2: 216, 217.
- LINDER, H.P. & CAMPBELL, B.M. 1979. Towards a structural-functional classification of fynbos: a comparison of methods. 12,4: 723–729.
- LINDER, H.P. & ELLIS, R.P. 1990. Vegetative morphology and interfere survival strategies in the Cape Fynbos grasses. 20,1: 91–103.
- LOBREAU-CALLEN, D. 1983. Analyse de la répartition géographique des Malpighiaceae d'après les caractères du pollen et de la pollinisation. 14,3 & 4: 871–881.
- LOUVET, P. 1983. 14,3 & 4: 355–367 (see BOUREAU, E.).
- LOXTON, A.E. 1974. The taxonomy of *Paspalum paspaloides* and *P. vaginatum* as represented in South Africa. 11,3: 243–245.
- 1974. A note on a possible bigeneric hybrid between *Digitaria* and *Antheophora* (Poaceae). 11,3: 285, 286.
- LUBKE, R.A. 1983. A survey of the coastal vegetation near Port Alfred, eastern Cape. 14,3 & 4: 725–738.
- LUBKE, R.A., EVERARD, D.A. & JACKSON, S. 1986. The biomes of the eastern Cape with emphasis on their conservation. 16,2: 251–261.
- MACDONALD, I.A.W. 1983. 14,2: 265–269 (see WATSON, H.K.).
- 1983. Alien trees, shrubs and creepers invading indigenous vegetation in the Hluhluwe-Umfolozo Game Reserve Complex in Natal. 14,3 & 4: 949–959.
- MAGILL, R.E. 1978. The taxonomic position of *Amblystegium afrofitans* (Musci) (Amblystegiaceae). 12,3: 441.
- 1980. Musci austro-africani II. Bryophyte collections in southern Africa and southern African type specimens in the National Herbarium, Pretoria. 13,1 & 2: 127–133.
- MAGILL, R.E. & VITT, D.H. 1981. The phytogeography and ecology of *Macrocoma* (Orthotrichaceae, Musci) in Africa. 13,3 & 4: 463–466.
- MAGILL, R.E., GIBBS RUSSELL, G.E., MORRIS, J.W. & GON-SALVES, P. 1983. PRECIS, The Botanical Research Institute herbarium data bank. 14,3 & 4: 481–495.
- MAHLBERG, P.G., PLESZCZYNSKA, J., RAUH, W. & SCHNEPE, E. 1983. Evolution of succulent *Euphorbia* as interpreted from latex composition. 14,3 & 4: 857–863.
- MALAISSIE, F. 1983. Phytogeography of the copper and cobalt flora of Upper Shaba (Zaire), with emphasis on its endemism, origin and evolution mechanisms. 14,3 & 4: 497–504.
- MALAN, O.G. 1986. 16,2: 263–268 (see WESTFALL, R.H.).
- MALEY, J. 1983. Histoire de la végétation et du climat de l'Afrique nord-tropicale au Quaternaire récent. 14,3 & 4: 377–389.
- MANDERS, R. 1979. 12,4: 637–639 (see ELLIS, R.P.).
- 1981. 13,3 & 4: 473–485 (see MORRIS, J.W.).
- MARAIS, W. 1960. An enumeration of the *Maytenus* species of southern Africa. 7,2: 381–386.
- 1961. Gentianaceae. 7,3: 463, 464.
- 1964. A note on *Capparis transvaalensis* Schinz (Capparidaceae). 8,2: 165, 166.
- 1964. Notes on the genus *Heliophila* (Cruciferae). 8,2: 166–169.
- 1966. Notes on South African Cruciferae. 9,1: 97–112.
- 1969. A new combination in *Silicularia* (Cruciferae). 10,1: 70.
- MARASAS, W.F.O. 1966. New species of Ascomycetes and a new genus of Sphaeropsidaceae from Transvaal. 9,1: 203–215.
- 1971. Cotton staining caused by *Crebrothecium ashbyi* (= *Eremothecium ashbyi*) in South Africa. 10,3: 407–410.
- 1988. 18,2: 189–194 (see LAMPRECHT, S.C.).
- MARASAS, W.F.O. & BREDELL, I.H. 1974. A new species of *Phaeoramularia* (Fungi imperfecti: Dematiaceae) from South Africa. 11,3: 217–219.
- MARASAS, W.F.O. & RABIE, C.J. 1966. New and interesting records of South African Fungi IV. 9,1: 217–227.
- MARASAS, W.F.O. & SCHUMANN, I.H. 1966. Two species of Erysiphaceae from Pretoria. 9,1: 245–249.
- 1972. The genus *Pithomyces* in South Africa. 10,4: 509–515.
- MARASAS, W.F.O. & TRAPPE, J.M. 1973. Notes on southern African Tuberales. 11,1 & 2: 139–141.
- MARASAS, W.F.O. & VAN DER WESTHUIZEN, G.C.A. 1971. New and interesting records of South African Fungi, Part VII. 10 (3): 411–416.
- MARASAS, W.F.O., LAMPRECHT, S.C., VAN WYK, P.S. & ANELICH, R.Y. 1987. Bibliography of *Fusarium* (Fungi: Hyphomycetes) in South Africa, 1945–1985. 17,1: 97–104.
- MARASAS, W.F.O., VAN DER WESTHUIZEN, G.C.A., VAN WARMELO, K.T. & PAPENDORF, M.C. 1966. New and interesting records of South African Fungi V. 9,1: 229–243.
- MARLOTH, R. 1930. Notes on *Aloe spicata* Linn. fil. 3,1: 142–146.
- MARQUES, F. 1979: 12,4: 711–721 (see WEISSER, P.J.).
- MARSH, J.A. 1966. Notes on *Widdringtonia* (Cupressaceae). 9,1: 124–126, 147.
- MCCLEAN, A.P.D. 1927. A new *Cyperus* from the Transvaal. 2,1b: 366, 367.
- MCCLEAN, A.P.D. & STOREY, H.H. 1930. A drying cabinet for the preparation of plant specimens for the herbarium. 3,1: 137–141.
- MCCRACKEN, D.P. 1986. William Keit and the Durban Botanic Garden. 16,1: 71–75.
- MCDONALD, D.J. 1987. Ordination by detrended correspondence analysis (DCA) of the vegetation of Swartboschkloof, Jonkershoek, Cape Province. 17,1: 121–129.
- 1988. A synopsis of the plant communities of Swartboschkloof, Jonkershoek, Cape Province. 18,2: 233–260.
- MCDONALD, D.J. & MORLEY, M. 1988. A checklist of the flowering plants and ferns of Swartboschkloof, Jonkershoek, Cape Province. 18,2: 261–270.
- MEEUSE, A.D.J. 1956. Acanthaceae. 6,3: 535–539.
- 1958. The South African Convolvulaceae. 6,4: 641–792.
- 1958. Convolvulaceae. 7,1: 26.
- 1960. Notes on the Sapotaceae of southern Africa. 7,2: 317–379.
- 1960. Acanthaceae. 7,2: 407–412.
- 1960. Convolvulaceae. 7,2: 415–417.
- 1960. Verbenaceae. 7,2: 424, 425.
- 1961. Acanthaceae. 7,3: 443–446.
- 1961. Malvaceae. 7,3: 483–487.
- 1962. The Cucurbitaceae of southern Africa. 8,1: 1–111.
- 1990. 20,2: 208 (see WIJNANDS, D.O.).
- MEEUSE, A.D.J. & DE WET, J.M.J. 1961. \times *Ruttyruspolia*, a natural intergeneric hybrid in Acanthaceae. 7,3: 439–441.
- MENDES, E.J. 1983. Report on the progress of *Conspetus florum angolensis*. 14,3 & 4: 1022, 1023.
- 1983. Report on the progress of *Flora de Moçambique*. 14,3 & 4: 1023.
- MILLER, J.H. 1942. South African Xylariaceae. 4,2: 251–272.
- MILTON, S.J. 1983. *Acacia tortilis* subsp. *heteracantha* productivity in the Tugela Dry Valley Bushveld: preliminary results. 14,3 & 4: 767–772.
- MOFFETT, R.O. 1979. The genus *Sarcocaulon*. 12,4: 581–613.
- MOGG, A.O.D. 1937. Newly described species. Crassulaceae. 3,2: 273.
- MOGGI, G. 1983. Report on the *Adumbratio florum aethiopicae*. 14,3 & 4: 1019, 1020.
- MOLL, E.J. 1969. An investigation of the plant ecology of the Hawaiian Forest, Natal, using an ordination technique. 10,1: 121–128.
- 1972. The current status of mistbelt mixed *Podocarpus* forest in Natal. 10,4: 595–598.
- 1972. A preliminary account of the dune communities at Pennington Park, Mtunzini, Natal. 10,4: 615–626.
- 1972. The distribution, abundance and utilization of the lala palm, *Hyphaene natalensis*, in Tongaland, Natal. 10,4: 627–635.
- 1975. 11,4: 523–537 (see ROGERS, D.J.).
- 1981. 13,3 & 4: 575, 576 (see CAMPBELL, B.M.).
- MOLL, E.J. & WOODS, D.B. 1971. The rate of forest tree growth and a forest ordination at Xumeni, Natal. 10,3: 451–460.
- MORLEY, M. 1988. 18,2: 261–270 (see MCDONALD, D.J.).

- MORRIS, J.W. 1969. An ordination of the vegetation of Ntshongweni, Natal. 10,1: 89–120.
- 1971. 10,3: 437–450 (see ROSS, J.H.).
- 1974. An automatic bibliography indexing programme. 11,3: 325–328.
- 1974. Progress in the computerization of herbarium procedures. 11,3: 349–353.
- 1976. Review: Multivariate analysis in vegetation research, by L. Orlóci. 12,1: 167, 168.
- 1977. 12,1: 261–265 (see STEINHORST, R.K.).
- 1977. Automatic classification of the highveld grassland of Lichtenburg, south-western Transvaal. 12,2: 267–292.
- 1978. A table of maximum entropy values for the ecological profiles technique. 12,3: 551.
- 1978. Review: Multivariate statistical methods: among-groups C variation, ed. W.R. Atchley & E.H. Bryant. 12,3: 579.
- 1979. Review: Multivariate analysis in vegetation research, 2nd edn, by L. Orlóci. 12,4: 760.
- 1980. Encoding the National Herbarium (PRE) for computerised information retrieval. 13,1 & 2: 149–160.
- 1981. 13,3 & 4: 519–525 (see TAYLOR, H.C.).
- 1981. Review: The study of vegetation, ed. M.J.A. Werger. 13,3 & 4: 590.
- 1982. Review: Classification and ordination advances in vegetation science 2, ed. E. van der Maarel. 14,1: 165, 166.
- 1983. 14,3 & 4: 481–495 (see MAGILL, R.E.).
- MORRIS, J.W., BEZUIDENHOUT, J., FERRAR, P., HORNE, J.C. & JUDELMAN, M. 1978. A first savanna decomposition model. 12,3: 547–551.
- MORRIS, J.W. & GUILLERM, J.-L. 1974. The ecological profiles technique applied to data from Lichtenburg, South Africa. 11,3: 355–364.
- MORRIS, J.W. & MANDERS, R. 1981. Information available within the PRECIS data bank of the National Herbarium, Pretoria, with examples of the uses to which it may be put. 13,3 & 4: 473–485.
- MÜLLER, P.J., WERGER, M.J.A., COETZEE, B.J., EDWARDS, D. & JARMAN, N.G. 1972. An apparatus for facilitating the manual tabulation of phytosociological data. 10,4: 579–581.
- MÜLLER, R. 1983. 14,3 & 4: 661–667 (see WEISSER, P.J.).
- MÜLLER, T. 1983. A case for a vegetation survey in a developing country based on Zimbabwe. 14,3 & 4: 721–723.
- MUNDAY, J. 1983. The distribution of *Monechma* (Acanthaceae) species in southern Africa. 14,3 & 4: 575–578.
- MUSIL, C.F. & BREEN, C.M. 1985. The development from kinetic coefficients of a predictive model for the growth of *Eichhornia crassipes* in the field. I. Generating kinetic coefficients for the model in greenhouse culture. 15,3 & 4: 689–703.
- 1985. The development from kinetic coefficients of a predictive model for the growth of *Eichhornia crassipes* in the field. II. Testing and refining the model under field conditions. 15,3 & 4: 705–724.
- 1985. The development from kinetic coefficients of a predictive model for the growth of *Eichhornia crassipes* in the field. III. Testing a model for predicting growth rates from plant nutrient conditions. 15,3 & 4: 725–731.
- 1985. The development from kinetic coefficients of a predictive model for the growth of *Eichhornia crassipes* in the field. IV. Application of the model to Vernon Hooper Dam—a eutrophied South African impoundment. 15,3 & 4: 733–748.
- MUSIL, C.F., GRUNOW, J.O. & BORNMAN, C.H. 1973. Classification and ordination of aquatic macrophytes in the Pongolo River Pans, Natal. 11,1 & 2: 181–190.
- MUSIL, K.J. 1984. 15,1 & 2: 297–313 (see HENDERSON, L.).
- NICHOLAS, A. 1987. A new species and a new combination of *Asclepias* (Asclepiadaceae) in southern Africa. 17,1: 17–23.
- 1987. Notes on *Asclepias diploglossa*, *A. cognata* and *A. flava* (Asclepiadaceae). 17,1: 29–32.
- 1987. Review: Transvaal lowveld and escarpment, by J. Onderstall. 17,2: 297.
- 1988. 18,1: 97–99 (see RETIEF, E.).
- 1988. 18,2: 183–188 (see PIENAAR, B.J.).
- 1990. 20,2: 207 (see BALKWILL, K.).
- NICHOLAS, A. & GOYDER, D.J. 1990. Corona lobe variation and the generic position of *Asclepias macra* (Asclepiadaceae). 20,1: 87–90.
- NOEL, A.R.A. 1983. The endothecium—a neglected criterion in taxonomy and phylogeny? 14,3 & 4: 833–838.
- NOVELLIE, P.A. 1988. 18,2: 211–220.
- 1988. 18,2: 221–232 (see Van WYK, B-E.).
- OBERMEYER, A.A. 1961. Acanthaceae. 7,3: 444.
- 1961. Liliaceae. 7,3: 481–483.
- 1962. A revision of the South African species of *Anthericum*, *Chlorophytum* and *Trachyandra*. 7,4: 669–767.
- 1962. Iridaceae. 8,1: 115, 116.
- 1964. The South African species of *Dipcadi*. 8,2: 117–137.
- 1964. The South African species of *Lagarosiphon*. 8,2: 139–146.
- 1964. The South African species of *Anthericum*, *Chlorophytum* and *Trachyandra*: addenda and corrigenda. 8,2: 147, 148.
- 1966. Mrs. Reino Pott-Leendertz (1869–1965) and the Transvaal Museum Herbarium. 9,1: 1–3.
- 1967. Two new species of *Bulbine* (Liliaceae). 9,2: 342–344, 349.
- 1967. A new combination in *Trachyandra* (Liliaceae). 9,2: 344.
- 1967. A new combination in *Ornithogalum* (Liliaceae). 9,2: 344.
- 1967. The identity of *Bulbinella carnosus* (Liliaceae). 9,2: 345.
- 1967. The identity of *Fritillaria nana* (Liliaceae). 9,2: 345.
- 1969. *Haworthia koelmaniorum*: a correction (Liliaceae). 10,1: 74.
- 1971. Two new *Ornithogalum* species from South West Africa. 10,2: 355–358.
- 1973. A note on *Lauremburgia repens* (Halorrhagidaceae). 11,1 & 2: 116, 117.
- 1973. *Aloe*, *Chamaealoe*, *Haworthia*, *Astroloba*, *Poellnitzia* and *Chortolirion* (Liliaceae). 11,1 & 2: 119.
- 1973. *Caesia* and *Nanolirion* (Liliaceae). 11,1 & 2: 122, 123.
- 1974. New taxa in the Turneraceae. 11,3: 288–290.
- 1976. A new species of *Ornithogalum* from the Natal Drakensberg (Liliaceae). 12,1: 61.
- 1976. A new combination in *Bulbine* (Liliaceae). 12,1: 62.
- 1977. A new species of *Gonatopus* from southern Africa (Araceae). 12,2: 251–253.
- 1978. *Ornithogalum*: a revision of the southern African species. 12,3: 323–376.
- 1978. A new combination in *Tricliceras* (Turneraceae). 12,3: 453.
- 1979. A new species of *Gladiolus* from the Transvaal (Iridaceae). 12,4: 636.
- 1979. 12,4: 637–639 (see ELLIS, R.P.).
- 1980. The genus *Sypharissa* (Liliaceae). 13,1 & 2: 111–114.
- 1980. A new combination in *Gethyllis* (Amaryllidaceae). 13,1 & 2: 136.
- 1980. A new subtribe in Liliaceae. 13,1 & 2: 137.
- 1980. A new subgenus *Rhadamanthopsis* and two new species of *Rhadamanthus* (Liliaceae). 13,1 & 2: 137–139.
- 1980. The status of *Urginea epigaea* (Liliaceae). 13,1 & 2: 139.
- 1980. A new combination in *Thuranthos* (Liliaceae). 13,1 & 2: 139.
- 1981. A new species of *Strumaria* (Amaryllidaceae). 13,3 & 4: 435.
- 1981. Two new species of *Commelina* (Commelinaceae). 13,3 & 4: 436, 437.
- 1981. A new combination in *Commelina* (Commelinaceae). 13,3 & 4: 437.
- 1981. Two new species of *Cyanotis* (Commelinaceae). 13,3 & 4: 437–439.
- 1981. A new combination in *Eriocaulon* (Eriocaulaceae). 13,3 & 4: 450.
- 1981. A new species of *Crocsmia* (Iridaceae). 13,3 & 4: 450, 451.
- 1981. A new subspecies of *Gladiolus microcarpus* (Iridaceae). 13,3 & 4: 451.
- 1981. A re-appraisal of *Urginea altissima* (Liliaceae). 13,3 & 4: 452, 453.
- 1982. A new species of *Gladiolus* (Iridaceae). 14,1: 78.
- 1982. *Rhadamanthopsis* changed to *Drimioides* (Liliaceae). 14,1: 78.
- 1984. Revision of the genus *Myrsiphyllum* Willd.. 15,1 & 2: 77–88.
- 1985. The genus *Protasparagus* in southern Africa (Asparagaceae). 15,3 & 4: 548, 549.
- OBERMEYER, A.A., SCHWEICKERDT, H.G. & VERDOORN, I.C. 1937. An enumeration of plants collected in the northern Transvaal. 3,2: 223–258.
- OBERMEYER, A.A. & STREY, R.G. 1969. A new species of *Raphia* from northern Zululand and southern Mozambique. 10,1: 29–37.
- O'CALLAGHAN, M.G. 1984. Review: Contributions to the ecology of halophytes, ed. D.N. Sen & K.S. Rajpurohit. 15,1 & 2: 340.
- 1990. The ecology of the False Bay estuarine environments, Cape, South Africa. 1. The coastal vegetation. 20,1: 105–112.
- 1990. The ecology of the False Bay estuarine environments, Cape, South Africa. 2. Changes during the last fifty years. 20,1: 113–122.
- OHOTO-OMANA, L.E. 1983. Taxonomie numerique du genre *Eragrostis*. 14,2: 189–196.
- OLIVER, E.G.H. 1973. Ericaceae. 11,1 & 2: 115, 116.
- 1976. Studies in the Ericoideae. I. The genera *Eremia* and *Eremiella*. 12,1: 29–48.
- 1976. Studies in the Ericoideae. II. The new genus *Stokoeanthus*. 12,1: 49–52.
- 1976. A new species of *Erica* from the Bredasdorp District (Ericaceae). 12,1: 57–59.
- 1977. The identity of *Erica flavispala*. 12,2: 195–197.

- 1978. Review: The South African Acacias, by J.D. Carr. 12,3: 577.
- 1980. Studies in the Ericoideae. III. The genus *Grisebachia*. 13,1 & 2: 65–93.
- 1980. Some observations on two early Cape florilegia. 13,1 & 2: 115–125.
- 1980. Review: The Flora capensis of Jakob and Johann Philip Breynia, ed. Mary Gunn & Enid du Plessis. 13,1 & 2: 259.
- 1981. Two new species of Ericoideae (Ericaceae). 13,3 & 4: 446–449.
- 1981. Review: Rhodesian wild flowers, by M.H. Tredgold & H.M. Biegel. 13,3 & 4: 591, 592.
- 1981. Review: Atlas of the Netherlands Flora Part 1, ed. J.A. Mennema, A.J. Quene-Botterbrood & C.L. Plate. 13,3 & 4: 592.
- 1985. A new species of *Philippia*, from the Drakensberg (Ericaceae). 15,3 & 4: 550, 551.
- 1985. Review: Flora of Australia vol. 22, ed. A.S. George. 15,3 & 4: 778.
- 1986. The identity of *Erica vinacea* and notes on hybridization in *Erica*. 16,1: 35–38.
- 1986. A new species of *Ericinella* from the southern Drakensberg (Ericaceae). 16,1: 46–48.
- 1986. E.A.C.L.E. (Ted) Schelpe (1924–1985)—a biography. 16,1: 97–108.
- 1987. Studies in the Ericoideae (Ericaceae). V. The genus *Coilostigma*. 17,2: 163–170.
- 1987. Review: Hottentots Holland to Hermanus, by L. Burman & A. Bean. 17,2: 297.
- 1988. Studies in the Ericoideae (Ericaceae). VI. The generic relationship between *Erica* and *Philippia* in southern Africa. 18,1: 1–10.
- 1988. *Coilostigma zeyherianum*—a correction (Ericaceae). 18,2: 185.
- 1990. New species of *Erica* (Ericaceae) from the Cape Province. 20,1: 41–48.
- OLIVER, E.G.H., LINDER, H.P. & ROURKE, J.P. 1983. Geographical distribution of present-day Cape taxa and their phytogeographical significance. 14,3 & 4: 427–440.
- OVERKOTT, O. 1961. Scrophulariaceae. 7,3: 491–493.
- PAIVA, J.A.R. 1981. A conspicuous new species of *Muraltia* (Polygalaceae). 13,3 & 4: 458–460.
- PANAGOS, M.D. 1984. 15,1 & 2: 241–244 (see WESTFALL, R.H.).
- 1988. 18,2: 289–291 (see WESTFALL, R.H.).
- 1989. Review: Combretaceae in southern Africa, by J.D. Carr. 19,1: 141.
- 1989. 19,2: 268, 269 (see WESTFALL, R.H.).
- 1989. 19,2: 272, 273 (see WESTFALL, R.H.).
- 1989. 19,2: 273, 274 (see WESTFALL, R.H.).
- PANAGOS, M.D., BRITZ, P.J. & WESTFALL, R.H. 1989. Plant collecting apparatus for taxonomic and ecological studies. 5. A gas drier for field drying of plant specimens. 19,2: 270, 271.
- PANAGOS, M.D. & WESTFALL, R.H. 1989. Plant collecting apparatus for taxonomic and ecological studies. 1. A lightweight plastic plant press for on-site specimen pressing. 19,2: 266, 267.
- 1989. Plant collecting apparatus for taxonomic and ecological studies. 4. Drier-transporters for plant presses. 19,2: 269, 270.
- PANAGOS, M.D., WESTFALL, R.H. & SCHEEPERS, J.C. 1986. Baseline data for the vegetation of two protected plots at the Matimba Power Station, Ellisras, NW Transvaal. 16,1: 89–91.
- PANARELLO, H.O. & SANCHEZ, E. 1985. The Kranz syndrome in the Eragrostidoideae (Chloridoideae, Poaceae) as indicated by carbon isotopic ratios. 15,3 & 4: 587–590.
- PAPENDORF, M.C. 1966. 9,1: 229–243 (see MARASAS, W.F.O.).
- 1976. Notes on *Veronaea* including *V. compacta* sp. nov. 12,1: 119–121.
- 1976. The soil mycoflora of an *Acacia karroo* community in the western Transvaal. 12,1: 123–127.
- PAPENDORF, M.C. & JOOSTE, W.J. 1974. The mycoflora of wheat field debris, Part 1. 11,3: 207–210.
- 1974. New and interesting records of South African Fungi VIII. 11,3: 211–215.
- PARADIS, G. 1983. A phytogeographic survey of southern Benin. 14,3 & 4: 579–585.
- PARSONS, R.J. 1981. 13,3 & 4: 553–556 (see WEISSER, P.J.).
- PECKHAM, G.D. & VAN JAARSVELD, F.A. 1989. New botanical perspectives on the *Raphia* palms at Mtunzini (Arecaceae). 19,2: 213–215.
- PEROLD, S.M. 1984. 15,1 & 2: 117–124 (see VOLK, O.H.).
- 1985. 15,3 & 4: 531–539 (see VOLK, O.H.).
- 1986. 16,1: 23–27 (see VOLK, O.H.).
- 1986. 16,1: 29–33 (see VOLK, O.H.).
- 1986. *Pteroriccia* Schust., should it be upheld? (Riccaceae). 16,1: 64.
- 1986. 16,2: 169–180 (see VOLK, O.H.).
- 1986. 16,2: 181–185 (see VOLK, O.H.).
- 1986. 16,2: 187–191 (see VOLK, O.H.).
- 1986. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 7. *R. congoana* and its synonyms. 16,2: 193–201.
- 1988. 18,2: 155–163 (see VOLK, O.H.).
- 1989. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 11. *Riccia montana* and *R. albopora*, a further two new white-scaled species of the group 'Squamatae'. 19,1: 9–16.
- 1989. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 12. *Riccia albolimbata* and the status of *R. albosquamata*, white-scaled species originally described by Arnell. 19,1: 17–25.
- 1989. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 13. A new species, *R. hantamensis*, in section *Pilifer* and a new record for *R. alatospora*. 19,2: 157–160.
- 1989. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 14. *R. concava* section *Pilifer*. 19,2: 161–165.
- 1990. 20,1: 23–29 (see VOLK, O.H.).
- 1990. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 16. *R. albomarginata* and *R. simii*, sp. nov. 20,1: 31–39.
- 1990. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 17. Three new species in section *Pilifer*: *R. elongata*, *R. ampullacea* and *R. trachyglossum*. 20,2: 167–174.
- 1990. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 18. New species in the section *Pilifer* from the NW Cape: *R. furfuracea*, *R. vitrea* and *R. namaquensis*. 20,2: 175–183.
- 1990. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 19. Two new species: *R. pulveracea*, section *Pilifer* and *R. bicolorata*, section *Riccia*, group 'Squamatae'. 20,2: 185–190.
- 1990. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 20. *R. albovestita* and its synonyms, *R. duthieae* and *R. sarcosa*. 20,2: 191–196.
- 1990. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 21. *R. stricta*, *R. purpurascens* and *R. fluitans*, subgenus *Ricciella*. 20,2: 197–206.
- 1990. 20,2: 211–213 (see VAN ROOY, J.).
- 1990. Spore germination, early protonema development and vegetative reproduction in *Riccia*, section *Pilifer* (Marchantiales). 20,2: 214, 215.
- 1990. 20,2: 249–266 (see DE WET, B.C.).
- PEROLD, S.M. & VOLK, O.H. 1988. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 8. *R. campbelliana* (subgenus *Riccia*), newly recorded for the region. 18,1: 37–42.
- 1988. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 9. *R. nigrella* and the status of *R. capensis*. 18,1: 43–49.
- PETERSON, B. 1982. Notes on *Gnidia* (Thymelaeaceae). 14,1: 81, 82.
- PHILLIPS, E.P. 1921. The genus *Bersama*. 1,1: 33–39.
- 1921. A revision of the African species of *Sesbania*. 1,1: 40–56.
- 1921. The Natal species of the Sapindaceae. 1,1: 57–64.
- 1922. The thorn pears, *Scolopia* spp. 1,2: 83–86.
- 1922. The genus *Ochna*. 1,2: 87–96.
- 1922. 1,2: 97–109 (see HOFMEYER, J.).
- 1922. Species of *Elephantorrhiza* in the South African herbaria. 1,3: 187–193.
- 1927. Description of three new South African plants. 2,1b: 368, 369.
- 1928. An undescribed *Leucospermum*. 2,2: 474.
- 1937. A question of nomenclature. 3,2: 271.
- 1937. Newly described species. Proteaceae—Protea. 3,2: 275.
- 1941. New combinations. Asclepiadaceae, Acanthaceae, Asteraceae. 4,1: 38–41.
- 1941. A note on N.E. Brown's subdivision of the genus *Antholyza* Linn. 4,1: 43, 44.
- PHILLIPS, E.P. & BREDELL, H.C. 1937. The genus *Elyonurus* Humb. and Bonpl. in South Africa. 3,2: 259–269.
- PHILLIPS, E.P. & HOFMEYER, J. 1927. The genus *Melianthus*. 2,1b: 351–355.
- PHILLIPS, E.P. & SCHWEICKERDT, H.G. 1937. A revision of the South African species of *Brachylaena* R. Brown. 3,2: 205–221.
- PHILLIPS, J.F.V. 1983. A contribution to the concept and the classification of the bioclimatic unit in Sub-Saharan Africa. 14,3 & 4: 713–719.
- PHILLIPSON, P.B. 1987. A checklist of vascular plants of the Amatole Mountains, eastern Cape Province/Ciskei. 17,2: 237–256.
- PIENAAR, B.J. 1988. 18,2: 293–304 (see GIBBS RUSSELL, G.E.).
- 1989. 19,2: 275–294 (see DE WET, B.C.).
- 1990. 20,2: 249–266 (see DE WET, B.C.).
- PIENAAR, B.J. & NICHOLAS, A. 1988. *Heliophila cornellsbergia*, a new species from the Richtersveld (Brassicaceae). 18,2: 183–185.
- PLESZCZYNSKA, J. 1983. 14,3 & 4: 857–863 (see MAHLBERG, P.G.).
- POLE EVANS, I.B. 1921. Preface. 1,1: 1.
- POLHILL, R.M. 1983. *Flora of tropical East Africa*. 14,3 & 4: 1020, 1021.

- PORTER, R.N. 1983. 14,3 & 4: 745–758 (see WHATELEY, A.).
- POYNTON, J.C. 1983. The dispersal versus vicariance debate in biogeography. 14,3 & 4: 455–460.
- POYNTON, R.J. 1989. Review: Flora of Australia, vol. 19, by G.M. Chippendale. 19,2: 319, 320.
- PRESSINGER, F.M. 1984. Review: Biology and ecology of weeds, ed. W. Holzner & M. Numata. 15,1 & 2: 342.
- PUFF, Ch. 1983. Studies in *Otiophora* Zucc. (Rubiaceae): 4. The taxonomic position of the genus. 14,2: 185–188.
- PUTTERILL, K.M. 1954. Some graminicolous species of *Helminthosporium* and *Curvularia* occurring in South Africa. 6,2: 347–378.
- QUÉZEL, P. 1983. Flore et végétation actuelles de l'Afrique du nord, leur signification en fonction de l'origine, de l'évolution et des migrations des flores et structures de végétation passées. 14,3 & 4: 411–416.
- RAAL, P.A. 1988. Ecology and population biology of *Euphorbia perangusta* (Euphorbiaceae) in the Transvaal, South Africa. 18,1: 105–110.
- RABIE, C.J. 1966. 9,1: 217–227 (see MARASAS, W.F.O.).
- RAMCHARJUN, S. 1983. 14,3 & 4: 883–888 (see BAIJNATH, H.).
- RAUH, W. 1983. The morphology and systematic position of the Didiereaceae of Madagascar. 14,3 & 4: 839–843.
- 1983. 14,3 & 4: 857–863 (see MAHLBERG, P.G.).
- RAVEN, P.H. 1967. A revision of the African species of *Epilobium* (Onagraceae). 9,2: 309–333.
- 1983. The migration and evolution of floras in the southern hemisphere. 14,3 & 4: 325–328.
- REEKMANS, M. 1983. Le bois petrifiés de la plaine de la haute Rusizi (Burundi). 14,3 & 4: 451–453.
- REEKMANS, M. & TROUPIN, G. 1983. Etat actuel des recherches sur la flore et la végétation du Rwanda et du Burundi. 14,3 & 4: 773–777.
- REID, C. 1981. 13,3 & 4: 451, 452 (see HARDY, D.S.).
- 1986. Cyperaceae new to the flora of Natal. 16,1: 45, 46.
- 1987. Review: Flora of Australia, vol. 46, ed. A.S. George. 17,1: 155.
- 1987. 17,2: 269–275 (see GIBBS RUSSELL, G.E.).
- 1987. Review: The Moraeas of southern Africa, by P. Goldblatt. 17,2: 298, 299.
- 1988. 18,2: 293–304 (see GIBBS RUSSELL, G.E.).
- 1988. Review: Flora of Australia, vol. 45, ed. A.S. George. 18,2: 330.
- 1989. 19,2: 275–294 (see DE WET, B.C.).
- 1990. 20,2: 249–266 (see DE WET, B.C.).
- REID, C. & ARNOLD, T.H. 1984. A new species of *Carpha* from the Natal Drakensberg (Cyperaceae), South Africa. 15,1 & 2: 139–142.
- REID, C. & CONDY, G. 1990. Review: The genus *Watsonia*, by P. Goldblatt. 20,1: 132.
- REID, D.A. 1974. A re-appraisal of type and authentic material of the larger Basidiomycetes in the Pretoria Herbarium. 11,3: 221–230.
- RETIEF, E. 1973. Review: Eastern Cape Veld Flowers, by Eily Gledhill. 11,1 & 2: 203.
- 1980. A new species of *Rhoicissus* from Natal (Vitaceae). 13,1 & 2: 146, 147.
- 1981. A new species of *Cyphostemma* from the Transvaal (Vitaceae). 13,3 & 4: 460, 461.
- 1984. 15,1 & 2: 131–138 (see GIBBS RUSSELL, G.E.).
- 1986. A new species of *Combretum* from the Transvaal (Combretaceae). 16,1: 44, 45.
- 1986. A new species of *Euclea* from the Transvaal (Ebenaceae). 16,2: 228, 229.
- 1987. A new species of *Zygophyllum* from southern Africa (Zygophyllaceae). 17,2: 189, 190.
- 1988. 18,2: 293–304 (see GIBBS RUSSELL, G.E.).
- 1989. 19,1: 38–40 (see CARR, J.D.).
- 1990. A new species of *Ozoroa* from the Transvaal (Anacardiaceae). 20,2: 219–221.
- RETIEF, E. & FINKELSTEIN, N. 1979. The correct name for *Fagara ovatifoliolata* (Rutaceae). 12,4: 637.
- RETIEF, E. & NICHOLAS, A. 1988. The cigarette beetle *Lasioderma serricorne* (F.) (Coleoptera: Anobiidae): a serious herbarium pest. 18,1: 97–99.
- RETIEF, E. & REYNEKE, W.F. 1984. The genus *Thunbergia* in southern Africa. 15,1 & 2: 107–116.
- REYNEKE, W.F. 1980. Three subspecies of *Eucomis autumnalis* (Liliaceae). 13,1 & 2: 140–142.
- 1984. 15,1 & 2: 107–116 (see RETIEF, E.).
- ROBBERTSE, P.J. 1975. The genus *Acacia* Miller in South Africa. I. Stipules and spines. 11,4: 473–479.
- 1975. The genus *Acacia* in South Africa. IV. The morphology of the mature pod. 11,4: 481–489.
- 1983. 14,3 & 4: 923–930 (see VAN RENSBURG, H.J.).
- 1989. 19,2: 175–178 (see GERMISHUIZEN, G.).
- 1989. 19,2: 211–213 (see GERMISHUIZEN, G.).
- ROBINSON, E.R. 1981. 13,3 & 4: 467–472 (see GIBBS RUSSELL, G.E.).
- 1983. 14,3 & 4: 1007–1012 (see GIBBS RUSSELL, G.E.).
- ROBINSON, E.R. & GIBBS RUSSELL, G.E. 1982. Speciation environments and centres of diversity in southern Africa I. Conceptual framework. 14,1: 83–88.
- ROBYNS, W. 1937. A new species of *Pachystigma* Hochst. from Transvaal. 3,2: 183, 184.
- ROGERS, D.J. & MOLL, E.J. 1975. A quantitative description of some coast forests of Natal. 11,4: 523–537.
- ROSE, E.F. 1983. 14,3 & 4: 613–615 (see WEHMEYER, A.S.).
- ROSS, J.H. 1969. A note on *Erythrophleum* R. Br. in South Africa. 10,1: 43, 44.
- 1971. The *Acacia* species with glandular glutinous pods in southern Africa. 10,2: 351–354.
- 1971. A note on the *Acacia giraffae* × *A. haematoxylon* hybrid. 10,2: 359–362.
- 1971. *Acacia karroo* in southern Africa. 10,2: 385–402.
- 1971. *Acacia brevispica* and *A. schweinfurthii*. 10,3: 419–426.
- 1971. A variant of *Acacia karroo* from Sekukuniland. 10,3: 427–430.
- 1971. A new combination in *Gnidia* (Thymelaeaceae). 10,3: 435, 436.
- 1972. Notes on *Acacia* species in southern Africa: II. 10,4: 547–553.
- 1972. A new combination in *Zehneria* (Cucurbitaceae). 10,4: 568.
- 1973. An analysis of the flora of Natal. 11,1 & 2: 103–106.
- 1973. Towards a classification of the African Acacias. 11,1 & 2: 107–113.
- 1973. A new generic record for South Africa and a new species (Lauraceae). 11,1 & 2: 118.
- 1973. Notes on *Entada* in South Africa. 11,1 & 2: 125, 126.
- 1973. Notes on *Acacia* species in southern Africa: III. 11,1 & 2: 127–131.
- 1974. Notes on *Acacia* species in southern Africa: IV. 11,3: 231–234.
- 1974. The genus *Elephantorrhiza*. 11,3: 247–257.
- 1974. A note on *Dichrostachys cinerea* in South Africa. 11,3: 265–268.
- 1974. A note on the identity of *Celastrus filiformis* (Asclepiadaceae). 11,3: 277, 278.
- 1974. Typification of *Schotia capitata* (Leguminosae). 11,3: 285.
- 1974. Notes on miscellaneous *Acacia* species from tropical Africa. 11,3: 291–294.
- 1974. Notes on *Acacia* species from north-east tropical Africa. 11,3: 299–303.
- 1975. Notes on African *Acacia* species. 11,4: 443–447.
- 1975. The typification of *Mimosa senegal*. 11,4: 449–451.
- 1975. The *Acacia senegal* complex. 11,4: 453–462.
- 1975. The naturalized and cultivated exotic *Acacia* species in South Africa. 11,4: 463–470.
- 1975. The typification of *Mimosa farnesiana*. 11,4: 471, 472.
- 1975. The typification of *Lycium inermis*. 11,4: 491–493.
- 1975. A note on *Vepri lanceolata* (Rutaceae). 11,4: 518.
- 1975. A note on the identity of *Conium chaerophyllodes* (Umbelliferae). 11,4: 521.
- 1976. The identity of *Calpurnia sericea* Harv. (Fabaceae). 12,1: 59, 60.
- 1976. The typification of *Haematoxylum dinteri* (Fabaceae). 12,1: 60.
- 1976. A new *Memecylon* record from Tongaland (Melastomataceae). 12,1: 64.
- 1977. Some observations on *Elephantorrhiza burkei* and *E. elephantina* (Fabaceae). 12,2: 257.
- 1977. *Zanthoxylum lepreurii*, a new record for southern Africa (Rutaceae). 12,2: 258, 259.
- 1979. Notes on *Prosopis* in southern Africa (Fabaceae). 12,4: 635.
- 1980. A survey of some of the pre-Linnean history of the genus *Acacia*. 13,1 & 2: 95–110.
- 1981. An analysis of the African *Acacia* species: their distribution, possible origins and relationships. 13,3 & 4: 389–413.
- ROSS, J.H. & MORRIS, J.W. 1971. Principal components analysis of *Acacia burkei* and *A. nigrescens* in Natal. 10,3: 437–450.
- ROURKE, J.P. 1983. 14,3 & 4: 427–440 (see OLIVER, E.G.H.).
- ROUX, J.P. 1986. A checklist of Pteridophyta of the north-eastern Orange Free State. 16,1: 83–85.
- RUTHERFORD, M.C. 1978. Karoo-fynbos biomass along an elevational gradient in the western Cape. 12,3: 555–560.
- 1979. Allometric biomass relations applied to succulent plant forms. 12,4: 737.
- 1980. Field identification of roots of woody plants of the savanna ecosystem study area, Nylsvley. 13,1 & 2: 171–184.

- 1981. Survival, regeneration and leaf biomass changes in woody plants following spring burns in *Burkea africana*–*Ochna pulchra* Savanna. 13,3 & 4: 531–552.
- 1982. Aboveground biomass categories of woody plants in a *Burkea africana*–*Ochna pulchra* Savanna. 14,1: 131–138.
- 1982. Annual production fraction of aboveground biomass in relation to plant shrubbiness in savanna. 14,1: 139–142.
- 1982. Review: Heathlands and related shrublands: analytical studies, ed. R.L. Specht. 14,1: 166, 167.
- 1982. Review: The radiation regime and architecture of plant stands, by J. Ross. 14,1: 167, 168.
- 1982. Review. Succession, ed. A. van der Maarel. 14,1: 168.
- 1983. Herbaceous standing crop in relation to surface and subsurface rockiness. 14,2: 259–264.
- 1984. Review: Macroclimate and plant forms: an introduction to predictive modelling in phytogeography, by E.O. Box. 15,1 & 2: 339, 340.
- RUTHERFORD, M.C. & WESTFALL, R.H. 1984. Sectors of the Transvaal Province of South Africa. 15,1 & 2: 294, 295.
- RYCROFT, H.B. 1983. The botanic garden in a changing world. 14,3 & 4: 461–464.
- SAAYMAN, E.J.L. 1989. 19,1: 125–132 (see SPIES, J.J.).
- SANCHEZ, E. 1985. 15,3 & 4: 587–590 (see PANARELLO, H.O.).
- SANCHEZ, E., ARRIAGA, M.O. & ELLIS, R.P. 1989. Kranz distinctive cells in the culm of *Arundinella* (Arundinellae; Panicoideae; Poaceae). 19,1: 45–52.
- SCHAEFER, E.E. 1941. A fungus of the family Entomophthoraceae found on sugar ants (*Campanotus* sp.). 4,1: 237–249.
- SCHEEPERS, J.C. 1979. Review: Biogeography and ecology of southern Africa, ed. M.J.A. Werger. 12,4: 761, 762.
- 1982. Review: Seedlings of Dicotyledons, by E.F. de Vogel. 14,1: 164, 165.
- 1983. Progress with vegetation studies in South Africa. 14,3 & 4: 683–690.
- 1983. The present status of vegetation conservation in South Africa. 14,3 & 4: 991–995.
- 1984. Review: Application of vegetation science to forestry, ed. G. Jahn. 15,1 & 2: 340, 341.
- 1984. Review: Vegetation dynamics in grasslands, heathlands and Mediterranean ligneous formations, ed. P. Poissonet, F. Romane, M.P. Austin, E. van der Maarel & W. Schmidt. 15,1 & 2: 341, 342.
- SCHEEPERS, J.C. & VORSTER, P.J. 1976. First record of *Stenochlaena tenuifolia* (Desv.) Moore for the Transvaal (Blechnaceae). 12,1: 57.
- 1986. 16,1: 89–91 (see PANAGOS, M.D.).
- 1989. 19,1: 53–67 (see DEALL, G.B.).
- SCHELPE, E.A.C.L.E. 1983. Aspects of the phytogeography of African Pteridophyta. 14,3 & 4: 417–419.
- 1984. 15,1 & 2: 143–145 (see TANSLEY, S.A.).
- 1985. 15,3 & 4: 541–544 (see ANTHONY, N.C.).
- 1985. 15,3 & 4: 554, 555 (see ANTHONY, N.C.).
- 1985. 15,4 & 4: 555–559 (see ANTHONY, N.C.).
- SCHNEPF, E. 1983. 14,3 & 4: 857–863 (see MAHLBERG, P.G.).
- SCHOLZ, H. 1983. The Togo flora project. 14,3 & 4: 1021, 1022.
- SCHONLAND, S. 1930. The South African species of *Rhus* L. 3,1: 3–115.
- SCHOONRAAD, E. 1971. 10,3: 461–500 (see VAN DER SCHUIFF, H.P.).
- SCHRIRE, B.D. 1983. Centenary of the Natal Herbarium, Durban, 1882–1982. 14,2: 223–236.
- 1985. A new combination in *Tephrosia* (Fabaceae). 15,3 & 4: 551, 552.
- 1987. A synopsis of *Tephrosia* subgenus *Barbistyla* (Fabaceae) in southern Africa. 17,1: 7–15.
- 1987. Orthographic ambiguity clarified (Cucurbitaceae). 17,2: 181.
- 1988. A synopsis of the tribe Desmodieae (Fabaceae) in southern Africa. 18,1: 11–24.
- 1989. Obituary: Rudolf Georg Strey (1907–1988). 19,1: 137–139.
- 1989. 19,2: 275–294 (see DE WET, B.C.).
- 1990. 20,2: 249–266 (see DE WET, B.C.).
- SCHUMANN, I.H. 1966. 9,1: 245–249 (see MARASAS, W.F.O.).
- 1972. 10,4: 509–515 (see MARASAS, W.F.O.).
- SCHÜTTE, K.H. 1983. 14,3 & 4: 791–794 (see HARDCASTLE, J.).
- SCHUTZ, C.J. 1989. 19,1: 53–67 (see DEALL, G.B.).
- SCHWEICKERDT, H.G. 1937. An account of the South African species of *Tribulus* Tourn. ex Linn. 3,2: 159–178.
- 1937. A note on the South African species of *Ximenia* Linn. and their possible economic uses. 3,2: 179–182.
- 1937. A revision of the South African species of *Helictotrichon* Bess. ex Schultes. 3,2: 185–203.
- 1937. 3,2: 205–221 (see PHILLIPS, E.P.).
- 1937. 3,2: 223–258 (see OBERMEYER, A.A.).
- 1941. An account of the South African material of *Aristida* Linn. in certain European and South African herbaria. 4,1: 91–175.
- SCOTT, L. 1983. Palynological evidence for vegetation patterns in the Transvaal (South Africa) during the late Pleistocene and Holocene. 14,3 & 4: 445–449.
- SCOTT, M.K. 1978. Abnormal flowers in *Waltheria indica* (Sterculiaceae). 12,3: 452, 453.
- SERUSIAUX, E. 1983. 14,3 & 4: 533–538 (see LAMBINON, J.).
- SIMONS, R.H. 1960. Notes on some species of *Cladophora* from South Africa. 7,2: 189–199.
- 1960. Notes on *Aristothamnion purpuriferum* (Kütz.) J. Ag. 7,2: 201–205.
- 1961. Addendum: *Cladophora isaacii*. 7,3: 668.
- 1964. Species of *Plocamium* on the South African coast. 8,2: 183–193.
- 1964. Notes on the species of *Zonaria* in South Africa. 8,2: 195–200.
- 1966. The genus *Ceramium* in South Africa. 9,1: 153–168.
- 1966. A new species of the Dictyotales from South Africa. 9,1: 169–171.
- 1967. The genus *Microcladia* (red algae) in South Africa. 9,2: 351–355.
- 1967. A new species of brown alga from South Africa. 9,2: 357–361.
- 1983. The genus *Trematocarpus* (Sarcodiaceae, Rhodophyta) in southern Africa and the exclusion of *Sphaerococcus* (*Chondrus*) *scutellatus*. 14,3 & 4: 803–808.
- SINCLAIR, R.C. & EICKER, A. 1983. Ten interesting species of aquatic Hyphomycetes from South Africa. 14,3 & 4: 939–942.
- SLINGER, J. 1954. The morphology and anatomy of *Utricularia transrugosa* Stapf. 6,2: 385–406.
- SMALL, J.G.C. 1983. 14,3 & 4: 923–930 (see VAN RENSBURG, H.J.).
- SMITH, C.A. 1927. The genus *Macowanina*, Oliv. 2,1b: 347–350.
- 1927. Four interesting species of Compositae. 2,1b: 360–365.
- 1939. A review of the genus *Adromischus* Lemaire. 3,4: 613, 614.
- SMITH, G.F. 1990. The correct author citations of *Aloe bowiea* and *A. myriacantha* (Liliaceae/Asphodelaceae). 20,1: 80–82.
- 1990. The type of *Chortolirion bergerianum* (Alooideae, Liliaceae/Asphodelaceae). 20,2: 213, 214.
- SMITH, G.F. & VAN WYK, A.E. 1990. Notes on the distribution and habitat of *Aloe bowiea* (Liliaceae/Asphodelaceae: Alooideae) – an endangered and little known species from the eastern Cape. 20,1: 123–126.
- SMOOK, L. 1984. 15,1 & 2: 131–138 (see GIBBS RUSSELL, G.E.).
- SMOOK, L. & GIBBS RUSSELL, G.E. 1984. Name changes and additional species of southern African Poaceae. 15,1 & 2: 147–149.
- SMOOK, L. & STIRTON, C.H. 1979. Naturalized *Agrostis* in South Africa: *Agrostis avenacea* and *A. montevidensis* (Poaceae). 12,4: 637.
- SODERSTROM, T.R. & ELLIS, R.P. 1982. Taxonomic status of the endemic South African bamboo, *Thamnochlamys tessellatus*. 14,1: 53–67.
- 1983. Taxonomic status of the endemic South African bamboo, *Thamnochlamys tessellatus* (abstract). 14,3 & 4: 915.
- SPIES, J.J. 1982. Stomatal area as an anatomical criterion for the determination of chromosome number in the *Eragrostis curvula* Complex. 14,1: 119–122.
- 1984. Embryo sac development in some South African *Lantana* species (Verbenaceae). 15,1 & 2: 161–166.
- 1988. 18,1: 119–122 (see DU PLESSIS, H.).
- SPIES, J.J. & DU PLESSIS, H. 1985. The genus *Rubus* in South Africa. I. Chromosome numbers and geographical distribution of species. 15,3 & 4: 591–596.
- 1986. Chromosome studies on African plants. 1. 16,1: 87, 88.
- 1986. Chromosome studies on African plants. 2. 16,2: 269, 270.
- 1987. Chromosome studies on African plants. 3. 17,1: 131–135.
- 1987. Chromosome studies on African plants. 5. 17,2: 257–259.
- 1988. Chromosome studies on African plants. 6. 18,1: 111–114.
- SPIES, J.J., DU PLESSIS, H. & LIEBENBERG, H. 1985. The genus *Rubus* in South Africa. II: Meiotic chromosome behaviour. 15,3 & 4: 597–606.
- SPIES, J.J. & HARDY, D.S. 1983. A karyotypic and anatomical study of an unidentified liliaceous plant. 14,2: 215–217.
- SPIES, J.J. & JONKER, A. 1987. Chromosome studies on African plants. 4. 17,1: 135, 136.
- SPIES, J.J., SAAYMAN, E.J.L., VOGES, S.P. & DAVIDSE, G. 1989. Chromosome studies on African plants. 9. Chromosome numbers in *Ehrharta* (Poaceae: Ehrharteae). 19,1: 125–132.
- SPIES, J.J. & STIRTON, C.H. 1982. Meiotic studies of some South African cultivars of *Lantana camara* (Verbenaceae). 14,1: 101–111.
- 1982. Embryo sac development in some South African cultivars of *Lantana camara*. 14,1: 113–117.
- SPIES, J.J., STIRTON, C.H. & DU PLESSIS, H. 1987. The genus *Rubus* (Rosaceae) in South Africa. IV. Natural hybridization. 17,1: 105–119.

- SPIES, J.J. & VOGES, S.P. 1988. Chromosome studies on African plants. 7, 18,1: 114–119.
- STAFF OF THE NATIONAL HERBARIUM 1985. New taxa, new records and name changes for southern African plants. 15,3 & 4: 751–759.
- STAFF OF THE NATIONAL HERBARIUM 1986. New taxa, new records and name changes for southern African plants. 16,1: 109–118.
- STAFF OF THE NATIONAL HERBARIUM 1987. 17,2: 269–275 (see GIBBS RUSSELL, G.E. *et al.*).
- STAFF OF THE NATIONAL HERBARIUM 1988. 18,2: 293–304 (see GIBBS RUSSELL, G.E. *et al.*).
- STEINHORST, R.K. & MORRIS, J.W. 1977. World climate patterns in grassland and savanna and their relation to growing seasons. 12,2: 261–265.
- STENT, S.M. 1922. South African Gramineae. A new genus and seven new species. 1,3: 170–178.
- 1924. South African Gramineae. Grasses of the Transvaal as represented in the National Herbarium. 1,4: 222–303.
- 1927. South African Gramineae. The South African species of *Sporobolus*. 2,1b: 247–274.
- 1927. South African Gramineae. South African species of *Cynodon*. 2,1b: 274–288.
- 1927. South African Gramineae. Some changes in nomenclature. 2,1b: 288.
- 1927. An undescribed geocarpic plant from South Africa. 2,1b: 356–359.
- 1928. South African Gramineae. An undescribed species of *Schmidtia*. 2,2: 421–423.
- 1930. South African Gramineae. Some new species of *Digitaria*. 3,1: 147–156.
- STEYAERT, R.L. 1954. Concerning some South African *Pestalotiopsis* Steyaert (*Pestalotia* auct. non De Not.). 6,2: 379–383.
- STIRTON, C.H. 1976. *Thuranthopsis*: notes on generic status, morphology, phenology and pollination biology. 12,1: 161–165.
- 1977. The identity of *Eriosema nanum*. 12,2: 199–203.
- 1977. A note on the flowers of *Halleria lucida*. 12,2: 223, 224.
- 1977. The pollination of *Canavalia virosa* by xylocopid and megachilid bees. 12,2: 225–227.
- 1977. Broad-spectrum pollination of *Plectranthus neochilus*. 12,2: 229, 230.
- 1978. Review: The biology of eucalypts, by L.D. Pryor. 12,3: 578, 579.
- 1979. 12,4: 637 (see SMOOK, L.).
- 1981. The *Eriosema cordatum* complex II. The *Eriosema cordatum* and *E. nutans* groups. 13,3 & 4: 281–306.
- 1981. Natural hybridization in the genus *Eriosema* (Leguminosae) in South Africa. 13,3 & 4: 307–315.
- 1981. Studies in the Leguminosae—Papilionoideae of southern Africa. 13,3 & 4: 317–325.
- 1981. The genus *Dipogon* (Leguminosae—Papilionoideae). 13,3 & 4: 327–330.
- 1981. Notes on the taxonomy of *Rubus* in southern Africa. 13,3 & 4: 331, 332.
- 1981. New records of naturalized *Rubus* in southern Africa. 13,3 & 4: 333–337.
- 1982. The genus *Medicago* (Leguminosae) in southern Africa. 14,1: 27–35.
- 1982. Review: Genus *Medicago* (Leguminosae), a taxogenetic approach, by K.A. Lesins & I. Lesins. 14,1: 162, 163.
- 1982. *Catharanthus* and *Vinca* in southern Africa (Apocynaceae). 14,1: 69.
- 1982. A new species of *Indigofera* from the south-west Cape (Fabaceae). 14,1: 69–72.
- 1982. A new species of *Otholobium* in South Africa (Fabaceae). 14,1: 72–74.
- 1982. A new species of *Rafnia* from the Cape (Fabaceae). 14,1: 74–76.
- 1982. A new species of *Rhynchosia* from Venda (Fabaceae). 14,1: 76, 77.
- 1982. The identity of *Boerhaavia pterocarpa* in South Africa (Nyctaginaceae). 14,1: 79, 80.
- 1982. The correct name for plants called *Agrimonia odorata* in southern Africa (Rosaceae). 14,1: 80.
- 1982. 14,1: 101–117 (see SPIES, J.J.).
- 1983. 14,3 & 4: 945–948 (see WELLS, M.J.).
- 1983. 14,3 & 4: 961–970 (see WELLS, M.J.).
- 1983. Nocturnal petal movements in the Asteraceae. 14,3 & 4: 1003–1006.
- 1984. Notes on the genus *Rubus* in southern Africa. 15,1 & 2: 101–106.
- 1986. The *Eriosema squarrosus* complex (Papilionoideae, Fabaceae) in southern Africa. 16,1: 11–22.
- 1986. 16,2: 230, 231 (see JARVIE, J.K.).
- 1987. 17,1: 1–6 (see JARVIE, J.K.).
- 1987. 17,1: 105–119 (see SPIES, J.J.).
- 1988. The naturalized species of *Lupinus* (Fabaceae) in southern Africa. 18,1: 25–29.
- STIRTON, C.H. & GORDON-GRAY, K.D. 1978. The *Eriosema cordatum* complex. I. The *Eriosema populifolium* group. 12,3: 395–404.
- STOREY, H.H. 1930. 3,1: 137–141 (see McCLEAN, A.P.D.).
- STORK, A.L. 1983. 14,3 & 4: 479, 480 (see LEBRUN, J.P.).
- STORY, R. 1954. 6,2: 433–436 (see BRITTEN, L.L.).
- 1961. Gesneriaceae. 7,3: 465–467.
- 1961. Turneraceae. 7,3: 493–496.
- STRAUSS, S.E. 1990. 20,2: 221, 222 (see BURROWS, J.E.).
- STREY, R.G. 1969. 10,1: 29–37 (see OBERMEYER, A.A.).
- 1969. A note on the identity of *Mesembryanthemum brachyphyllum* Welw. (Aizoaceae). 10,1: 55.
- 1972. A new species of *Eugenia* from Pondoland and southern Natal (Myrtaceae). 10,4: 569–571.
- 1973. Notes on the genus *Cussonia* in South Africa. 11,1 & 2: 191–201.
- 1975. A new species of *Cussonia* from the southern Cape (Araliaceae). 11,4: 515–516.
- SYDOW, H. 1928. 2,2: 424–472 (see DOIDGE, E.M.).
- TALBOT, P.H.B. 1948. 4,4: 939–949 (see WAKEFIELD, E.M.).
- 1951. Studies of some South African resupinate Hymenomyces. 6,1: 1–116.
- 1951. New and interesting records of South African Fungi I. 6,1: 183–204.
- 1954. Micromorphology of the lower Hyphomyces. 6,2: 249–299.
- 1954. The genus *Stereum* in South Africa. 6,2: 303–338.
- 1954. On the genus *Lopharia* Kalchbrenner & MacOwan. 6,2: 339–346.
- 1956. *Entorrhiza calospora* sp. nov., and some other parasitic fungi in *Limeum* roots. 6,3: 453–463.
- 1956. The cyphelloid fungi of South Africa. 6,3: 465–487.
- 1956. New and interesting records of South African Fungi II. 6,3: 489–500.
- 1958. New and interesting records of South African Fungi III. 7,1: 109–115.
- 1958. The genera *Craterellus*, *Cymatoderma* (*Cladoderma*) and *Thelephora* in South Africa. 7,1: 117–129.
- 1958. Studies of some South African resupinate Hyphomyces II. 7,1: 131–187.
- TALUKDAR, S. 1983. The conservation of *Aloe polyphylla* endemic to Lesotho. 14,3 & 4: 985–989.
- TANSLEY, S.A. & SCHELPE, E.A.C.L.E. 1984. Two new combinations in *Melanthus* (Melianthaceae). 15,1 & 2: 143–145.
- 1984. An excluded species in *Melanthus* (Melianthaceae). 15,1 & 2: 145.
- TAUSSIG, J. 1990. 20,2: 249–266 (see DE WET, B.C.).
- TAYLOR, H.C. 1972. 10,4: 599–614 (see WERGER, M.J.A.).
- 1972. Notes on the vegetation of the Cape Flats. 10,4: 637–646.
- 1980. Phytogeography of fynbos. 13,1 & 2: 231–235.
- 1981. Review: Heathlands and related shrublands: descriptive studies, ed. R.L. Speccht. 13,3 & 4: 589, 590.
- 1983. The vegetation of the Cape of Good Hope Nature Reserve. 14,3 & 4: 779–784.
- 1984. A vegetation survey of the Cape of Good Hope Nature Reserve. I. The association-analysis and Braun-Blanquet methods. 15,1 & 2: 245–258.
- 1984. A vegetation survey of the Cape of Good Hope Nature Reserve. II. Descriptive account. 15,1 & 2: 259–291.
- 1988. Review: The ecology and management of biological invasions in southern Africa, ed. I.A.W. MacDonald, F.J. Kruger & A.A. Ferrar. 18,2: 329, 330.
- TAYLOR, H.C. & KRUGER, F.J. 1978. A first attempt to measure temperatures in fire in fynbos. 12,3: 551–553.
- TAYLOR, H.C. & MORRIS, J.W. 1981. A brief account of coast vegetation near Port Elizabeth. 13,3 & 4: 519–525.
- TAYLOR, H.C. & VAN DER MEULEN, F. 1981. Structural and floristic classifications of Cape Mountain Fynbos on Rooiberg, southern Cape. 13,3 & 4: 557–567.
- THERON, G.K. 1978. 12,3: 513–529 (see BREDENKAMP, G.J.).
- 1980. 13,1 & 2: 199–216 (see BREDENKAMP, G.J.).
- 1983. 14,2: 299–301 (see WESTFALL, R.H.).
- 1983. 14,3 & 4: 691–699 (see BREDENKAMP, G.J.).
- 1983. 14,3 & 4: 785–790 (see WESTFALL, R.H.).
- 1985. 15,3 & 4: 655–688 (see WESTFALL, R.H.).
- 1986. 16,1: 77–82 (see WESTFALL, R.H.).
- 1989. 19,1: 69–89 (see DEALL, G.B.).
- 1990. 20,2: 223–227 (see DEALL, G.B.).
- 1990. 20,2: 233–240 (see KOOLJ, M.S.).
- 1990. 20,2: 241–248 (see KOOLJ, M.S.).

- THOM, J.E. 1971. A new species of *Dovyalis* (Flacourtiaceae). 10,3: 434, 435.
- THOMPSON, M.F. 1976. Studies in the Hypoxidaceae. I. Vegetative morphology and anatomy. 12,1: 111–117.
- 1978. Studies in the Hypoxidaceae. II. Floral morphology and anatomy. 12,3: 429–435.
- 1979. Studies in the Hypoxidaceae. III. The genus *Pauridia*. 12,4: 621–625.
- TÖLKEN, H.R. 1967. The species of *Arthrocnemum* and *Salicornia* (Chenopodiaceae) in southern Africa. 9,2: 255–307.
- 1969. The genus *Talinum* (Portulacaceae) in southern Africa. 10,1: 19–28.
- 1969. Notes on *Boscia* (Capparaceae). 10,1: 59–63.
- 1969. Notes on *Capparis* (Capparaceae). 10,1: 63–65.
- 1977. New taxa and a new combination in the genus *Coryledon*. 12,2: 191–194.
- 1978. New taxa and new combinations in *Coryledon* and allied genera. 12,3: 377–393.
- 1978. Review: Flore des Mascareignes II. Goodeniaceae, par J.-L. Guillaumet, III. Campanulacées, par F. Badre. 12,3: 578.
- 1979. A re-evaluation of the *Coryledon orbiculata* Complex. 12,4: 615–620.
- 1979. Three new taxa and a new combination (Crassulaceae). 12,4: 633, 634.
- TÖLKEN, H.R. & JESSOP, J.P. 1976. Nomenclature of the genus *Amphibolia* (Mesembryanthemaceae). 12,1: 64.
- TRAPPE, J.M. 1973. 11,1 & 2: 139–141 (see MARASAS, W.F.O.).
- TROUPIN, G. 1983. 14,3 & 4: 773–777 (see REEKMAN, M.).
- TURNER, B. 1987. Review: Grasses of South West Africa/Namibia, by M.A.N. Muller. 17,1: 155.
- UBBINK, B. & BREDEKAMP, G.J. 1985. A new record of *Acorus calamus* in South Africa (Araceae). 15,3 & 4: 547.
- VAN DAALEN, J.C. 1984. Distinguishing features of forest species on nutrient-poor soils in the southern Cape. 15,1 & 2: 229–239.
- VAN DER MERWE, J.J.M. 1971. New combinations in *Cyphostemma* (Vitaceae). 10,3: 436.
- VAN DER MEULEN, F. 1976. 12,1: 137–160 (see COETZEE, B.J.).
- 1978. Progress with vegetation studies in the Sourish Mixed Bushveld of the western Transvaal. 12,3: 531–536.
- 1981. 13,3 & 4: 557–567 (see TAYLOR, H.C.).
- VAN DER MEULEN, F. & VAN GILS, H.A.M.J. 1983. Savannas of southern Africa: attributes and use of some types along the Tropic of Capricorn. 14,3 & 4: 675–681.
- VAN DER MEULEN, F. & WESTFALL, R.H. 1979. A vegetation map of the western Transvaal Bushveld. 12,4: 731–735.
- VAN DER SCHUIFF, H.P. & SCHOONRAAD, E. 1971. The flora of the Mariëpskop Complex. 10,3: 461–500.
- VAN DER WALT, J.J.A. 1973. The South African species of *Commiphora*. 11,1 & 2: 53–102.
- 1982. 14,1: 45–51 (see VOLSCHENK, B.).
- 1985. A taxonomic revision of the type section of *Pelargonium* L'Hérit. (Geraniaceae). 15,3 & 4: 345–385.
- VAN DER WALT, J.J.A. & VORSTER, P.J. 1981. Miscellaneous notes on the genus *Pelargonium*. 13,3 & 4: 431–433.
- 1983. Phytogeography of *Pelargonium*. 14,3 & 4: 517–523.
- VAN DER WALT, J.P. 1971. New combinations in the genera *Brettanomyces*, *Kluyveromyces*, *Lodderomyces* and *Wingea*. 10,3: 417, 418.
- 1978. The genus *Pachytichospora* gen. nov. (Saccharomycetaceae). 12,3: 563, 564.
- VAN DER WALT, J.P. & BAKER, P.B. 1978. *Candida fermenticarenis*—a new yeast from arboricole lichen. 12,3: 561–562.
- VAN DER WESTHUIZEN, G.C.A. 1956. Three species of *Curvularia* from *Pinus*. 6,3: 501–505.
- 1958. Studies of wood-rotting Fungi I. Cultural characteristics of some common species. 7,1: 83–107.
- 1966. 9,1: 229–243 (see MARASAS, W.F.O.).
- 1971. Cultural characters and carpophore construction of some poroid Hymenomycetes. 10,2: 137–327.
- 1971. 10,3: 411–416 (see MARASAS, W.F.O.).
- 1972. Studies of wood-rotting Fungi. II. Basidiomycetes from the wood-preserved field exposure test plot at Kruisfontein. 10,4: 517–538.
- 1973. *Polyporus baudoni* Pat. on *Eucalyptus* spp. in South Africa. 11,1 & 2: 143–151.
- VAN DER WESTHUIZEN, G.C.A. & VAN WARMELO, K.T. 1969. New and interesting records of South African Fungi, Part VI. 10,1: 83–88.
- VAN DRUTEN, D.M.C. 1956. Liliaceae. 6,3: 544, 545.
- VAN GILS, H.A.M.J. 1983. 14,3 & 4: 675–681 (see VAN DER MEULEN, F.).
- VAN JAARSVELD, F.A. 1989. 19,2: 213–215 (see PECKHAM, G.D.).
- VAN RENSBURG, H.J., ROBERTSE, P.J. & SMALL, J.G.C. 1983. The ontogeny of the fruit and seed of *Momordica balsamina*. 14,3 & 4: 923–930.
- VAN RENSBURG, W.L.J. 1983. 14,3 & 4: 895–899 (see VERHOEVEN, R.L.).
- VAN ROOY, J. 1986. A new species of *Anomobryum* (Bryaceae, Musci). 16,1: 42–44.
- 1987. 17,2: 269–275 (see GIBBS RUSSELL, G.E.).
- 1988. 18,2: 293–304 (see GIBBS RUSSELL, G.E.).
- 1989. 19,2: 275–294 (see DE WET, B.C.).
- 1990. 20,2: 249–266 (see DE WET, B.C.).
- VAN ROOY, J. & PEROLD, S.M. 1990. New and interesting records of mosses in the Flora of southern Africa area: 1. Sphagnaceae—Grimmiaceae (Bryophyta). 20,2: 211–213.
- VAN ROOYEN, N. 1983. 14,2: 299–301 (see WESTFALL, R.H.).
- 1983. 14,3 & 4: 785–790 (see WESTFALL, R.H.).
- 1985. 15,3 & 4: 655–688 (see WESTFALL, R.H.).
- 1986. 16,1: 77–82 (see WESTFALL, R.H.).
- VAN STADEN, J.M. 1989. 19,2: 273, 274 (see WESTFALL, R.H.).
- VAN STEENIS, C.G.G.J. 1978. The doubtful virtue of splitting families. 12,3: 425–427.
- 1978. Notes on a saprophytic orchid genus new to South Africa (Orchidaceae). 12,3: 451, 452.
- 1978. Rheophytes in South Africa. 12,3: 543–546.
- 1978. Gregarious flowering in the monocarpic genus *Isoglossa* (Acanthaceae). 12,3: 553.
- VAN VUUREN, D.R.J. 1983. 14,3 & 4: 691–699 (see BREDEKAMP, G.J.).
- VAN WARMELO, K.T. 1966. The identity of a pea blight fungus in South Africa. 9,1: 183–194.
- 1966. The cytology of *Mycosphaerella pinodes*. 9,1: 195–202.
- 1966. 9,1: 229–243 (see MARASAS, W.F.O.).
- 1969. 10,1: 83–88 (see VAN DER WESTHUIZEN, G.C.A.).
- 1971. Somatic nuclear division in *Stemphylium botryosum*. 10,2: 329–334.
- 1971. Conidial nucleation in *Stemphylium botryosum*. 10,2: 335–339.
- 1971. A new species of *Gonatobotryum* from South Africa. 10,2: 347–349.
- 1977. Asexual nuclear division in *Neocosmospora*. 12,2: 247–250.
- 1981. Sexual nuclear division in *Neocosmospora*. 13,3 & 4: 415–429.
- VAN WYK, A.E. 1978. *Scygiopium pondoense* rediscovered (Myrtaceae). 12,3: 449–451.
- 1980. The identity of *Eugenia woodii* (Myrtaceae). 13,1 & 2: 142–145.
- 1987. Obituary: Rolf Dahlgren (1932–1987). 17,2: 261–266.
- 1990. 20,1: 123–125 (see SMITH, G.F.).
- VAN WYK, B.-E. 1988. Studies in the genus *Lotononis* (Crotalariaeae, Fabaceae). 1. Three new species of the section *Aulacanthus* from the Cape Province. 18,1: 31–36.
- 1989. Studies in the genus *Lotononis* (Crotalariaeae, Fabaceae). 2. Three new species in the section *Telina* from the Cape Province. 19,1: 1–5.
- 1989. Studies in the genus *Lotononis* (Crotalariaeae, Fabaceae). 5. A new species of the *L. involucrata* group (section *Polylobium*) from the north-western Cape Province. 19,1: 7, 8.
- 1989. The identity of *Lotononis elongata* (Crotalariaeae, Fabaceae). 19,1: 32–34.
- 1990. Studies in the genus *Lotononis* (Crotalariaeae, Fabaceae). 9. Four new species of the *L. pentaphylla* group, section *Lipozygis*. 20,1: 1–8.
- 1990. Studies in the genus *Lotononis* (Crotalariaeae, Fabaceae). 12. Four new species of the *L. falcata* group, section *Leptis*. 20,1: 9–16.
- 1990. Studies in the genus *Lotononis* (Crotalariaeae, Fabaceae). 13. Two new species and notes on the occurrence of cleistogamy in the section *Leptis*. 20,1: 17–22.
- 1990. Studies in the genus *Lotononis* (Crotalariaeae, Fabaceae). 10. *L. esterhuyzeniana*, a new species from the south-western Cape (Fabaceae). 20,1: 70–73.
- 1990. Studies in the genus *Lotononis* (Crotalariaeae, Fabaceae). 11. A new species of the section *Leobordea* from north-western Namibia (Fabaceae). 20,1: 73–75.
- 1990. Studies in the genus *Lotononis* (Crotalariaeae, Fabaceae). 14. Three new species of the sections *Telina* and *Polylobium* (Fabaceae). 20,1: 75–80.
- 1990. Review: Field guide to the wild flowers of the Witwatersrand and Pretoria region, by Braam van Wyk and Sasa Malan. 20,1: 131.
- VAN WYK, B.-E., NOVELLIE, P.A. & VAN WYK, C.M. 1988. Flora of the Zuurberg National Park. 1. Characterization of major vegetation units. 18,2: 211–220.

- VAN WYK, B.-E., VAN WYK, C.M. & NOVELLIE, P.A. 1988. Flora of the Zuurberg National Park. 2. An annotated checklist of ferns and seed plants. 18,2: 221–232.
- VAN WYK, C.M. 1987. 17,2: 269–275 (see GIBBS RUSSELL, G.E.).
- 1988. 18,2: 211–220 (see VAN WYK, B.-E.).
- 1988. 18,2: 221–232 (see VAN WYK, B.-E.).
- 1988. 18,2: 293–304 (see GIBBS RUSSELL, G.E.).
- 1989. 19,2: 275–294 (see DE WET, B.C.).
- 1990. 20,2: 249–266 (see DE WET, B.C.).
- VAN WYK, P.S. 1987. 17,1: 97–104 (see MARASAS, W.F.O.).
- 1988. 18,2: 189–194 (see LAMPRECHT, S.C.).
- VAN WYK, P.W.J. & WINGFIELD, M.J. 1990. Ascospore development in *Ceratocystis sensu lato* (Fungi): a review. 20,2: 141–145.
- VAN ZINDEREN BAKKER, E.M. Sr 1983. The late Quaternary history of climate and vegetation in East and southern Africa. 14,3 & 4: 369–375.
- VENTER, H.J.T. 1983. Phytogeography and interspecies relationships in *Monsonia* (Geraniaceae). 14,3 & 4: 865–869.
- 1983. 14,3 & 4: 895–899 (see VERHOEVEN, R.L.).
- VERDCOURT, B. 1958. Correction (Convolvulaceae). 7,1: 27.
- VERDOORN, I.C. 1928. A revision of the Crotalariae of South and South-East Tropical Africa. 2,2: 371–420.
- 1937. 3,2: 223–258 (see OBERMEYER, A.A.).
- 1939. Three species of *Strychnos* with 1-seeded fruits. 3,4: 583–588.
- 1941. The genus *Plinthus*. 4,1: 177–179.
- 1951. South African species of *Acacia* with glandular glutinous pods. 6,1: 153–160.
- 1951. 6,1: 205–211 (see DYER, R.A.).
- 1951. Newly described species. Burseraceae. 6,1: 214, 215, 240.
- 1951. Newly described species. Chenopodiaceae. 6,1: 218, 219.
- 1951. Newly described species. Cycadaceae. 6,1: 220, 221, 241.
- 1951. Newly described species. Ochnaceae. 6,1: 232.
- 1954. The nomenclature of the Cape *Acacia*. 6,2: 409–413.
- 1954. Newly described species. Chenopodiaceae. 6,2: 418–421.
- 1954. Newly described species. Cycadaceae. 6,2: 426–428, 448, 449.
- 1954. 6,2: 416–418 (see BRUECKNER, A.E.).
- 1954. 6,2: 440–442 (see CHRISTIAN, H.B.).
- 1956. The Oleaceae of southern Africa. 6,3: 549–639.
- 1958. Notes on the Loganiaceae, Salvadoraceae and Oleaceae in South Africa. 7,1: 11–15.
- 1961. Gentianaceae. 7,3: 458–463.
- 1962. Hippocrateaceae. 8,1: 114, 115.
- 1964. Sterculiaceae. 8,2: 177–179.
- 1966. Contemporary botanists and botanical collectors. 1. Frederick Ziervogel van der Merwe. 8 (Suppl.): 59–60.
- 1966. A new species of *Dombeya* and a new variety of *Dombeya rotundifolia* (Sterculiaceae). 9,1: 143–145.
- 1969. A new species of *Crinum* (Amaryllidaceae). 10,1: 56–58.
- 1969. A new species of *Hermannia* (Sterculiaceae). 10,1: 76, 77.
- 1969. New names in *Hermannia* (Sterculiaceae). 10,1: 77–79.
- 1969. New combinations in the genus *Hermannia* (Sterculiaceae). 10,1: 79–81.
- 1969. A new species of *Corchorus* (Tiliaceae). 10,1: 81, 82.
- 1972. A new species of *Hermannia* (Sterculiaceae). 10,4: 571, 572.
- 1972. Two new varieties of *Hermannia filifolia* (Sterculiaceae). 10,4: 572, 573.
- 1973. The genus *Crinum* in southern Africa. 11,1 & 2: 27–52.
- 1974. A new species of *Hermannia* (Sterculiaceae). 11,3: 288.
- 1975. A new species of *Hermannia* (Sterculiaceae). 11,4: 518.
- 1975. Typification of *Hermannia rugosa* (Sterculiaceae). 11,4: 519.
- 1980. Revision of *Hermannia* subgenus *Hermannia* in southern Africa. 13,1 & 2: 1–63.
- 1981. Revision of *Melthania* in southern Africa. 13,3 & 4: 263–273.
- 1981. The genus *Waltheria* in southern Africa. 13,3 & 4: 275, 276.
- 1981. The genus *Cola* in southern Africa. 13,3 & 4: 277–279.
- VERDOORN, I.C. & HERMAN, P.P.J. 1986. Revision of the genus *Dombeya* (Sterculiaceae) in southern Africa. 16,1: 1–9.
- VERHOEVEN, R.L., VENTER, H.J.T. & VAN RENSBURG, W.L.J. 1983. Anatomy of *Sarcocaulon*. 14,3 & 4: 895–899.
- VITT, D.H. 1981. 13,3 & 4: 463–466 (see MAGILL, R.E.).
- VOGEL, J.C. 1983. Isotopic evidence for the past climates and vegetation of southern Africa. 14,3 & 4: 391–394.
- VOGES, S.P. 1988. 18,1: 114–119 (see SPIES, J.J.).
- 1989. 19,1: 125–132 (see SPIES, J.J.).
- VOGTS, M.M. 1983. 14,3 & 4: 641–646 (see BRITS, G.J.).
- VOLK, O.H. 1988. 18,1: 37–42 (see PEROLD, S.M.).
- 1988. 18,1: 43–49 (see PEROLD, S.M.).
- VOLK, O.H. & PEROLD, S.M. 1984. Studies in the liverwort genus *Riccia* (Marchantiales) from the south-west Cape. 15,1 & 2: 117–124.
- 1985. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 1. Two new species of the section *Pilifer*: *R. duthieae* and *R. alatospora*. 15,3 & 4: 531–539.
- 1986. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 2. A new species of the section *Pilifer*: *R. sarcosa*. 16,1: 23–27.
- 1986. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 3. *R. schelpi*, a new species, in the new subgenus *Chartacea*. 16,1: 29–33.
- 1986. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 4. Three endemic species, *R. natalensis*, *R. microciliata* sp. nov. and *R. mammiifera* sp. nov. 16,2: 169–180.
- 1986. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 5. *R. rosea*, a new species. 16,2: 181–185.
- 1986. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 6. *R. hirsuta*, a new species, in a new section. 16,2: 187–191.
- 1990. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 15. *R. hirsuta* and *R. tomentosa*, sp. nov., two distinct species previously treated as one. 20,1: 23–30.
- 1990. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 16. *R. albomarginata* and *R. simii*, sp. nov. 20,1: 31–40.
- VOLK, O.H., PEROLD, S.M. & BORNEFELD, T. 1988. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 10. Two new white-scaled species of the group 'Squamatae': *R. argenteo-limbata* and *R. albornata*. 18,2: 155–163.
- VOLSCHENK, B., VAN DER WALT, J.J.A. & VORSTER, P.J. 1982. The subspecies of *Pelargonium cucullatum* (Geraniaceae). 14,1: 45–51.
- VON BROEMSEN, H.H. 1981. Investigation into the significance of plant dispersal in assessing pasture condition. 13,3 & 4: 569–574.
- 1981. A simple method for determining the density of plants in a randomly-dispersed population. 13,3 & 4: 574.
- VOORENDYK, S. 1966. 8 (Suppl.): 47–58 (see CODD, L.E.).
- VORSTER, P.J. 1974. The correct author citation for *Tristachya superba* (Poaceae). 11,3: 287.
- 1974. *Pyrrosia schimperana*, a new fern record for South Africa (Polypodiaceae). 11,3: 287.
- 1974. 11,3: 295–297 (see DE WINTER, B.).
- 1975. Review: Ferns of the Witwatersrand, by F.D. Hancock and A. Lucas. 11,4: 581.
- 1976. 12,1: 57 (see SCHEEPERS, J.C.).
- 1977. Cyperaceae new to the flora of Natal. 12,2: 257.
- 1977. Typification of *Frullania sylvestris* (Frullaniaceae–Hepaticae). 12,2: 257.
- 1977. *Selaginella imbricata* in the Flora of southern Africa area (Selaginellaceae–Lycopodiaceae). 12,2: 259.
- 1977. New combinations in *Thelypteris* (Thelypteridaceae). 12,2: 260.
- 1978. The identity and typification of *Kyllinga capensis* (Cyperaceae). 12,3: 448.
- 1978. *Thelypteris microbasis*, new to the flora of southern Africa (Thelypteridaceae). 12,3: 453.
- 1979. A note on *Mariscus sumatrensis* (Cyperaceae). 12,4: 634, 635.
- 1979. Review: Praktiese plantsistematiek deel I: die Kriptogame, deur A. Eicker, M.I. Claassen, W.F. Reyneke en N. Grobbelaar. 12,4: 760.
- 1981. 13,3 & 4: 431–433 (see ARNOLD, T.H.).
- 1981. 13,3 & 4: 441–443 (see ARNOLD, T.H.).
- 1981. The correct author citation for *Mariscus macrosporus* (Cyperaceae). 13,3 & 4: 443.
- 1981. The correct author citation for *Mariscus dubius* (Cyperaceae). 13,3 & 4: 443.
- 1981. On the identity and geographical distribution of *Mariscus angularis*, *M. chersinus*, *Cyperus bullatus* and *C. capensis* var. *polyanthemus* (Cyperaceae). 13,3 & 4: 443, 444.
- 1981. The identity and typification of *Mariscus dregeanus* (Cyperaceae). 13,3 & 4: 444–446.
- 1981. The correct author citation for *Cyperus elephantinus* (Cyperaceae). 13,3 & 4: 446.
- 1982. 14,1: 45–51 (see VOLSCHENK, B.).
- 1983. Tendencies in the geographical distribution of the genus *Mariscus* (Cyperaceae) in southern Africa. 14,3 & 4: 505–510.
- 1983. 14,3 & 4: 517–523 (see VAN DER WALT, J.J.A.).
- 1988. The correct author citation for *Pelargonium* sect. *Otidia* (Geraniaceae). 18,2: 186.
- VORSTER, T.B. & LIEBENBERG, H. 1977. Cytogenetic studies in the *Eragrostis curvula* Complex. 12,2: 215–221.
- 1984. Classification of embryo sacs in the *Eragrostis curvula* Complex. 15,1 & 2: 167–174.
- WAGER, V.A. 1941. Descriptions of South African Pythiaceae with records of their occurrence. 4,1: 3–35.

- WAKEFIELD, E.M. 1927. The genus *Cystopus* in South Africa. 2,1b: 242–246.
- WAKEFIELD, E.M. & TALBOT, P.H.B. 1948. Descriptions of some new Hymenomycetes. 4,4: 939–949.
- WARD, C.J. 1982. 14,1: 123–125 (see WEISSER, P.J.).
- WATSON, H.K. & MACDONALD, I.A.W. 1983. Vegetation changes in the Hluhluwe-Umfolozi Game Reserve Complex from 1937 to 1975. 14,2: 265–269.
- WEBERLING, F. 1983. Fundamental features of modern inflorescence morphology. 14,3 & 4: 917–922.
- WEHMEYER, A.S. & ROSE, E.F. 1983. Important indigenous plants used in the Transkei as food supplements. 14,3 & 4: 613–615.
- WEISSER, P.J. 1976. 12,1: 137–160 (see COETZEE, B.J.).
- 1982. Review: Bekentnisse eines Ökologen, by H. Walter. 14,1: 166.
- WEISSER, P.J., GARLAND, I. & DREWS, B.K. 1982. Dune advancement 1937–1977 at the Mlalazi Nature Reserve, Mtunzini, Natal, South Africa and a preliminary vegetation-succession chronology. 14,1: 127–130.
- WEISSER, P.J. & GERMISHUIZEN, G. 1990. Descriptive ecological account of intensive spring flowering of ephemeral vegetation in the Boshof area, Orange Free State, South Africa. 20,2: 229–231.
- WEISSER, P.J. & MARQUES, F. 1979. Gross vegetation changes in the dune area between Richards Bay and the Mfolozi River, 1937–1974. 12,4: 711–721.
- WEISSER, P.J. & MÜLLER, R. 1983. Dune vegetation dynamics from 1937 to 1976 in the Mlalazi–Richards Bay area of Natal, South Africa. 14,3 & 4: 661–667.
- WEISSER, P.J. & PARSONS, R.J. Monitoring *Phragmites australis* increases from 1937 to 1976 in the Siyai Lagoon (Natal, South Africa) by means of air photo interpretation. 13,3 & 4: 553–556.
- WEISSER, P.J. & WARD, C.J. 1982. Destruction of the *Phoenix/Hibiscus* and *Barringtonia racemosa* Communities at Richards Bay, Natal, South Africa. 14,1: 123–125.
- WELLS, M.J. 1973. The effect of the wagon building industry on the Amatola Forests. 11,1 & 2: 153–157.
- 1979. The role of economic botany in the development of South Africa. 12,4: 751–754.
- 1980. Review: Pennington's butterflies of southern Africa, ed. C.G.C. Dickson with the collaboration of D.M. Kroon. 13,1 & 2: 259–260.
- 1981. Review: Flowering trees in subtropical gardens, by G. Kunkel. 13,3 & 4: 590, 591.
- 1981. Review: Medicinal plants of West Africa, by E.S. Ayensu. 13,3 & 4: 591.
- 1983. Review: Medicinal plants of the West Indies, by E.S. Ayensu. 14,2: 324.
- 1984. Review: Medicinal plants and traditional medicine in Africa, by A. Sofowara. 15,1 & 2: 343.
- 1985. Review: Medicinal plants of North Africa, by L. Boulous. 15,3 & 4: 778, 779.
- 1989. Review: The Gardener's labyrinth, by T. Hill. 19,2: 320.
- WELLS, M.J., ENGELBRECHT, V.M., BALSINHAS, A.A. & STIRTON, C.H. 1983. Weed flora of South Africa 1: major groupings. 14,3 & 4: 945–948.
- 1983. Weed flora of South Africa 2: power shifts in the veld. 14,3 & 4: 961–965.
- 1983. Weed flora of South Africa 3: more power shifts in the veld. 14,3 & 4: 967–970.
- WELMAN, W.G. 1979. Review: Compositae in Natal, by O.M. Hilliard. 12,4: 760, 761.
- 1988. 18,2: 293–304 (see GIBBS RUSSELL, G.E.).
- 1989. 19,2: 275–294 (see DE WET, B.C.).
- 1990. 20,2: 249–266 (see DE WET, B.C.).
- WERGER, M.J.A. 1972. 10,4: 579–581 (see MULLER, P.J.).
- 1972. Species-area relationship and plot size: with some examples from South African vegetation. 10,4: 583–594.
- 1973. 11,1: 159–164 (see COETZEE, B.J.).
- 1973. An account of the plant communities of Tussen die Riviere Game Farm, Orange Free State. 11,1 & 2: 165–176.
- 1973. Notes on the phytogeographical affinities of the southern Kalahari. 11,1 & 2: 177–180.
- 1974. On concepts and techniques applied in the Zürich-Montpellier method of vegetation survey. 11,3: 309–323.
- 1974. Review: Geobotanical foundations of the Middle East, by M. Zohary. 11,3: 369, 370.
- 1975. 11,4: 539–560 (see COETZEE, B.J.).
- 1975. Review: Grundfragen und Methoden in der Pflanzensoziologie, ed. E. van der Maarel & R. Tüxen. 11,4: 581, 582.
- 1975. Review: Die Vegetation von Afrika, by R. Knapp. 11,4: 582.
- 1975. Review: Handbook of vegetation Science, chief ed. R. Tüxen. Vol. 5: Ordination and classification of communities, ed. R.H. Whittaker. Vol. 8: Vegetation dynamics, ed. R. Knapp. 11,4: 582.
- 1976. Review: Handbook of vegetation science, chief ed. R. Tüxen. Vol. 6, Vegetation and the environment, ed. B.R. Strain & W.D. Billings. 12,1: 167.
- 1977. Review: Vegetation Südosteuropas, by I. Horvat, V. Glavac & H. Ellenberg. 12,2: 319, 320.
- 1977. Review: Schwermetallvegetation der Erde, by W.H.O. Ernst. 12,2: 320.
- 1977. Review: Flore et végétation de Madagascar, by J. Koechlin, J.-L. Guillaumet & Ph. Morat. 12,2: 320, 321.
- 1978. Review: Mangrove vegetation, by V.J. Chapman. 12,3: 579.
- 1978. Review: Die Vegetation Osteuropas, Nord- und Zentralasiens, by H. Walter. 12,3: 579.
- 1983. Vegetation geographical patterns as a key to the past, with emphasis on the dry vegetation types of South Africa. 14,3 & 4: 405–410.
- WERGER, M.J.A., KRUGER, F.J. & TAYLOR, H.C. 1972. A phytosociological study of the Cape fynbos and other vegetation at Jonkershoek, Stellenbosch. 10,4: 599–614.
- WESTFALL, R.H. 1979. 12,4: 731–735 (see VAN DER MEULEN, F.).
- 1984. 15,1 & 2: 294, 295 (see RUTHERFORD, M.C.).
- 1984. Review: The vegetation of the subantarctic islands Marion and Prince Edward, by N.J.M. Gremmen. 15,1 & 2: 340.
- 1985. PHYTOCAP. A field-data capture program for the PHYTOTAB program package. 15,3 & 4: 749, 750.
- 1986. 16,1: 89–91 (see PANAGOS, M.D.).
- 1986. PHYTOLOC—a random-number generator and sample-set location program for stratified random vegetation sampling. 16,2: 270, 271.
- 1989. 19,1: 69–89 (see DEALL, G.B.).
- 1989. 19,2: 263–266 (see DEALL, G.B.).
- 1989. 19,2: 266, 267 (see PANAGOS, M.D.).
- 1989. Plant collecting apparatus for taxonomic and ecological studies. 2. Coldat: a field-data capture program for collector's data and herbarium labels. 19,2: 267, 268.
- 1989. 19,2: 269, 270 (see PANAGOS, M.D.).
- 1989. 19,2: 270, 271 (see PANAGOS, M.D.).
- WESTFALL, R.H., BRITZ, P.J. & PANAGOS, M.D. 1989. Plant collecting apparatus for taxonomic and ecological studies. 3. A new top-loading plant press for off-site specimen pressing. 19,2: 268, 269.
- WESTFALL, R.H. & DE WET, B.C. 1988. New programs for preliminary sequencing of relevés and species in phytosociological data sets. 18,1: 122, 123.
- WESTFALL, R.H. & DREWES, R. 1984. Grass root pattern in an Orange Free State floodplain. 15,1 & 2: 293, 294.
- WESTFALL, R.H. & MALAN, O.G. 1986. A method for vegetation stratification using scale-related, vegetation-enhanced satellite imagery. 16,2: 263–268.
- WESTFALL, R.H. & PANAGOS, M.D. 1984. A cover meter for canopy and basal cover estimations. 15,1 & 2: 241–244.
- 1988. The plant number scale—an improved method of cover estimation using variable-sized belt transects. 18,2: 289–291.
- 1989. Plant collecting apparatus for taxonomic and ecological studies. 6. A transportable map cabinet for vehicle and office use. 19,2: 272, 273.
- WESTFALL, R.H., PANAGOS, M.D. & VAN STADEN, J.M. 1989. Plant collecting apparatus for taxonomic and ecological studies. 7. A transportable camp kitchen for vehicle use. 19,2: 273, 274.
- WESTFALL, R.H., VAN ROOYEN, N. & THERON, G.K. 1983. A homogeneity index based on species diversity in Sour Bushveld. 14,2: 299–301.
- 1983. The plant ecology of the farm Groothoek, Thabazimbi District. I. Ordination. 14,3 & 4: 785–790.
- 1985. The plant ecology of the farm Groothoek, Thabazimbi District. II. Classification. 15,3 & 4: 655–688.
- 1986. The plant ecology of the farm Groothoek, Thabazimbi District. III. An annotated checklist. 16,1: 77–82.
- WHATELEY, A. & PORTER, R.N. 1983. The woody vegetation communities of the Hluhluwe-Corridor-Umfolozi Game Reserve Complex. 14,3 & 4: 745–758.
- WHITE, F. 1961. 7,3: 457, 458 (see DE WINTER, B.).
- 1983. Long distance dispersal, overland migration and extinction in the shaping of tropical African floras. 14,3 & 4: 395–403.
- 1986. The taxonomy, chorology and reproductive biology of southern African Meliaceae and Pteroxylaceae. 16,2: 143–168.

- WIENS, D. 1978. Southern African Loranthaceae and Viscaceae: new taxa and combinations. 12,3: 421–423.
- WIENS, D. & BARLOW, B.A. 1980. Translocation heterozygosity in southern African species of *Viscum*. 13,1 & 2: 161–169.
- WIJNANDS, D.O. 1986. The correct citation of *Montbretia crocosmiflora* (Iridaceae). 16,1: 51.
- WIJNANDS, D.O. & MEEUSE, A.D.J. 1990. The correct orthography and author citation of *Falckia* (Convolvulaceae). 20,2: 208.
- WILD, H. 1954. Newly described species. Ericaceae. 6,2: 428–432. –1960. Tiliaceae. 7,2: 422–424.
- WILLIAMS, R. 1989. *Turraea pulchella* rediscovered (Meliaceae). 19,1: 31, 32.
- WINGFIELD, M.J. 1990. 20,2: 141–145 (see VAN WYK, P.W.J.).
- WIRMINGHAUS, J.O. 1990. A checklist of the plants of the Karkloof Forest, Natal midlands. 20,2: 159–165.
- WOLFSON, M. 1983. 14,3 & 4: 901–913 (see FREAN, M.L.).
- WOODS, D.B. 1971. 10,3: 451–460 (see MOLL, E.J.).
- ZUNDEL, G.L.I. 1938. The Ustilaginales of South Africa. 3,3: 283–330.
- ZWANZIGER, S. 1976. 12,1: 137–160 (see COETZEE, B.J.).

LIST OF AUTHORS AND KEYWORDS IN TITLES

Synonyms appear in *italics*

- Acacia *Mill.*, 14, 18
brevispica Harms, 14
burkei Benth., 14
giraffae Willd. × *A. haematoxylon* Willd., 14
karroo *Hayne*, 13, 14
nigrescens Oliv., 14
schweinfurthii Brenan & Exell, 14
senegal complex, 14
tortilis (Forssk.) Hayne subsp. *heteracantha (Burch.) Brenan*, 14
- Acanthaceae, 9, 11, 12, 13, 17
- Acarospora *Massalongo*, 4
- Acarosporaceae, 4
- Acocks, J.P.H., 3, 10
- Acorus *calamus L.*, 17
- Acrodon *N.E. Br.*, 8
- Adenia *Forssk.*, 11
- Adiantaceae, 4, 9
- Admiraal, J., 3
- Adromischus *Lem.*, 15
- Adumbratio florum aethiopicarum*, 11
- aerial plant biomass, 10
- AETFAT, 2, 4
- Africa(n)
central, 3, 4
East, 7, 13, 18
North, 11, 14, 19
north-east, 7, 14
northern, 14
South West [Namibia], 4, 5, 8, 12, 17
south-western corner, 8
subSaharan, 13
tropical, 5, 7, 10, 11, 13, 14, 18, 19
West, 4, 9, 19
- Afrikaans language, 2
- Agrimonia *odorata Mill.*, 16
- Agrostis *L.*, 15
avenacea Gmel., 15
montevicensis Spreng. ex Nees, 15
- Aké Assi, L., 3
- air photo interpretation, 19
- Aizoaceae, 3, 8, 16
- Albers, F., 3
- Albizia *Durazz.*, 4
- Alfred, Port, 11
- algae, 2
brown, 15
freshwater, 4
red, 15
- alien, 8, 11
- Allophylus *L.*, 5
- Alloteropsis *semialata (R. Br.) Hitch.*, 7, 8
- Aloe *L.*, 4, 8, 12
bowiea Schult. & J.H. Schult., 15
myriacantha (Haw.) Schult. & J.H. Schult., 15
polyphylla Schönl. ex Pillans, 16
spicata L.f., 11
- Alooideae, 15
- Amaryllidaceae, 6, 9, 12, 18
- Amatola Forests, 19
- Amatole Mountains, 13
- Amblystegiaceae, 11
- Amblystegium afrofluitans (C. Muell.) Sim*, 11
- Amphibolia *L. Bol.*, 8, 17
- Anacardiaceae, 4, 5, 14
- anatomy, 2, 5–8, 9, 15, 17, 18
culm, 5, 15
leaf, 5, 6, 7, 8
- Anderson, H.M., 3
- Anderson, J.G., 3, 5
- Anderson, J.M., 3
- Andropogon *L.*, 3
- Aneilema *R. Br.*, 7
- Anelich, R.Y., 3, 11
- anemometer, 5
- Anemone *capensis L.*, 9
- Annonaceae, 3, 10
- annual
habit, 10
production fraction, 15
- Anobiidae (Coleoptera), 14
- Anomobryum *Schimp.*, 17
- Anthemideae, 4
- Antheophora *Schreb.*, 11
- Anthericum *L.*, 12
- Antholyza *L.*, 13
- Anthony, N.C., 3
- anthracnose, 8
- ants, 15
- Apiaceae, 3
- Apocynaceae, 4, 5, 10, 16
- apomixis, 10
- apparatus, 12
plant collecting, 13, 19
- Aptosimum *Burch.*, 5
- aquatic
Hyphomycetes, 15
macrophytes, 12
- Araceae, 10, 12, 17
- Araliaceae, 16
- Archibald, E.E.A., 3
- Arecaceae, 12, 13
- Ariovich, D., 3, 7
- Aristida *L.*, 8, 15
rhinoclhoa Hochst., 4
- Aristideae, 5, 6
- Aristothamnion *purpuriferum (Kutz.) J. Ag.*, 15
- Arnold, T.H., 3, 14
- Arriaga, M.O., 3, 15
- Arthrocnemum *Moq.*, 17
- Arundineae, 5
- Arundinella *Léger & Duboscq*, 15
- Arundinelleae, 15
- Arundinoideae, 3
- Asclepiadaceae, 3, 4, 6, 10, 12–14
- Asclepias *L.*, 12
cognata N.E. Br., 12
diploglossa (Turcz.) Druce, 12
flava N.E. Br., 12
macra Schltr., 12
- Ascomycetes, 4, 6, 11
- Asparagaceae, see also Liliaceae; 12
- Asparagus africanus* sensu Jessop non Lam., 9
- Asphodelaceae, see also Liliaceae, 15
- association analysis, 4, 5, 16

- Asteraceae, see also Compositae, 4, 7, 13, 16
Asthenatherum glaucum (Nees) Nevski, 7
Astridia Dinter, 8
Astroloba Uitew., 12
Aulacanthus, section, (*Lotononis*), 17
Aulojusticia Lindau, 9
 author citation, 5, 9, 15, 18, 20
 authors of *Bothalia* articles, 1, 2
 avocado, 6
 Backer, A.P., 3, 5
 Badenhorst, H., 3
 Baijnath, H., 3
 Baker, E.G., 3
 Baker, P.B., 3, 17
 Balkwill, K., 3
 Bally, P.R.O., 3
 Balsinhas, A.A., 3, 19
 bamboo, 15
 Bamps, P., 3
Barbistyla, *Tephrosia* subgenus, 15
 Barker, N.P., 3, 5
 Barlow, B.A., 3, 20
 Barrett, D.R., 3, 7
 barrier plants, 8
Barringtonia racemosa community, 19
Basidiomycetes, 14, 17
 basionym, 9
 Baviaanskloof, south-eastern Cape, 6
 Bayer, Adolf Joseph Wilhelm, 6
 beans, 10
 broad, 10
 Beard, J.S., 3
 bees, 16
 beetle, cigarette, 14
 Benin, 13
 Benincaseae, 6
 Berg River, Cape, 4
 Bergius Herbarium, 5
Bersama Fres., 13
 Bezuidenhout, J., 3, 12
 bibliography, 11
 ecological, 7
 indexing programme, 12
Bilderdykia Dumort., 7, 8
 bioclimatic unit, 13
 biogeography, 14, 15
 biography, 13
 biology
 population, 14
 reproductive, 19
 biomass, 14, 15
 aerial plant, 10
 Biome, 8, 11
 Fynbos, 4, 5
 biosystematics (biosistematiek), 6, 14
 Bittrich, V., 3, 8
 Blechnaceae, 15
 Bocquet, G., 4
Boerhaavia L., 5
 pterocarpa Watts, 16
 Bolofo, R.N., 4
 book reviews, 2–10, 12–19
 Bornefeld, T., 4, 18
 Bornman, C.H., 4, 12
 Bosch, O.J.H., 4
Boscia Lam., 17
 Boshof, Orange Free State, 19
 botanic garden, 2, 6, 11, 15
 botanical
 collectors, 5, 9, 10, 18
 index, 10
 Botanical Research Institute, 1–4, 10, 11
 botany, 10
 economic, 19
Bothalia, 1–3, 10
 Bottomley, A.M., 4
 Boucher, C., 4
 Boureau, E., 4
 Bourreil, P., 4
Brachylaena R. Br., 13
Brachystelma R. Br., 6, 7
 Brassicaceae, see also Cruciferae, 13
 Braun-Blanquet technique, 4, 16
 Bredasdorp District, 12
 Bredell, H.C., 4, 13
 Bredell, I.H., 4, 11
 Bredenkamp, G.J., 4, 10, 17
 Breen, C.M., 4, 7, 12
 Brennan, J.P.M., 4
Bretanomyces Clausen ex Custer, 17
 Brits, G.J., 4
 Britten, L.L., 4
 Britz, P.J., 4, 13, 19
 broad beans, 10
 brown algae, 15
 Brown, N.E., 4, 13
 Bruce, E.A., 4
 Brueckner, A.E., 4
 Brusse, F., 4
 Bryaceae, 17
 Bryophyta, 11, 17
 Bukanya, Z.R., 4
Bulbine Willd., 12
Bulbinella carnosa (Bak.) Bak., 12
Burkea africana–*Ochna pulchra* Savanna, 15
 Burman's Prodomus, 5
 Burrows, J.E., 4
 Burseraceae, 18
 Burt Davy, Joseph, 8
 Burundi, 10, 14
 bush tea, 9
 bushveld, 11, 17, 19
 C₃, 7, 8
 C₄, 8
Caesia Vell., 12
 Callitrichaceae, 9
Caloplaca T.M. Fr., 9
Calpurnia sericea Harv., 14
 Camarrone, V., 8
 Cameroun, 10
 Campanotus, 15
 Campanulaceae, 9
 Campbell, B.M., 4, 11
 camp kitchen, 19
Canavalia virosa (Roxb.) Wight & Arn., 16
Candida fermenticarella J.P. van der Walt, 17
Canthium Lam., 5
 Cape, 6, 10, 11, 12, 13, 16, 17, 18, 19
 eastern, 7, 8, 9, 11, 13, 15
 Flats, 16
 fold mountains, 4
 Hangklip, 4
 Mountain Fynbos, 16
 northern, 4
 north-western, 13, 17
 of Good Hope Nature Reserve, 16
 south-eastern, 6
 southern, 9, 16, 17
 south-western, 3–5, 8, 16–18
 western, 4, 14
 Cappariaceae, 9, 11, 17
Capparis L., 17
 transvaalensis Schinz, 11
Capsicum L., 7
Caralluma R. Br., 6
 carbon isotopic ratios, 13
Carpha Banks & Soland. ex R. Br., 14
 Carr, J.D., 4
 Caryophyllaceae, 4
 caryopsis, 3
Cassia occidentalis L., 3
Cassine L., 5
Catha Forssk. ex Scop., 5
Catharanthus G. Don, 16
 Cavanilles Herbarium, 5
 Cejp, K., 4
 Celastraceae, 5
Celastrus filiformis L.f., 14
 central Africa, 3, 4
 centres of diversity, 8, 14
Centropodia mossamedensis (Rendle) T.A. Cope, 7

- Ceramium* *Weber ex Wiggers*, 15
Ceratocystis *Ell. & Halst.*, 18
Cercospora *Fresen.*, 4
Ceropegia *L.*, 6
 mafekingensis (*N.E. Br.*) *R.A. Dyer*, 6
 zeyheri *Schltr.*, 6
Ceropegieae, 6
Césalpinia *Cécès*, 3
Cetraria *Achar.*, 9
Chaetobromus *Nees*, 7
Chamaecarpos *Berger*, 12
Cheboldaeff-Salard, M., 4
 checklist, 3, 5, 7, 9, 10, 11, 14, 18–20
Cheilanthes
 deltoidea *Kunze*, 9
 hirta complex, 9
Chenopodiaceae, 4, 17, 18
Chlorideae, 6
Chloridoideae, 13
Chlorophytum *Ker-Gawl.*, 12
Chondrus *Stackhouse*, 15
 chorology, 19
Chortolirion *Berger*, 12
 bergerianum *Dinter*, 15
Christian, H.B., 4
 chromosome
 morphology, 5, 15
 numbers, 15
 studies, 6, 15, 16
Chuah, M.S., 4
Chupp, C., 4
 cigarette beetle, 14
Ciskei, 13
Citrullus *Forssk.*, 6
Claassen, C.G.T., 4, 10
Claassen, M.I., 4
Cladoderris *Pers. ex Berk.*, 16
Cladophora *Kuetzing*, 15
 isaacii *Simons*, 15
Clarens sandstone, 4
 classification, 6
 floristic, 5, 16
 fynbos, 11
 phylogenetic, 11
 structural, 16
Clayton, W.D., 4
 cleistogamy, 17
 climate, 10, 11, 16, 18
 Mediterranean-type, 10
Clusiaceae, see also *Guttiferae*, 10
 coast(al), 15
 forest, 14
 vegetation, 4, 11, 12, 16
Codd, L.E., 1, 2, 4, 5
Coetzee, B.J., 5, 12
Coetzee, J.A., 5
Coilostigma *zeyherianum* *Klotzsch*, 13
 coins, flowers on, 10
Cola *Schott & Endl.*, 18
 COLDAT, 19
Coleoptera, 14
 collecting, plant, 8, 12
 collection records, 7
 collectors, 5, 9, 10, 18, 19
Collett, D.G., 5
Combretaceae, 4, 14
Combretum *Loefl.*, 4, 14
Commelina *L.*, 12
Commelinaceae, 7, 12
Commiphora *Jacq.*, 17
Compositae, 9, 10
Compton, Robert Harold, 5
 computer programs for ecology, 19
 computerization, 8, 12
 computerized index, 8
 information retrieval, 12
Condy, G.S., 5, 14
 cones, 6
Conium *chaerophyloides* (*Thunb.*) *Eckl. & Zeyh.*, 14
 conservation, 5, 11, 15, 16
Conspectus florum angolensis, 11
 convergence, 3
Convolvulaceae, 11, 18, 20
Corchorus *L.*, 5, 18
 corona lobe variation, 12
 corrections, 10
Corynecystis *Brusse*, 4
Côte d'Ivoire, 3
 cotton
 fields, weeds of, 3
 staining, 11
Cotyledon *L.*, 17
 orbiculata Complex, 17
 cover
 estimation, 19
 meter, 19
Cowling, R.M., 5
 cowpeas, 10
Craig, G.C., 5
Crassula *natans* *Thunb.*, 9
Crassulaceae, 7, 9, 11, 17
Craterellus *Pers.*, 16
Crebrothecium *ashbyi* (*Guill.*) *Routien*, 11
 creepers, 11
Cresswell, C.F., 5, 7
 Cretaceous, Lower, 3
Cribb, P.J., 5
Crinum *L.*, 18
Crocasmia *Planch.*, 12
 crops
 floricultural, 4
 primitive, 3
Crotalaria *Scop.*, 10, 18
Crotalariaeae, 17
Croton *gratissimus* *Burch.*, 7
Cruciferae, see also *Brassicaceae*, 11
Cucurbitaceae, 6, 11, 14, 15
 culm anatomy, 5, 15
 cultivars, 4
Cupressaceae, 11
Curvularia *Boedijn*, 14, 17
Cussonia *Thunb.*, 16
Cyanotis *D. Don.*, 12
Cycadaceae, 6, 18
 cycads, 6
Cyclopia *Vent.*, 9
Cymatoderma *Junghuhn*, 16
Cynodon *Bridel*, 16
Cyperaceae, 3, 10, 14, 18
Cyperus *L.*, 11
 bullatus *Kükenth.*, 18
 capensis (*Steud.*) *Endl. var. polyanthemus* *Kükenth.*, 18
 elephantinus (*C.B. Cl.*) *Kükenth.*, 18
 cyphelloid fungi, 16
Cyphostemma *Alston*, 14, 17
Cyrtanthus *Schreb.*, 6
Cystopus *Léveillé*, 19
 cytogenetic studies, 18
 cytology, 2, 5, 17
Dahlgren, Rolf, 17
Damaraland, 10
Damara system, 4
Dandy, J.E., 5
Danthonia *DC.*, 5
Danthonieae, 7
 data
 bank, 11, 12
 phytosociological, 12
 dates of publication of *Bothalia* volumes, 1, 3
Datura *L.*, 10
Davidse, G., 5, 15
Davis, G., 5
Davison, J.D., 5
Deall, G.B., 5
 decomposition, savanna 12
 degree reference system, 6
Dehn, M., 5, 8
 dehydration, 17
Dematiaceae, 11
 dermatitis, 6

- Desmodieae, Fabaceae tribe, 15
 detrended correspondence analysis, 11
 development, floral, 3
 Devonian, 3
 De Wet, B.C., 5, 19
 De Wet, J.M.J., 5, 11
 De Winter, B., 4–6, 10
Dichrostachys cinerea (L.) Wight & Arn., 14
 Dictyotales, 15
 Didieriaceae, 14
Digitaria Haller, 10, 11, 16
Diospyros L., 6
Dipcadi Medik., 12
Dipogon Liebm., 16
Disa Berg., 11
 patens (L.f.) Thunb., 11
 disc, 9
 Disinae, 11
 dispersal, 14, 19
 distribution, 2, 4, 6, 8, 11–15, 18
 geographical, 13
 diversity, species, 14
 Doidge, E.M., 1, 4, 6, 8
Dombeya rotundifolia (Hochst.) Planch., 18
 Donk, M.A., 6
Doryopteris pilosa (Poir.) Kuhn, 9
 var. *gemmifera* J.E. Burrows & Strauss, 4
 Douglas, K.H., 6
Dovyalis E. Mey. ex Arn., 17
 Drakensberg, 4, 9, 10, 12–14
Drechslera S. Ito, 9
Dregeochloa Conert, 7
 Drewes, R., 6, 19
 Drews, B.K., 6, 19
 drier-transporters, 13
Drimioides Oberm., 12
 drought adaptation, 10
 drying cabinet, 11
 dune
 advancement, 19
 communities, 11
 vegetation, 19
 Du Plessis, E.; 6
 Du Plessis, H., 6, 15
 Dura group (Ehrharta), 8
 Durban, 15
 Botanic Garden, 11
 Herbarium, 11
 Du Toit, P.C.V., 6
Duvalia Haw., 6
 Dyer, C., 10
 Dyer, R.A., 1, 2, 5, 6
 East Africa, 7, 13, 18
 eastern Cape, 7, 8, 9, 11, 13, 15
 Ebenaceae, 6, 14
Ebracteola Schwant. & Dinter, 8
 ecological
 adaptations, 3
 bibliography, 7
 profiles, 12
 studies, 13
 ecology, 2, 4, 5, 6, 8, 10–12, 14–16, 19
 economic
 botany, 19
 importance, 6
 uses, 15
 ecophysiology, 2
 Edwards, D., 6, 7, 9, 12
 Ehrharta Thunb., 7, 8, 15
 Dura group, 8
 Ramosa group, 8
 Setacea group, 7, 8
 Villosa group, 7, 8
 Ehrharteae, 15
Eichhornia crassipes (Mart.) Solms-Laub., 12
 Eicker, A., 6, 8, 15
Elephantorrhiza Benth., 13, 14
 burkei Benth., 14
 elephantina (Burch.) Skeels, 14
Elionurus Kunth ex Willd. (see *Elyonurus* Humb. & Bonpl.), 13
 Ellis, R.P., 2, 6–8, 11, 15
 Ellisras, NW Transvaal, 13
Elyonurus Humb. & Bonpl. (= *Elionurus*), 13
Elytrophorus Beauv., 7
 embryo sac (development), 15, 18
Encephalartos Lehm., 6
 inopinus R.A. Dyer, 6
 natalensis R.A. Dyer & Verdoorn, 6
 endangered species, 15
 endemic species, 10, 15, 16
 endemism, 11
 endothecium, 12
 Engelbrecht, A.J., 7
 Engelbrecht, V.M., 7, 19
Engleromyces goetzei P. Hennings, 10
 English language, 2
Entada Adans., 14
 Entomophthoraceae, 15
Entorrhiza calospora Talbot, 16
 environments
 estuarine, 12
 montane plant, 4
 physical, 5, 10
 speciation, 8, 14
 epidermis, 7, 9
Epilobium L., 14
 Eragrostideae, 13
Eragrostis Wolf, 5, 6, 12
 curvula alliance/complex, 6, 15, 18
Eremia D. Don, 12
Eremiella Compton, 12
Eremothecium ashbyi Guill., 11
 Erens, Jan, 5
Erica L., 9, 12, 13
 flavispala Guth. & Bol., 12
 × *vinacea L. Bol.*, 13
 Ericaceae, 3, 9, 12, 13, 20
Ericinella Klotzsch, 13
 Ericoideae, 12, 13
 Eriocaulaceae, 12
Eriocaulon L., 12
Eriochloa H.B.K., 8
Eriomycopsis Speg., 8
 Eriosema
 cordatum complex, 16
 nanum Burt Davy, 16
 nutans Schinz, 16
 populifolium Harv., 16
 squarrosus (Thunb.) Walp., 16
Eriudaphus mundii Eckl. & Zeyh., 9
 Erysiphaceae, 8, 11
Erythrina L., 4, 5, 7
 princeps A. Dietr., 5, 11
Erythrophleum Afzel. ex R. Br., 14
 Eshbaugh, W.H., 7
 estuarine environments, 12
 Ethiopian flora project, 8
 ethnobotany, 2, 9, 10, 11
 Etosha Pan limestone, 4
Eucalyptus L'Hérit., 17
Euclea Murray, 5, 14
Eucomis autumnalis (Mill.) Chitt., 14
Eugenia L., 16
 woodii Duemmer, 17
Eulophia schweinfurthii Kraenzl., 8
Euphorbia L., 6, 11
 berotica N.E. Br., 10
 gossypina Pax, 10
 gregaria Marloth, 10
 gummifera Boiss., 10
 mauritanica L., 10
 obesa Hook. f., 7
 perangusta R.A. Dyer, 14
 Euphorbiaceae, 3, 4, 6, 7, 10, 14
 Everard, D.A., 7, 11
 evolution, 3, 4, 10, 11, 14
 exotic, 14
 extinction, 19
 Fabaceae, 5, 7, 9, 14–17
 Faden, R.B., 7
Fagaria ovatifoliolata Engl., 14

- Falckia Thunb.*, 20
 False Bay, 12
 ferns (varings), 10, 11, 18
 Ferrar, P., 7, 12
Festuca costata Nees., 3
Ficinia Schrad., 3
 arenicola var. *erecta* *Arnold & Gordon-Gray*, 3
 cedarbergensis *Arnold & Gordon-Gray*, 3
 clandestina (Steud.) Boeck., 3
 ixioides *Nees* var. *glabra* *Arnold & Gordon-Gray*, 3
 limosa Levyns, 3
 × *lucida* C.B. Cl., 3
 pygmaea Boeck., 3
Ficus L., 9
 capensis *Thunb.*, 3
 ingens (Miq.) Miq., 3
 field
 data capture, 19
 identification, 14
 Finkelstein, N., 7, 14
 fire, 9
 survival, 11
 temperatures, 16
 Fish (née Smook), L., 2, 5, 7, 8
 Flacourtiaceae, 9, 10, 17
 flora, 3, 4, 7, 8, 9, 14, 19
 Adumbratio aethiopicae, 11
 analysis, 8
 Australia, 14
 Cameroun, 10
 central, 3, 10
 Conspectus angolensis, 11
 copper and cobalt of Upper Shaba, 11
 Ethiopia, 8
 Gabon, 10
 Loma Mountains, 9
 Mariepskop, 17
 migration and evolution, 14
 Mocambique, 11
 Natal, 14, 18
 North Africa, 14
 Pretoria, 10
 Rwanda and Burundi, 14
 southern Africa, 3, 7, 8, 10, 11, 17, 18
 southern Sahara mountains, 10
 Südwestafrika, 6
 Togo, 15
 Tristan da Cunha, 6
 tropical East Africa, 13
 weed, 19
 zambesiaca, 4, 10
 Zuurberg National Park, 17, 18
 floral development, 3
 floricultural crop, 4
 florilegia, 13
 floristic
 analysis, 8
 classification, 5
 flowering plants (blomplante), 10, 11
Flowering Plants of South Africa, 1
 food
 plants, 4
 supplements, 19
 Forbes, H.M.L., 7
 forest, 6, 11, 14, 17, 19, 20
 Forster, P.I., 7
 fossils, 14
 Fourie (née Van Druten), D.M.C., 2, 7
 Franklin Hennessy, E.F., 7
 Frean, M.L., 7
 French language, 2
 freshwater algae, 4
 Friis, I., 7
Fritillaria nana Burm. f., 12
 fruit, 8, 17, 18
Frullania sylvestris Sim, 18
 Frullaniaceae (Hepaticae), 18
 Fugler, S.R., 7
 Fungi, 10, 11, 13, 16, 17, 18
 imperfecti, 11
 rust, 6
 fungus, 6, 8, 10, 15, 17
 Furness, H.D., 7
 Fusaria, 6
 Fusarium Link ex Fr., 11
 tricinctum (Corda) Saccardo, 10
 Fuscidea Wirth & Vézda, 4
 Fuscideaceae, 4
 fynbos, 4, 11, 14, 16, 19
 Biome, 4, 5
 classification, 11
 communities, 10
 Mesic Mountain, 5
 mountain, 5, 16
 Gabon, 10
 Gaff, D.F., 7
 Galenia L., 3
 Garland, I., 7, 19
 gas dryer, 13
 Gasteromycetes, 4
 Gaum, W., 7
 Gazankulu, 11
 Gentianaceae, 11, 18
 geocarpic plant, 16
 geology, 4, 10
 Geraniaceae, 6, 17, 18
 Germishuizen, G., 5, 7, 8, 19
 Geslot, A., 4, 8
 Gesneriaceae, 4, 9, 16
 Gethyllis L., 12
 Getliffe Norris, F., 8
 Ghana, 4
 Gibbs Russell, G.E., 2, 5, 8, 11, 14, 15
 Giess, W., 8
 Gladiolus microcarpus G.J. Lewis., 12
 Glen, H.F., 5, 8
 Glen, R., 8
 Glycine Willd., 10
 Gnaphalieae, 4
 Gnidia L., 13, 14
 Goldblatt, P., 8
 Gonatobotryum Saccardo, 17
 Gonatopus Hook. f. ex Engl., 12
 Gonohymenia Steiner, 4
 Gonsalves, P., 5, 8, 11
 Gordon-Gray, K.D., 3, 8, 16
 Gorlier, M., 4, 8
 Gorter, G.J.M.A., 8
 gousiekte, 5
 Goyder, D.J., 8, 12
 Gramineae, see also Poaceae, 3–6, 8, 9, 16
 grass root pattern, 19
 grasses, 7, 11, 16
 grassland, 12, 16
 Grau, J., 8
 Great Karoo, 3
 Grimmiaceae, 17
 Grisebachia Klotzsch, 13
 Grobelaar, N., 8, 10
 Groothoek Farm, 19
 Grunow, J.O., 8, 12
 guide for authors to *Bothalia*, 2, 3, 10
 Guillerm, J.-L., 8, 12
 Gulf of Aden, 10
 Gunn, M.D., 5, 7, 8
 Guttiferae, see also Clusiaceae, 4
 Guy, P.R., 8
 habit, annual, 10
 habitat, 4, 5, 15
 Haematoxylum dinteri (Harms) Harms, 14
 Hall, A.V., 8
 Hall, J.B., 4, 8
 Halleria lucida L., 16
 Halorrhagidaceae, 12
 Hansford, C.G., 8
 Hardcastle, J., 8
 Hardy, D.S., 8, 15
 Hartmann, H.E.K., 8
 Hartogia Thunb. ex L.f., 5
 Harvey Herbarium, 11

- Hawaan Forest, 11
 Haworthia *Duval*, 12
 koelmaniorum *Oberm. & Hardy*, 12
 heathland, 9
 Hedberg, O., 8
 Heideman, M.E., 8
 Helictotrichon *Bess. ex Schultes*, 15
 Heliophila *L.*, 11
 cornellsbergia *Pienaar & Nicholas*, 13
 Helminthosporium *Fr.*, 14
 hemisphere, southern, 14
 Hemizygia *Briq.*, 5
 Henderson, L., 8, 9
 Henderson, M.D., 9
 Henrici, Marguerite Gertrud Anna, 8
 Hepaticae, 18
 Hepper, F.N., 9
 Heppiaceae (Lichenes), 4
 herb layer, 8
 Herbarium, 3, 11, 12, 13, 14, 15, 19
 Bergius, 5
 Cavanilles, 5
 data bank, 11
 DBN, 11
 Harvey, 11
 Hooker, 11
 labels, 19
 Linnaean, 5
 Natal, 15
 National, 6, 11, 12, 16
 Pretoria, 14
 Sonder, 11
 TCD, 11
 Thunberg, 4, 5
 Transvaal Museum, 12
 Herman, P.P.J., 9, 18
 Hermannia *L.*, 5, 18
 subgenus Hermannia, 18
 filifolia *L.f.*, 18
 rugosa *Adamson*, 18
 Herschelia *Bowditch ex Reichb.*, 11
 Herschelianthe *Rauschert*, 3
 heterozygosity, 20
 Hibiscus *L.*, 19
 hierarchical syndrome analysis, 5
 highveld, 12
 Hilliard, O.M., 9
 Hippocrateaceae, 18
 history, 1, 2, 18
 Hluhluwe-Umfolozi Game Reserve Complex, 11, 19
 H.M.S. Carlisle expedition, 6
 Hofmeyr, J., 9, 13
 Holocene, 15
 Holothrix *Rich. ex Lindl.*, 9
 homogeneity function, 4
 homonyms, 5
 Hooker Herbarium, 11
 Hornby, A.J.W., 9
 Horne, J.C., 9, 12
 horticulture, 2–4, 6
 Huernia *R. Br.*, 6
 Hulme, S., 9, 10
 Humansdorp region, 5, 8
 Hutchings, A., 9
 Hutchinson, John, 8
 hybrid, 3, 7, 11, 13, 14
 hybridization, 15, 16
 Hymenomycetes, 16, 17, 19
 Hyparrhenia *Anderss. ex Fourn.*, 3
 Hypericum *L.*, 4
 oligandrum *Milne-Redh.*, 10
 Hyphaene natalensis Kunze, 11
 Hyphomycetes, 10, 11, 15, 16
 Hypoxidaceae, 8, 9, 17
 Hypoxis *L.*, 8
 identification, field, 14
 IEMVT, 10
 Ihlenfeldt, H.D., 9
 Immelman, K.L., 5, 9
 index, computerized, 8
 indigenous plants, 19
 Indigofera *L.*, 7, 9, 16
 filifolia complex, 9
 indumentum, 9
 Inezia *Phill.*, 4
 inflorescence morphology, 19
 information retrieval, 12
 interspecies relationships, 18
 intraspecific variability, 7
 invader plants, 8, 9, 11
 Iridaceae, 6, 8, 9, 12, 20
 Isicakathi, 4
 Isodon (*Schrad. ex Benth.*) *Spach*, 5
 Isoglossa *Oerst.*, 17
 isolating mechanisms, 7
 isotopic evidence, 18
 Jack Scott Nature Reserve, 5
 Jackson, S., 9, 11
 Jacobs, G., 4, 9
 Jacobsen, N.H.G., 9
 Jacobsen, W.B.G., 9
 Jacot Guillarmod, A.F.M.G., 9
 Jaeger, P., 9
 Jankun, A., 9, 10
 Jarman, M.L., 9
 Jarman, N.G., 9, 12
 Jarvie, J.K., 9
 Jessop, J.P., 9, 17
 Johnson, C.T., 4, 9
 Jonker, A., 9, 15
 Jonkershoek (Cape), 11, 19
 Jooste, W.J., 9, 13
 Jordaen, M., 5, 9
 Joubert, D.M., 9
 Judelman, M., 9, 12
 Justicia *L.*, 9
 Kalahari, 19
 Kalake, E., 8, 9
 Karkloof Forest, Natal, 20
 Kärnefelt, I., 9
 Karoo, 3, 4, 14
 Great, 3
 Katende, A.B., 9
 Keit, William, 11
 Kenya, 7, 9
 Kerfoot, O., 9
 Kies, P., 9
 Killick, D.J.B., 1, 2, 6, 7, 9, 10
 Kirkia wilmsii *Engl.*, 9
 Kitembo, M., 10
 Kivu, 10
 Klessner, P.J., 10
 Kluge, J.P., 10
 Kluyveromyces *J.P. van der Walt*, 17
 Kniphofia *Moench*, 5
 Knoll, A.H., 10
 Knox-Davies, P.S., 10
 Koeniguer, J.-C., 4, 10
 Kok, P.D.F., 8, 10
 Kokwaro, J.O., 10
 Kooij, M., 10
 Kornaš, J., 10
 Kovács-Endrődy, E., 10
 Kranz, 8, 15
 syndrome, 13
 Kruger, F.J., 10, 16, 19
 Kruisfontein, 17
 Kukkonen, I., 10
 Kunkel, G., 10
 Kuntze, O., 6
 Kyllinga *Rottb.*, 8
 capensis *Steud.*, 18
 Labiatae, see also Lamiaceae, 4, 5
 Lagarosiphon *Harv.*, 12
 lala palm, 11
 Lambinon, J., 10
 Lamiaceae, see also Labiatae, 5, 7
 Lampranthus *N.E.Br.*, 8
 Lamprecht, S.C., 10, 11
 land type, 10

- Lantana camara* L., 15
Lasioderma serricorne F., 14
 latex composition, 11
 Laughton, E.M., 10
 Launert, E., 10
 Lauraceae, 14
Lauremburgia repens Berg., 12
 Lavranos, J.J., 10
 Leach, L.C., 5, 10
 leaf anatomy, 5, 6, 7, 8
 Lebrun, J.-P., 10
 Leeuwenberg, A.J.M., 10
 Leguminosae, 9, 14, 16
 Leipoldtiinae, 8
 Leistner, O.A., 1, 10
 lemma, 8
 Leobordea, section, (Lotononis), 17
 Leptis, section, (Lotononis), 17
 Lesotho, 9, 10, 16
 Le Thomas, A., 10
 Letouzey, R., 10
 Letty, C.L., 5, 10
Leucospermum R. Br., 13
 Lichenes, 2, 4, 6, 9, 10, 17
 Lichinaceae, 4
 Lichtenburg, 12
 Liebenberg, H., 10, 15, 18
 Liebenberg, L.C.C., 11
 Liengme, C.A., 11
 Liliaceae, 3–10, 12, 14, 15, 17
 Limeum L., 16
 Linder, H.P., 11, 13
 Linnaean Herbarium, 5
 Lipozygis, section, (Lotononis), 17
Lithoglypha Brusse, 4
 liverwort, 18
 Lobreau-Callen, D., 11
Lodderomyces J.P. van der Walt, 17
 Loganiaceae, 18
 Loma Mountains, 9
Lopharia Kalchbrenner & MacOwan, 16
 Lorantheae, 20
 Lotononis (DC.) Eckl. & Zeyh., 17
 elongata (Thunb.) D. Dietr., 17
 esterhuyseniana Van Wyk, 17
 falcata group, 17
 involucrata group, 17
 pentaphylla group, 17
 Louvet, P., 4, 11
 Lower Cretaceous, 3
 Loxton, A.E., 11
 Lubke, R.A., 11
 lupins, 10
Lupinus L., 16
Lycium inerme L.f., 14
 Lycopsida, 18
Lydenburgia N.K.B. Robson, 5
 Lythraceae, 7
 Macdonald, I.A.W., 11, 19
Macowania Kalchbrenner ex Berk., 15
Macrocoma (Hornschuh ex C. Muell.) Grout, 11
 macrophytes, 12
 Madagascar, 5, 14
Maerua Forssk., 9
 Magill, R.E., 11
 Mahlberg, P.G., 11
 Malagasy Republic, 5
 Malaisse, F., 11
 Malan, O.G., 11, 19
 Malawi (Nyasaland), 9
 Maley, J., 11
 Malpighiaceae, 9, 11
 Malvaceae, 10, 11
 Manders, R., 7, 11, 12
 Maniema, 10
 map cabinet, 19
 Marais, W., 11
 Marasas, W.F.O., 10, 11
 Marchantiales, 13, 18
 Mariepskop, 17
Mariscus Scop., 18
 angularis Turill, 18
 chersinus N.E. Br., 18
 dregeanus Kunth, 18
 dubius (Rottb.) Kuekenh. ex G.E.C. Fischer, 18
 durus (Kunth) C.B. Cl., 3
 macropus (Kunth) C.B. Cl., 18
 sumatrensis (Retz.) J. Raynal, 18
 Marloth, R., 11
Maronea Massalonga, 4
 Marques, F., 11, 19
 Marsh, J.A., 11
 Matimba Power Station, NW Transvaal, 13
Maytenus Molina, 11
 McClean, A.P.D., 11
 McCracken, D.P., 11
 McDonald, D.J., 11
Medicago L., 10, 16
 medicinal plants, 3, 4, 9, 10
 Meeuse, A.D.J., 11, 20
 megachilid bees, 16
 Melastomataceae, 3, 14
Melhania Forssk., 18
 Meliaceae, 19, 20
 Melianthaceae, 13, 16
Melanthus L., 13, 16
Melica L., 8
 Meliolineae, 6
Memecylon L., 14
Memoirs of the Botanical Survey of South Africa, 1, 2
 Mendes, E.J., 11
Mentha L., 5
 Merxmüllera
 arundinacea (Berg.) Conert, 7
 aureocephala (J.G. Anders.) Conert, 7
 cincta (Nees) Conert, 7
 davyi (C.E. Hubb.) Conert, 7
 decora (Nees) Conert, 7
 disticha (Nees) Conert, 7
 drakensbergensis (Schweick.) Conert, 7
 dura (Stapf) Conert, 7
 lupulina (Thunb.) Conert, 7
 macowanii (Stapf) Conert, 7
 rangei (Pilg.) Conert, 7
 rufa (Nees) Conert, 7
 stereophylla (J.G. Anders.) Conert, 7
 stricta (Schrader) Conert, 7
 Merxmüller, Hermann, 8
 Mesembryanthema, 8
 Mesembryanthemaceae, 6, 8, 9, 17
Mesembryanthemum L., 4
 brachyphyllum Welw., 16
 Mesic Mountain Fynbos, 5
Mestoklema N.E. Br. ex Glen, 8
 Mfolozi River, 19
 Micrasteriae, 4
Microcladia Grev., 15
 Microthyriaceae, 6
 Microthyriales, 8
 migration, 14, 19
 Miller, J.H., 11
 Milton, S.J., 11
 Mimosa
 farnesiana L., 14
 senegal L., 14
 mistbelt, 11
 mixed Podocarpus forest, 11
 Mlalazi Nature Reserve, 19
 Moffett, R.O., 11
 Mogg, A.O.D., 11
 Moggi, G., 11
 Moll, E.J., 4, 11, 14
Momordica balsamina L., 17
Monadenia Lindl., 11
Monechma Hochst., 12
Monsonia L., 18
 montane plant environments, 4
Montbretia crocosmiiflora (Nicholson) Morren, 20
Montbretiopsis L. Bol., 8
 Moraceae, 3

- Morley, M., 11
 morphology, 2, 3, 5, 6, 8, 9, 10, 11, 12, 14–16
 chromosome, 5
 floral, 17
 inflorescence, 19
 vegetative, 11, 17
 Morris, J.W., 11, 12, 14, 16
 mosses, 17
 mountains, 7, 9, 10, 13
 Mount Kulal, 9
 Mozambique, 3, 9, 11, 12
 Mtunzini (Natal), 11, 13, 19
 Müller, P.J., 12
 Müller, R., 12, 19
 Müller, T., 12
 Munday, J., 12
 Mundulea (DC.) Benth., 5
 Muraltia DC., 13
 Musci, 11, 17
 Musil, C.F., 12
 Musil, K.J., 3, 9, 12
 mycoflora, 13
 mycology, 2, 8, 9, 13
 Mycosphaerella pinodes (Berk. & Blox.) Stone., 17
 Myrica L., 9
 conifera Burm. f., 9
 Myricaceae, 9
 Myrsinaceae, 6
 Myrsine L., 6
 Myrsiphyllum Willd., 12
 Myrtaceae, 16, 17
 Namib Desert, 6, 9
 Namibia (South West Africa), 4, 5, 6, 8, 9, 12, 17
 north-western, 17
 Nanolirion Benth., 12
 Natal, 3, 4, 7–16, 18–20
 Herbarium, 15
 National Herbarium, 6, 11, 12, 16
 naturalized species, 14
 Neocosmospora E.F. Smith, 17
 Nerine flexuosa (Jacq.) Herb., 6
 new taxa, new records and name changes, 16
 Nicholas, A., 3, 12–14
 nocturnal petal movements, 16
 Noel, A.R.A., 12
 nomenclature, 2, 5, 7, 8, 9, 10, 13, 16–18
 non-Kranz leaf anatomy, 7, 8
 North Africa, 11, 14, 19
 north-east Africa, 7, 14
 north-eastern
 Orange Free State, 8, 14
 Transvaal, 4
 northern
 Cape, 4
 Transvaal, 3, 12
 north-western
 Cape, 13, 17
 Orange Free State, 10
 Novellie, P.A., 12, 17, 18
 Ntshongweni, 12
 numerical taxonomy, 8
 Nyasaland [Malawi], 9
 Nyctaginaceae, 16
 Nylsvley Nature Reserve, 5, 14
 Obermeyer, A.A., 2, 7, 12
 obituary, 5–8, 10, 15, 17
 O'Callaghan, M.G., 12
 Ochna L., 13
 atropurpurea DC., 6
 var. angustifolia Phill., 6
 pulchra Hook., 15
 Ochnaceae, 6, 18
 Ocimum L., 5
 ocrea, 8
 Odontelytrum Hack., 6
 Ohoto-Omana, L.E., 12
 Oidium Link ex Fries, 8
 Oleaceae, 18
 Olinia Thunb., 9
 Oliver, E.G.H., 12, 13
 olives, 8
 Onagraceae, 14
 ontogeny, 17
 Ophrestia H.M.L. Forbes, 7
 Orange Free State, 10, 19
 north-eastern, 8, 14
 north-western, 10
 south-eastern, 4
 Orchidaceae, 3, 5, 8, 9, 11, 17
 orchids, 5
 ordination, 4, 5, 11, 12, 19
 Ornithogalum L., 12
 orthography, 15, 20
 Orthosiphon Benth., 4
 Orthotrichaceae, 11
 Otavi dolomite, 4
 Otholobium C.H. Stirton, 16
 Otidia, Pelargonium section, 18
 Otiophora Zucc., 14
 Overkott, O., 13
 Owambo, 6
 Oxygonum Burch. ex Campd., 7
 acetosella Welw., 7
 alatum Burch., 7
 altissimum Germishuizen, 7
 dregeanum Complex, 7
 Ozoroa Del., 5, 14
 Pachypodium succulentum (L.f.) Sweet, 5
 Pachystigma Hochst., 14
 Pachytichospora J.P. van der Walt, 17
 Paiva, J.A.R., 13
 palaeobotany, 2–5, 10, 11, 14, 15, 18, 19
 palynology, 9, 10, 11, 15
 Panagos, M.D., 13, 19
 Panarello, H.O., 13
 Panicoideae, 15
 Panicum L., 3
 Papendorf, M.C., 11, 13
 Papilionoideae, 16
 Paradis, G., 13
 parasitism, 8, 16
 Parmelia Achar., 4
 Parmeliaceae, 9
 Parsons, R.J., 13, 19
 Paspalum
 paspaloides (Michx.) Scribn., 6, 11
 vaginatum Swartz, 6, 11
 pastoral studies, 10
 pasture condition, 18
 pathogenicity, 10
 Pauridia Harv., 17
 Pavonia Ruiz, 10
 pea blight fungus, 17
 peas, 10
 Peckham, G.D., 13
 Pedaliaceae, 4
 Pelargonium L'Hérit. ex Ait., 17, 18
 cucullatum (L.) L'Hérit., 18
 Pennington Park, Natal, 11
 Pentameris Beauv., 3, 7
 dregeana Stapf, 7
 longiglumis (Nees) Stapf, 7
 macrocalycina (Steud.) Schweick., 7
 obtusifolia (Hochst.) Schweick., 7
 thuarii Beauv., 7
 Perold, S.M., 2, 5, 13, 17, 18
 Persea americana Mill., 6
 personalia, 2, 5, 6, 8, 10, 12, 13, 15, 17, 18
 Pertusaria DC., 4
 Pertusariaceae, 4
 Pestalotia De Not., 10, 16
 Pestalotiopsis Steyaert, 16
 Peterson, B., 13
 Peucedanum L., 3
 Phaeoramularia Muntanola, 11
 phenology, 16
 Philippia Klotzsch, 13
 Phillips, E.P., 8, 9, 13
 Phillips, J.F.V., 6, 13
 Phillipson, P.B., 13

- Phoenix *L.*, 19
 Phoenix/Hibiscus community, 19
 Phragmites australis (*Cav.*) *Steud.*, 19
 Phragmitiformes, 5
 Phyllachora *Nitschke ex Fuckel*, 6
 phylogeny, 10–12
 Phymaspermum *Less.*, 4
 physical environments, 5, 10
 physiology, 2, 13
 plant, 8
 PHYTOCAP, 19
 phytochemistry, 3
 phytogeography, 2, 4, 7–9, 11, 13, 15–18, 19
 Phytolaccaceae, 9
 PHYTOLOC, 19
 phytosociology, 4, 5, 12, 19
 PHYTOTAB, 19
 Pienaar, B.J., 5, 8, 13
 Pilifer, Riccia section, 13, 18
 Pinus *L.*, 17
 Pithomyces *Berk. & Broome*, 11
 plant(s), 13, 15
 alien, 8, 11
 collecting, 8, 12
 apparatus, 13, 19
 collector, 5, 9, 10, 18, 19
 communities, 4, 11, 19
 density, 18
 dispersal, 14, 18, 19
 ecology, 11, 19
 exploration, 9
 geocarpic, 16
 growth, 12
 indigenous, 19
 invaders, 8, 9, 11
 liliaceous, 15
 medicinal, 9
 physiology, 8
 press, 13, 19
 record, 10
 succulent, 14
 threatened, 7, 8
 usage, 9, 11
 vascular, 3, 13
 woody, 14, 15
 Plectranthus *L'Hérit.*, 5
 neochilus *Schltr.*, 16
 Pleistocene, 15
 × *Pleopodium Schelpe & Anthony*, 3
 Pleszczyńska, J., 11, 13
 Plinthus *Fenzl*, 18
 Plocamium *Lamouroux*, 15
 plot size, 4, 19
 Plumbaginaceae, 6
 Plumerioideae, 10
 Poaceae, see also Gramineae, 3–8, 10, 11, 13, 15, 18
 pod, 14, 18
 Podocarpaceae, 10
 Podocarpus *L'Hérit.*, 11
 elongatus (*Ait.*) *L'Hérit. ex Pers.*, 10
 Poellnitzia *Uitew.*, 12
 poisoning, 'gousiekte', 5
 Pole Evans, I.B., 1, 2, 8, 13
 Polevansia *De Winter*, 5
 Polhill, R.M., 13
 pollination, 3, 11 16
 biology, 16
 Polygalaceae, 13
 Polygonaceae, 7, 8
 Polygonum *L.*, 8
 hydropiper *L.*, 8
 senegalense *Meisn.*
 forma *albotomentosum* R.A. Grah., 7
 subsp. *albotomentosum* (R.A. Grah.) *Germishuizen*, 7
 Polylobium, Crotalariaeae section, 17
 Polypodiaceae, 18
 Polyporus *baudoni Pat.*, 17
 Pooidae, 11
 Pondoland, 16
 Pongolo River
 floodplain, 7
 pans, 12
 population, 18
 biology, 14
 Porina *Achar.*, 4
 Porinaceae, 4
 Porpidia *Körber*, 4
 Porpidiaceae, 4
 Port
 Alfred, 11
 Elizabeth, 16
 Porter, R.N., 14, 19
 Portulacaceae, 17
 Potamophila *prehensilis (Nees) Benth.*, 5
 Pott-Leendertz, Mrs Reino, 12
 Poynton, J.C., 14
 Poynton, R.J., 14
 Precambrian, 4, 10
 PRECIS, 11, 12
 predictive model, 12
 pre-Linnean, 14
 Pressinger, F.M., 14
 Pretoria, 11, 12
 Herbarium, 14
 National Botanical Garden, 2, 6
 primitive crops, 3
 principal components analysis, 14
 Prionanthium *Desv.*, 5, 7
 Prodromus
 einer Flora von Südwestafrika, 6
 Burman, 5
 Thunberg, 5
 productivity, 11
 Prosopis *L.*, 14
 Protasparagus *Oberm.*, 12
 Protea *L.*, 3
 Proteae, 13
 Proteaceae, 3, 4, 13
 Psathyrophlyctis *Brusse*, 4
 Pseudobromus *africanus (Hack.) Stapf.*, 5
 Pseudopentameris *Conert*, 3, 7
 Psoralea *L.*, 7
 Ptaeroxylaceae, 19
 Pteridaceae, 4, 9
 Pteridophyta, 3, 4, 9, 14, 15
 Pteroriccia *Schust.*, 13
 Pterothrix *DC.*, 4
 publication dates of *Bothalia* volumes, 1
 Puff, Ch., 14
 Putterill, K.M., 14
 Putterlickia *pyracantha (L.) Szyszl.*, 5
 Pyrrosia *schimperama (Mett. ex Kuhn) Alston*, 18
 Pythiaceae, 18
 quantitative description, 14
 Quaternary, 11, 18
 Quézel, P., 14
 Raal, P.A., 14
 Rabdosia (*Blume*) *Hassk.*, 5
 Rabdosiella *Codd*, 5
 Rabie, C.J., 11, 14
 Rafnia *Thunb.*, 16
 Ramcharun, S., 3, 14
 Ramosa group (*Ehrharta*), 8
 Ranunculaceae, 9
 Raphia *Beauv.*, 12, 13
 Rappa, F., 8
 Rauh, W., 11, 14
 Raven, P.H., 14
 red algae, 15
 Reekmans, M., 14
 regeneration, 15
 register, 8
 Rehmann, A., 5
 Reid, C., 5, 8, 14
 Reid, D.A., 14
 remote sensing, 9
 Renosterveld, 4
 Restionaceae, 11
 Retief, E., 4, 8, 14
 review of work of BRI, 3

- Reyneke, W.F., 14
 Reynoutria *Houtt.*, 7
Rhadamanthopsis Oberm., 12
Rhadamanthus Salisb., 12
 Rhamnaceae, 4
 rheophytes, 17
 Rhodesia [Zimbabwe], 14
 Rhodophyta, 15
Rhoicissus Planch., 14
Rhus L., 15
Rhynchosia Lour., 3, 7, 16
Riccia L., 13, 18
 section *Pilifer Volk*, 13, 18
 section *Riccia*, 13
 subgenus *Chartacea Perold*, 18
 subgenus *Ricciella (A. Br.) Bisch.*, 13
 group *Squamatae*, 18
 alatospora Volk & Perold, 13, 18
 albolimbata S. Arnell, 13
 albomarginata Bisch., 18
 albopora Perold, 13
 albornata Volk, Perold & Bornefeld, 18
 albosquamata S. Arnell, 13
 albovestita Volk, 13
 ampullacea Perold, 13
 argenteo-limbata Volk, Perold & Bornefeld, 18
 bicolorata Perold, 13
 campbelliana Howe, 13
 capensis Steph., 13
 concava Bisch., 13
 congoana Steph., 13
 duthieae Volk & Perold, 18
 elongata Perold, 13
 fluitans L., 13
 furfuracea Perold, 13
 hantamensis Perold, 13
 hirsuta Volk & Perold, 18
 mammifera Volk & Perold, 18
 microciliata Volk & Perold, 18
 montana Perold, 13
 namaquensis Perold, 13
 natalensis Sim, 18
 nigrella DC., 13
 pulveracea Perold, 13
 purpurascens Lehm. & Lindenb., 13
 rosea Volk & Perold, 18
 sarcosa Volk & Perold, 18
 schelpei Volk & Perold, 18
 simii Perold, 13, 18
 stricta (Lindenb.) Perold, 18
 tomentosa Volk & Perold, 18
 trachyglossum Perold, 13
 vitrea Perold, 13
Ricciella (Riccia), subgenus, 13
 Ricciaceae, 13
 Richards Bay, 19
 Richtersveld, 7
Riocreuxia flanaganii Complex, 6
 riverine woodland, 8
 Robbertse, P.J., 8, 14, 17
 Robinson, E.R., 8, 14
 Robyns, W., 14
 Rogers, D.J., 14
 Rooiberg, southern Cape, 16
 root(s), 14
 aerenchyma, 8
 pattern, 19
 Rosaceae, 15, 16
 Rose, E.F., 14, 19
 Ross, J.H., 2, 14, 15
 Rourke, J.P., 13, 14
 Roux, J.P., 14
Royena L., 5
 Rubiaceae, 5, 14
Rubidgea Tate, 10
Rubus L., 15, 16
Ruschiinae, 8
Rusizi plain, 14
 rust fungi, 6
 Rustenburg Nature Reserve, 5
 Rutaceae, 4, 14
 Rutherford, M.C., 14, 15
 × *Ruttyruspolia Meeuse & De Wet*, 11
 Rwanda, 10, 14
 Rycroft, H.B., 15
 Saayman, E.J.L., 15
 Sabie, 5
 Saccharomycetaceae, 17
 Sahara, southern, 10
 Salicaceae, 9
Salicornia L., 17
Salix L., 9
 Salvadoraceae, 18
 Sanchez, E., 13, 15
 Sani Pass, 10
 Sapindaceae, 13
 Sapotaceae, 11
 saprophytic orchid, 17
Sarcocaulon (DC.) Sweet, 11, 18
 Sarcodiaceae, 15
 satellite imagery, 19
Satureia L., 9
 savanna, 15, 17
 decomposition model, 12
 ecosystem, 14
 Schaefer, E.E., 15
 Scheepers, J.C., 5, 13, 15
 Schelpe, E.A.C.L.E., 3, 13, 15, 16
Schistostephium Less., 10
Schizodiscus Brusse, 4
Schizoglossum E. Mey., 6
 Schlieben, Hans-Joachim, 10
Schmidtia Steud. ex J.A. Schmidt, 16
 Schnepf, E., 11, 15
Schoenoxiphium Nees, 10
 Scholz, H., 15
 Schonland, S., 15
 Schoonraad, E., 15, 17
Scotia Jacq., 4, 14
 capitata Bolle, 14
 Schrire, B.D., 5, 15
 Schumann, I.H., 11, 15
 Schütte, K.H., 8, 15
 Schutz, C.J., 5, 15
 Schweickerdt, H.G.W.J., 12, 13, 15
Scleria Berg., 7
Scolopia Schreb., 9, 13
 mundii (Eckl. & Zeyh.) Warb., 9
 stolzii Gilg. ex Sleum., 9
 Scott, L., 15
 Scott, M.K., 15
 Scrophulariaceae, 4, 5, 13
 secretory canals, 6
 seeds, 9, 17
 Sekukuniland, 14
 Selaginaceae, 9
 Selaginella
 imbricata (Forssk.) Spring ex Decne, 18
 tenerrima A. Braun ex Kuhn, 10
 Selaginellaceae, 18
Selago L., 9
 Sengwa Wildlife Research Area, 5, 8
 Serusiaux, E., 10, 15
Sesbania Scop., 13
 Setacea group (Ehrharta), 7, 8
 Shaba, Upper (Zaïre), 11
 shrubs, 11
 Sierra Leone mountains, 9
Silene dewinteri Bocquet, 4
Silicularia Compton, 11
 silky hakea, 7
 Simaroubaceae, 9
 Simons, R.H., 15
 Sinclair, R.C., 15
Siphonoglossa Oerst., 9
 Siyai Lagoon, Natal, 19
 Slinger, J., 15
 Small, J.G.C., 15, 17
 Smith, C.A., 15
 Smith, G.F., 15

- Smodingium E. Mey. ex Sond.*, 6
Smook, L. (see *Fish, L.*), 2, 8, 15
Soderstrom, T.R., 15
 soil
 mycoflora, 13
 nutrient-poor, 17
 types, 4
Solanaceae, 4, 7
Solanum L., 4
 macrocarpon L., 4
Sonder Herbarium, 11
sorghum, 3
Sotho, 9
 sour bushveld, 17, 19
 south-eastern Cape, 6
 southern
 Cape, 9, 16, 17
 hemisphere, 4, 14
 south tropical-Africa, 10
 South West Africa [Namibia], 4, 5, 8, 12, 17
 south-western
 Cape, 3–5, 8, 16, 18
 Transvaal, 12
 speciation, 8, 14
 species-area relationship, 19
 species diversity, 19
 specimen pressing, 19
Sphaerococcus scutellatus Her., 15
Sphaeropsidaceae, 11
Sphaeropsidales, 4
Sphagnaceae, 17
Spies, J.J., 6, 15, 16
 spines, 14
 spore germination, 13
Sporobolus R. Br., 16
 sporoderm morphogenesis, 7
Squamatae, 13
Stachys L., 5
 aethiopica Complex, 5
 staff of the BRI, 2–4
 staff of the National Herbarium, 8, 16
 standing crop, herbaceous, 15
Stapelia L., 6
Stapelieae, 10
Steinhorst, R.K., 16
Stellenbosch, 19
Stemphylium botryosum, 17
Stenochlaena tenuifolia (Desv.) T. Moore, 15
Stent, S.M., 16
Sterculiaceae, 6, 15, 18
Stereum Pers. ex S.F. Gray, 16
 sterigmata, 6
Steyaert, R.L., 16
Stipagrostis Nees, 6
Stipeae, 5
 stipules, 14
Stirton, C.H., 2, 9, 15, 16, 19
Stokoeanthus E.G.H. Oliver, 12
Storey, H.H., 11, 16
Stork, A.L., 10, 16
Story, R., 4, 16
Strauss, S.E., 4, 16
Strelitzia
 junceae Link., 6
 reginae Ait., 6
Strelitziaceae, 6
Streptocarpus Lindl., 9
Strey, R.G., 12, 15, 16
 structural classification, 6, 16
Strumaria Jacq. ex Willd., 12
Strychnos L., 18
Styypeiochloa De Winter, 5
 subsaharan Africa, 13
 succulent plants, 14
Suikerbosrand Nature Reserve, Transvaal, 4
 summer rainfall area, 3
 survey, phytogeographic, 13
 survival, 15
Swartboschkloof, Jonkershoek, Cape, 11
Swaziland, 6
 sweetpeas, 10
Sydow, H., 6, 16
 symposium, 9
Syncolostemon E. Mey., 5
 ramulosus E. Mey. ex Benth., 5
 synopsis, 9, 11, 15
 synonymy, 8, 13
Sypharissa Salisb., 12
Syzygium pondoense Engl., 17
Talbot, P.H.B., 16, 19
Talinum Adans., 17
Talukdar, S., 16
Tansley, S.A., 16
Taussig, J., 5, 16
 taxonomy, 8, 10, 11, 12, 14, 17
 algal, 2, 4, 15
 bryophyte, 11, 13, 18
 gymnosperm, 6, 10, 11
 lichen, 4, 9
 numerical, 8
 pteridophyte, 3, 4, 9
Taylor, H.C., 16, 19
Telina, section, (*Lotononis*), 17
Teloschistaceae, 9
Tephrosia Pers., 7, 15
 Tertiary, 4, 5
Tetradenia Benth., 5
Teucrium L., 5
Thabazimbi District, 19
Thamnocalamus tessellatus (Nees) Soderstrom & Ellis, 15
Thelephora Ehrh. ex Fr., 16
Thelypteridaceae, 18
Thelypteris Schmidel, 18
 microbasis (Bak.) Tard., 18
Theron, G.K., 4, 5, 10, 16, 19
Thode, H.J., 9
Thom, J.E., 17
Thompson, M.F., 17
Thorncroftia N.E. Br., 5
 threatened plants, 7, 8
Thunberg
 herbarium, 4, 5
 prodromus, 5
Thunbergia Retz., 14
Thuranthos C.H. Wr., 12, 16
Thymelaeaceae, 13, 14
Thyrea Massalongo, 4
Tiliaceae, 5, 18, 20
Togo, 15
Tölken, H.R., 17
Tongaland, Natal, 11, 14
Trachyandra Kunth, 12
 transect, 5, 19
Transkei, 4, 7, 9, 19
Transvaal, 3, 4, 6, 8–12, 14–16
 eastern, 5, 12
 Museum Herbarium, 12
 north-eastern, 4
 northern, 3, 12
 north-western, 13
 south-western, 12
 western, 13, 17
Trapelia Choisy, 4
Trapeliaceae, 4
Trappe, J.M., 11, 17
 trees, 9, 11
Trematocarpus Zahlbr., 15
Triaspis Burch., 9
Tribulus Tourn. ex Linn., 15
 terrestris L., 9
Tricliceras Thonn. ex DC., 12
Trimeria
 grandifolia (Hochst.) Warb., 9
 rotundifolia (Hochst.) Warb., 9
Triplastrum spinulosum (Kisselev) Gauthiere-Lièvre, 4
Trinity College, Dublin (TCD) Herbarium, 11
Tristachya superba (De Not.) Schweinf. & Aschers, 18
Trinstan da Cunha, 6
Tritonia Ker-Gawl., 8
 tropical Africa, 5, 7, 10, 11, 13, 14, 18, 19

- Tropic of Capricorn, 5, 17
 Troupin, G., 14, 17
 Tsonga people, 11
 Tuberales, 11
 Tugela Dry Valley Bushveld, 11
 Turner, B., 17
 Turneraceae, 12, 16
Turraea pulchella (Harms) Pennington, 20
 Tussen die Riviere Game Farm, 19
 Ubbink, B., 17
 Uganda, 9
 ultrastructure, 3
 Umbelliferae, see also Apiaceae, 14
 Upper Shaba, Zaïre, 11
 Urginea
 altissima (L.f.) Bak., 12
 epigaea R.A. Dyer, 12
Urochlaena Nees, 7
 Uromyces, 6
 Ustilaginales, 20
Utricularia transrugosa Stapf, 15
Uvaria gracilipes N.K. Robson., 3
 Valsaceae, 6
 Van Daalen, J.C., 17
 Van der Merwe, Frederick Ziervogel, 18
 Van der Merwe, J.J.M., 17
 Van der Meulen, F., 5, 16, 17
 Van der Schijff, H.P., 17
 Van der Walt, J.J.A., 17, 18
 Van der Walt, J.P., 17
 Van der Westhuizen, G.C.A., 11, 17
 Van Druten, D.M.C. (see Fourie, D.M.C.), 2, 17
 Van Gils, H.A.M.J., 17
 Van Jaarsveld, F.A., 13, 17
 Van Rensburg, H.J., 17
 Van Rensburg, W.L.J., 17, 18
 Van Rooy, J., 5, 8, 17
 Van Rooyen, N., 17, 19
 Van Staden, J.M., 17, 19
 Van Steenis, C.G.G.J., 17
 Van Vuuren, D.R.J., 4, 17
 Van Warmelo, K.T., 11, 17
 Van Wyk, A.E., 15, 17
 Van Wyk, B-E., 17, 18
 Van Wyk, C.M., 5, 8, 17, 18
 Van Wyk, P.S., 10, 11, 18
 Van Wyk, P.W.J., 18
 Van Zinderen Bakker, E.M. Sr, 18
 vascular bundle sheath, 7
 vascular plants, 3, 13
 vegetation, 2, 4–8, 10–19
 alpine, 10
 changes, 18, 19
 coastal, 4, 11, 12, 16
 conservation, 15
 dry, 19
 dune, 19
 ecology, 5
 ephemeral, 19
 indigenous, 11
 map(ping), 9, 17
 sampling, 19
 stratification, 19
 studies, 17
 succession, 19
 survey, 5, 11, 12, 16, 19
 units, 17
 woody, 19
 vegetative
 morphology, 11, 17
 multiplication, 6
 patterns, 15
 propagation, 3
 reproduction, 13
Veld types of South Africa, 10
 Venda, 16
 Venter, H.J.T., 18
 Ventersdorp system, 4
Vepris lanceolata (Lam.) G. Don., 14
 Verbenaceae, 4, 11, 15
 Verdcourt, B., 18
 Verdoorn, I.C., 2, 4, 6, 7, 12, 18
 Verhoeven, R.L., 18
 Vernon Hooper Dam, 12
Veronaea Ciferri & Montemartini, 13
 compacta Papendorff, 13
 vicariance, 13
 Villosa group (Ehrharta), 7, 8
 Vinca L., 16
 virus diseases, 10
 Viscaceae, 20
Viscum L., 20
 Vitaceae, 4, 14, 17
 Vitt, D.H., 11, 18
 Vogel, J.C., 18
 Voges, S.P., 15, 16, 18
 Vogts, M.M., 4, 18
 Volk, O.H., 13, 18
 Volschenk, B., 18
 Von Broembsen, H.H., 18
 Voorendyk, S., 5, 18
 Vorster, P.J., 3, 6, 15, 17, 18
 Vorster, T.B., 18
 Vryheid District, 8
 Wager, V.A., 18
 wagon building industry, 19
 Wakefield, E.M., 19
Waltheria L., 18
 indica L., 15
 Ward, C.J., 19
 Warega, 10
 Waterberg
 Namibia, 4
 Transvaal, 9
 Watson, H.K., 19
 Weberling, F., 19
 weed(s), 19
 Wehmeyer, A.S., 19
 Weisser, P.J., 5, 19
 Wells, M.J., 10, 19
 Welman, W.G., 5, 8, 19
 Werger, M.J.A., 5, 19
 West Africa, 4, 9, 19
 West African craton, 4
 western
 Cape, 14
 Transvaal, 13
 Westfall, R.H., 5, 13, 15, 17, 19
 Whateley, A., 19
 wheat field debris, 9, 13
 White, F., 6, 19
 Widdringtonia *Endl.*, 11
 Wiens, D., 20
 Wijnands, D.O., 20
 Wild, H., 20
 Williams, R., 20
 Wingea *J.P. van der Walt*, 17
 Wingfield, M.J., 18, 20
 Wirminghaus, J.O., 20
 Witwatersrand, 4, 8
 Wolfson, M., 7, 20
 Wolkberg, 4
 Wonderkloof Nature Reserve, 10
 woodland, riverine, 8
 Woods, D.B., 11, 20
 Xhosa, 9
Ximenia L., 15
 Xumeni, Natal, 11
 Xylariaceae, 11
 xylocopid bees, 16
 Xyridaceae, 7
Xyris capensis Thunb., 7
 yeast, 17
 Zaïre, 10, 11
 Zamiaceae, 6
Zantedeschia Sprengel, 10
Zanthoxylum lepreurii Guill. & Perr., 14
Zehneria Endl., 14
 Zimbabwe (Rhodesia), 8, 12
Zonaria Agardh, 15

Zulu, 9
Zululand, 12
Zundel, G.L.I., 20
Zürich-Montpellier method, 5, 19

Zuurberg National Park, 17, 18
Zwanziger, S., 5, 20
Zygophyllaceae, 14
Zygophyllum *L.*, 14

Bothalia Contents To Vols 1-20



BS0366

R 15.00